



Universiteit  
Leiden  
The Netherlands

## Luttinger liquid on a lattice

Zakharov, V.

### Citation

Zakharov, V. (2025, September 23). *Luttinger liquid on a lattice*. Retrieved from <https://hdl.handle.net/1887/4261489>

Version: Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/4261489>

**Note:** To cite this publication please use the final published version (if applicable).

# **Luttinger liquid on a lattice**

Proefschrift

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van rector magnificus prof.dr.ir. H. Bijl,  
volgens besluit van het college voor promoties  
te verdedigen op dinsdag 23 September 2025  
klokke 10.00 uur

door

Vladimir Aleksandrovich Zakharov  
geboren te Sint-Petersburg, Rusland  
in 1997

Promotores: Prof. dr. C. W. J. Beenakker  
Prof. dr. İ. Adagideli (Sabancı University, Istanbul, Turkey)

Promotiecommissie: Prof. dr. A. Boyarsky  
Dr. N. Chepiga (TU Delft)  
Dr. P. R. Corboz (Universiteit van Amsterdam)  
Prof. dr. S. J. van der Molen  
Prof. dr. K. E. Schalm

Cover:

You see water – a universal metaphor for the physics of collective behavior presented in this thesis. Water is a liquid, a state of matter where interactions play a crucial role. The surface of water serves as a good example of a disordered landscape shaped by external random forces. Finally, this landscape naturally contains many different peaks and valleys, as well as various types of saddle points connecting them.

Cover design: Maria Zakharova, original photograph: Vladimir Zakharov.

*To my mother*  
Моей маме



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Preface . . . . .	1
1.2	Topologically protected Luttinger liquid . . . . .	2
1.3	Chiral fermions in QFT and SPT . . . . .	4
1.4	Bosonization . . . . .	5
1.5	Lattice formulation and no-go theorem . . . . .	7
1.5.1	Domain wall fermion . . . . .	10
1.6	This thesis . . . . .	11
1.6.1	Chapter 2 . . . . .	11
1.6.2	Chapter 3 . . . . .	12
1.6.3	Chapter 4 . . . . .	13
1.6.4	Chapter 5 . . . . .	14
<b>2</b>	<b>Helical Luttinger liquid on a space-time lattice</b>	<b>17</b>
2.1	Introduction . . . . .	17
2.2	Locally discretized Lagrangian . . . . .	18
2.3	Discretized Euclidean action . . . . .	21
2.4	Free-fermion propagator . . . . .	22
2.5	Conclusion . . . . .	25
	Appendices . . . . .	26
2.A	Derivation of the Euclidean action in the tangent discretization .	26
2.B	Quantum Monte Carlo calculation . . . . .	29
2.B.1	Hubbard-Stratonovich transformation of the Euclidean action . . . . .	29
2.B.2	Absence of a sign problem . . . . .	31
2.B.3	Correlators . . . . .	32
2.B.4	Monte Carlo averaging . . . . .	33
2.C	Bosonization results . . . . .	33

2.C.1	Bosonic form of the Hamiltonian . . . . .	34
2.C.2	Spin correlator in terms of the bosonic fields . . . . .	35
2.C.3	Evaluation of the thermal averages . . . . .	37
2.C.4	Propagator . . . . .	39
<b>3</b>	<b>Luttinger liquid tensor network: sine versus tangent dispersion of massless Dirac fermions</b>	<b>41</b>
3.1	Introduction . . . . .	41
3.2	Matrix product operator . . . . .	42
3.2.1	Free fermions . . . . .	43
3.2.2	Helical Luttinger liquid . . . . .	45
3.3	Correlators . . . . .	46
3.3.1	Free fermions . . . . .	46
3.3.2	DMRG calculation with Hubbard interaction . . . . .	47
3.4	Conclusion . . . . .	48
	Appendices . . . . .	52
3.A	Local generalized eigenproblem allows for a scale-independent MPO . . . . .	52
3.B	Jordan-Wigner transformation . . . . .	53
3.C	Periodic boundary condition for MPO with sine discretization . . . . .	54
3.D	Convergence of the DMRG calculations . . . . .	55
3.E	Bosonization results with finite-size effects . . . . .	56
3.F	Alternative tensor network representation of Ref. [52] . . . . .	57
<b>4</b>	<b>Majorana-metal transition in a disordered superconductor: percolation in a landscape of topological domain walls</b>	<b>59</b>
4.1	Introduction . . . . .	59
4.2	Topological landscape function . . . . .	60
4.2.1	Lattice Hamiltonian . . . . .	60
4.2.2	Spectral localizer: open boundary conditions . . . . .	62
4.2.3	Spectral localizer: periodic boundary conditions . . . . .	62
4.3	Phase diagram from percolation transition . . . . .	63
4.3.1	Percolating domain walls . . . . .	63
4.3.2	Phase diagram . . . . .	65
4.3.3	Comparison with thermal conductance . . . . .	66
4.4	Conclusion . . . . .	67
	Appendices . . . . .	67
4.A	Spectral localizer in a clean system . . . . .	67

---

<b>5 Landau quantization near generalized Van Hove singularities: Magnetic breakdown and orbit networks</b>	<b>69</b>
5.1 Introduction . . . . .	69
5.2 Magnetic breakdown at generalized Van Hove singularity . . . . .	73
5.3 Coherent orbit network . . . . .	76
5.4 Landau minibands . . . . .	79
5.5 Conclusion . . . . .	80
Appendices . . . . .	82
5.A Magnetic breakdown near usual and high-order saddle points . . . . .	82
5.A.1 Oscillator basis of Landau levels and formulation of problem in terms of ladder operators . . . . .	82
5.A.2 Magnetic breakdown S-matrix for the usual saddle point	83
5.A.3 Monkey saddle point . . . . .	87
5.A.4 High-order saddle points with different powers in effective dispersion: $A_3$ saddle point and regularization . . . . .	90
5.B Magnetic translation operators and spectral equations for coherent networks . . . . .	92
5.B.1 Magnetic translation group . . . . .	92
5.B.2 The wave function dependence on eigenvalues of the magnetic translation operator . . . . .	94
5.B.3 Square lattice: derivation of spectral equation for orbit network . . . . .	97
5.B.4 Triangular lattice with imaginary hoppings: orbit network connected via Monkey saddle points . . . . .	101
<b>Bibliography</b>	<b>109</b>
<b>Summary</b>	<b>123</b>
<b>Samenvatting</b>	<b>125</b>
<b>Резюме</b>	<b>127</b>
<b>Curriculum Vitæ</b>	<b>129</b>
<b>List of Publications</b>	<b>131</b>

