



Universiteit
Leiden
The Netherlands

Luttinger liquid on a lattice

Zakharov, V.

Citation

Zakharov, V. (2025, September 23). *Luttinger liquid on a lattice*. Retrieved from <https://hdl.handle.net/1887/4261489>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4261489>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- [1] A. Altland and B. Simons, *Condensed Matter Field Theory* (Cambridge, 2023).
- [2] L. D. Landau, *The Theory of a Fermi Liquid*, Sov. Phys. JETP. **3** 920 (1957).
- [3] J. M. Luttinger, *An exactly soluble model of a many-fermion system*, J. Math. Phys. **4**, 1154 (1964).
- [4] S. I. Tomonaga, *Remarks on Bloch's Method of Sound Waves applied to Many-Fermion Problems*, Progress of Theoretical Physics **5** 544 (1950).
- [5] H. B. Nielsen and M. Ninomiya, *A no-go theorem for regularizing chiral fermions*, Phys. Lett. B **105**, 219 (1981).
- [6] D. J. Thouless, M. Kohmoto, M. P. Nightingale and M. den Nijs, *Quantized Hall Conductance in a Two-Dimensional Periodic Potential*, Phys. Rev. Lett. **49**, 405 (1982).
- [7] J. Maciejko, T. L. Hughes, and S.-C. Zhang, *The quantum spin Hall effect*, Annu. Rev. Condens. Matter Phys. **2**, 31 (2011).
- [8] C. L. Kane and E. J. Mele, *Quantum spin Hall effect in graphene*, Phys. Rev. Lett. **95**, 226801 (2005).
- [9] I. Bouchoule, R. Citro, T. Duty, T. Giamarchi, R. G. Hulet, M. Klanjsek, E. Orignac, B. Weber, *A glance to Luttinger liquid and its platforms*, arXiv:2501.12097.
- [10] T. Senthil, *Symmetry-protected topological phases of quantum matter*, Annu. Rev. Condens. Matter Phys., **6**, 299 (2015).

- [11] M. Barkeshli, Y. A. Chen, P. S. Hsin, and N. Manjunath, *Classification of $(2+1)D$ invertible fermionic topological phases with symmetry* Phys. Rev. B **105**, 235143 (2022).
- [12] J. Sullivan and M. Cheng, *Interacting edge states of fermionic symmetry-protected topological phases in two dimensions* SciPost Physics **9**, 016 (2020).
- [13] T. Giamarchi, *Quantum Physics in One Dimension* (Oxford, 2003).
- [14] J. von Delft and H. Schoeller, *Bosonization for beginners — refermionization for experts*, Ann. Physik **510**, 225 (1998).
- [15] Z. Wang, F. Assaad, and M. Ulybyshev, *Validity of SLAC fermions for the $(1 + 1)$ -dimensional helical Luttinger liquid*, Phys. Rev. B **108**, 045105 (2023).
- [16] R. Stacey, *Eliminating lattice fermion doubling*, Phys. Rev. D **26**, 468 (1982).
- [17] C. W. J. Beenakker, A. Donís Vela, G. Lemut, M. J. Pacholski, and J. Tworzydło, *Tangent fermions: Dirac or Majorana fermions on a lattice without fermion doubling*, Annalen der Physik **535**, 2300081 (2023).
- [18] For an overview of methods to avoid fermion doubling in lattice gauge theory see: chapter 4 of David Tong’s lecture notes: <https://www.damtp.cam.ac.uk/user/tong/gaugetheory.html>; chapter 4 of H. J. Rothe, *Lattice Gauge Theories: an introduction* (World Scientific, 2005).
- [19] We are assuming a Hermitian operator. In a non-Hermitian system fermion doubling can be avoided, see M. N. Chernodub, *The Nielsen-Ninomiya theorem, PT -invariant non-Hermiticity and single 8-shaped Dirac cone*, J. Phys. A **50**, 385001 (2017).
- [20] F. D. M. Haldane, *Luttinger liquid theory of one-dimensional quantum fluids*, J. Phys. C **14**, 2585 (1981).
- [21] G. Giuliani and G. Vignale, *Quantum Theory of the Electron Liquid* (Cambridge, 2008).
- [22] D. J. Scalapino and R. L. Sugar, *Method for performing Monte Carlo calculations for systems with fermions*, Phys. Rev. Lett. **46**, 519 (1981).

-
- [23] J. E. Hirsch, *Discrete Hubbard-Stratonovich transformation for fermion lattice models*, Phys. Rev. B **28**, 4059 (1983).
 - [24] J. E. Hirsch and R. M. Fye, *Monte Carlo Method for Magnetic Impurities in Metals*, Phys. Rev. Lett. **56**, 2521 (1986).
 - [25] J. Gubernatis, N. Kawashima, and P. Werner, *Quantum Monte Carlo Methods: Algorithms for Lattice Models* (Cambridge, 2016).
 - [26] F. Becca and S. Sorella, *Quantum Monte Carlo Approaches for Correlated Systems* (Cambridge, 2017).
 - [27] D. B. Kaplan, *Chiral gauge theory at the boundary between topological phases*, Phys. Rev. Lett. **132**, 141603 (2024).
 - [28] D. B. Kaplan and S. Sen, *Weyl fermions on a finite lattice*, Phys. Rev. Lett. **132**, 141604 (2024).
 - [29] M. Hohenadler, T. C. Lang, and F. F. Assaad, *Correlation effects in quantum spin-Hall insulators: A quantum Monte Carlo study*, Phys. Rev. Lett. **106**, 100403 (2011).
 - [30] Shun-Li Yu, X. C. Xie, and Jian-Xin Li, *Mott physics and topological phase transition in correlated Dirac fermions*, Phys. Rev. Lett. **107**, 010401 (2011).
 - [31] Dong Zheng, Guang-Ming Zhang, and Congjun Wu, *Particle-hole symmetry and interaction effects in the Kane-Mele-Hubbard model*, Phys. Rev. B **84**, 205121 (2011).
 - [32] Y. Yamaji and M. Imada, *Mott physics on helical edges of two-dimensional topological insulators*, Phys. Rev. B **83**, 205122 (2011).
 - [33] In the context of lattice gauge theory, the spatial separation of fermion species is known as the method of domain wall or overlap fermions, see T. Kimura, *Domain-wall, overlap, and topological insulators*, arXiv:1511.08286.
 - [34] M. Hohenadler and F. F. Assaad, *Luttinger liquid physics and spin-flip scattering on helical edges*, Phys. Rev. B **85**, 081106(R) (2012).
 - [35] S. D. Drell, M. Weinstein, and S. Yankielowicz, *Strong-coupling field theories. II. Fermions and gauge fields on a lattice*, Phys. Rev. D **14**, 1627 (1976).

- [36] Yuan Da Liao, Xiao Yan Xu, Zi Yang Meng, and Yang Qi, *Caution on Gross-Neveu criticality with a single Dirac cone: Violation of locality and its consequence of unexpected finite-temperature transition*, Phys. Rev. B **108**, 195112 (2023).
- [37] L. Alvarez-Gaumé, G. Moore, P. Nelson, C. Vafa, and J. B. Bost, *Bosonization in arbitrary genus*, Phys. Lett. B **178**, 41 (1986).
- [38] E. Berkowitz, A. Cherman, and T. Jacobson, *Exact lattice chiral symmetry in 2d gauge theory*, arXiv:2310.17539.
- [39] F. D. M. Haldane, *Demonstration of the “Luttinger liquid” character of Bethe-Ansatz-soluble models of 1-D quantum fluids*, Phys. Lett. **81A**, 153 (1981).
- [40] F. C. Alcaraz and Y. Hatsugai, *String correlation functions in the anisotropic spin-1 Heisenberg chain*, Phys. Rev. B **46**, 13914 (1992).
- [41] A. Urichuk, J. Sirker, and A. Klümper, *Analytical results for the low-temperature Drude weight of the XXZ spin chain*, Phys. Rev. B **103**, 245108 (2021).
- [42] C. M. Bender, K. A. Milton, and D. H. Sharp, *Consistent formulation of fermions on a Minkowski lattice*, Phys. Rev. Lett. **51**, 1815 (1983).
- [43] J. Tworzydło, C. W. Groth, and C. W. J. Beenakker, *Finite difference method for transport properties of massless Dirac fermions*, Phys. Rev. B **78**, 235438 (2008).
- [44] M. J. Pacholski, G. Lemut, J. Tworzydło, and C. W. J. Beenakker, *Generalized eigenproblem without fermion doubling for Dirac fermions on a lattice*, SciPost Phys. **11**, 105 (2021).
- [45] A. Donís Vela, M. J. Pacholski, G. Lemut, J. Tworzydło, and C. W. J. Beenakker, *Massless Dirac fermions on a space-time lattice with a topologically protected Dirac cone*, Ann. Physik **534**, 2200206 (2022).
- [46] J.-C. Budich, Ying Hu, and P. Zoller, *Helical Floquet channels in 1D lattices*, Phys. Rev. Lett. **118**, 105302 (2017).
- [47] Xiao-Qi Sun, Meng Xiao, T. Bzdušek, Shou-Cheng Zhang, and Shanhui Fan, *Three-dimensional chiral lattice fermion in Floquet systems*, Phys. Rev. Lett. **121**, 196401 (2018).

-
- [48] G. D. Mahan, *Many-Particle Physics* (Springer, New York, 2000).
 - [49] J. Ferrer, J. González, and M.-A. Martín-Delgado, *Bosonization on a lattice: The emergence of the higher harmonics*, Phys. Rev. B **51**, 4807 (1995).
 - [50] In the Appendices we derive the Euclidean action in the tangent discretization; we give details of the quantum Monte Carlo calculation, in particular the check that no sign problem appears; we provide the finite-size corrections to the power law decay of the correlators, following from the bosonization theory [14]. Our computer codes are provided in a Zenodo repository at <https://doi.org/10.5281/zenodo.10566063>.
 - [51] C. W. J. Beenakker, *Topologically protected Casimir effect for lattice fermions*, Phys. Rev. Res. **6**, 023058 (2024).
 - [52] J. Haegeman, L. Lootens, Q. Mortier, A. Stottmeister, A. Ueda, and F. Verstraete, *Interacting chiral fermions on the lattice with matrix product operator norms*, arXiv:2405.10285.
 - [53] X. S. Li, *An overview of SuperLU: Algorithms, implementation, and user interface*, ACM Transactions on Mathematical Software, **31**, 302 (2005).
 - [54] C.-K. Chiu, J. C. Y. Teo, A. P. Schnyder, and S. Ryu, *Classification of topological quantum matter with symmetries*, Rev. Mod. Phys. **88**, 035005 (2016).
 - [55] S. R. White, *Density matrix formulation for quantum renormalization groups*, Phys. Rev. Lett. **69**, 2863 (1992).
 - [56] S. Östlund and S. Rommer, *Thermodynamic limit of density matrix renormalization*, Phys. Rev. Lett. **75**, 3537 (1995).
 - [57] U. Schollwöck, *The density-matrix renormalization group in the age of matrix product states*, Annals Physics **326**, 96 (2011).
 - [58] J. I. Cirac, D. Pérez-García, N. Schuch and F. Verstraete, *Matrix product states and projected entangled pair states: Concepts, symmetries, theorems*, Rev. Mod. Phys. **93**, 045003 (2021).
 - [59] V. A. Zakharov, J. Tworzydło, C. W. J. Beenakker, and M. J. Pacholski, *Helical Luttinger liquid on a space-time lattice*, Phys. Rev. Lett. **133**, 116501 (2024).

-
- [60] F. Verstraete, J. J. Garcia-Ripoll, J. I. Cirac, *Matrix product density operators: Simulation of finite-temperature and dissipative systems*, Phys. Rev. Lett. **93**, 207204 (2004).
- [61] M. Zwolak and G. Vidal, *Mixed-state dynamics in one-dimensional quantum lattice systems: A time-dependent superoperator renormalization algorithm*, Phys. Rev. Lett. **93**, 207205 (2004).
- [62] I. P. McCulloch, *Infinite size density matrix renormalization group, revisited*, arXiv:0804.2509
- [63] G. M. Crosswhite, A. C. Doherty and G. Vidal, *Applying matrix product operators to model systems with long-range interactions*, Phys. Rev. B **78**, 035116 (2008).
- [64] B. Pirvu, V. Murg, J. I. Cirac and F. Verstraete, *Matrix product operator representations*, New J. Phys. **12**, 025012 (2010).
- [65] F. Fröwis, V. Nebendahl, and W. Dür, *Tensor operators: constructions and applications for long-range interaction systems*, Phys. Rev. A **81**, 062337 (2010).
- [66] J. Hauschild and F. Pollmann *Efficient numerical simulations with Tensor Networks: Tensor Network Python (TeNPy)*, SciPost Phys. Lect. Notes **5** (2018).
- [67] Meng Zeng, Zheng Zhu, Juven Wang, and Yi-Zhuang You, *Symmetric mass generation in the 1+1 dimensional chiral fermion 3-4-5-0 model*, Phys. Rev. Lett. **128**, 185301 (2022).
- [68] F. Verstraete and I. Cirac, *Matrix product states represent ground states faithfully*, Phys. Rev. B **73**, 094423 (2006).
- [69] C. Kallin and J. Berlinsky, *Chiral superconductors*, Rep. Prog. Phys. **79**, 054502 (2016).
- [70] T. Senthil and M. P. A. Fisher, *Quasiparticle localization in superconductors with spin-orbit scattering*, Phys. Rev. B **61**, 9690 (2000).
- [71] F. Evers and A. D. Mirlin, *Anderson transitions*, Rev. Mod. Phys. **80**, 1355 (2008).

-
- [72] C. W. J. Beenakker and L. P. Kouwenhoven, *A road to reality with topological superconductors*, Nature Phys. **12**, 618 (2016).
- [73] J. T. Chalker, N. Read, V. Kagalovsky, B. Horovitz, Y. Avishai, and A. W. W. Ludwig, *Thermal metal in network models of a disordered two-dimensional superconductor*, Phys. Rev. B **65**, 012506 (2001).
- [74] A. Mildenberger, F. Evers, A.D. Mirlin, and J. T. Chalker, *Density of quasi-particle states for a two-dimensional disordered system: Metallic, insulating, and critical behavior in the class-D thermal quantum Hall effect*, Phys. Rev. B **75**, 245321 (2007).
- [75] M. Wimmer, A. R. Akhmerov, M. V. Medvedyeva, J. Tworzydło, and C. W. J. Beenakker, *Majorana bound states without vortices in topological superconductors with electrostatic defects*, Phys. Rev. Lett. **105**, 046803 (2010).
- [76] V. Kagalovsky and D. Nemirovsky, *Critical fixed points in class D superconductors*, Phys. Rev. B **81**, 033406 (2010).
- [77] M. V. Medvedyeva, J. Tworzydło, and C. W. J. Beenakker, *Effective mass and tricritical point for lattice fermions localized by a random mass*, Phys. Rev. B **81**, 214203 (2010).
- [78] C. R. Laumann, A. W. W. Ludwig, D. A. Huse, and S. Trebst, *Disorder-induced Majorana metal in interacting non-Abelian anyon systems*, Phys. Rev. B **85**, 161301(R) (2012).
- [79] B. Pekerten, A. Mert Bozkurt, and I. Adagideli, *Fermion parity switches of the ground state of Majorana billiards*, Phys. Rev. B **100**, 235455 (2019).
- [80] T. Wang, Z. Pan, T. Ohtsuki, I. A. Gruzberg, and R. Shindou, *Multicriticality of two-dimensional class-D disordered topological superconductors*, Phys. Rev. B **104**, 184201 (2021).
- [81] C. Caroli, P.-G. de Gennes, and J. Matricon, *Bound fermion states on a vortex line in a type II superconductor*, J. Phys. Lett. **9**, 307 (1964).
- [82] G. E. Volovik, *Fermion zero modes on vortices in chiral superconductors*, JETP Lett. **70**, 609 (1999).

- [83] N. Read and D. Green, *Paired states of fermions in two dimensions with breaking of parity and time-reversal symmetries, and the fractional quantum Hall effect*, Phys. Rev. B **61**, 10267 (2000).
- [84] C. W. J. Beenakker, *Search for Majorana fermions in superconductors*, Annu. Rev. Con. Mat. Phys. **4**, 113 (2013).
- [85] R. M. Lutchyn, E. P. A. M. Bakkers, L. P. Kouwenhoven, P. Krogstrup, C. M. Marcus, and Y. Oreg, *Majorana zero modes in superconductor–semiconductor heterostructures*, Nature Rev. Materials **3**, 52 (2018).
- [86] K. Flensberg, F. von Oppen, and A. Stern, *Engineered platforms for topological superconductivity and Majorana zero modes*, Nature Rev. Materials **6**, 944 (2021).
- [87] T. A. Loring, *K-theory and pseudospectra for topological insulators*, Annals Physics **356**, 383 (2015).
- [88] I. C. Fulga, D. I. Pikulin, and T. A. Loring, *Aperiodic weak topological superconductors*, Phys. Rev. Lett. **116**, 257002 (2016).
- [89] T. Loring and H. Schulz-Baldes, *Finite volume calculation of K-theory invariants*, New York J. Math. **22**, 1111 (2017).
- [90] E. Lozano Viesca, J. Schober, and H. Schulz-Baldes, *Chern numbers as half-signature of the spectral localizer*, J. Math. Phys. **60**, 072101 (2019).
- [91] T. Loring and H. Schulz-Baldes, *The spectral localizer for even index pairings*, J. Noncommutative Geometry **14**, 1 (2020).
- [92] A. Cerjan and T. A. Loring, *Local invariants identify topology in metals and gapless systems*, Phys. Rev. B **106**, 064109 (2022).
- [93] H. Schulz-Baldes, *Topological indices in condensed matter*, arXiv:2403.18948.
- [94] N. Doll, T. Loring, and H. Schulz-Baldes, *Local topology for periodic Hamiltonians and fuzzy tori*, arXiv:2403.18931.
- [95] S. Franca and A. G. Grushin, *Topological zero-modes of the spectral localizer of trivial metals*, Phys. Rev. B **109**, 195107 (2024).

-
- [96] Zihao Qi, Ilyoun Na, Gil Refael, and Yang Peng, *Real-space topological invariant for time-quasiperiodic Majoranas*, Phys. Rev. B **110**, 014309 (2024).
 - [97] G. E. Volovik, *Topology of a ^3He -A film on a corrugated graphene substrate*, JETP Lett. **107**, 115 (2018).
 - [98] A. Altland and M. R. Zirnbauer, *Nonstandard symmetry classes in mesoscopic normal-superconducting hybrid structures*, Phys. Rev. B **55**, 1142 (1997).
 - [99] C. W. Groth, M. Wimmer, A. R. Akhmerov, and X. Waintal, *Kwant: A software package for quantum transport*, New J. Phys. **16**, 063065 (2014).
 - [100] G. Lemut, M. J. Pacholski, O. Ovdut, A. Grabsch, J. Tworzydło, and C. W. J. Beenakker, *Localization landscape for Dirac fermions*, Phys. Rev. B **101**, 081405(R) (2020).
 - [101] L. Herviou and J. H. Bardarson, *$\mathcal{L}^2$ localization landscape for highly excited states*, Phys. Rev. B **101**, 220201(R) (2020).
 - [102] M. Filoche and S. Mayboroda, *Universal mechanism for Anderson and weak localization*, Proc. Natl Acad. Sci. USA **109**, 14761 (2012).
 - [103] D. N. Arnold, G. David, D. Jerison, S. Mayboroda, and M. Filoche, *Effective confining potential of quantum states in disordered media*, Phys. Rev. Lett. **116**, 056602 (2016).
 - [104] M. Filoche, M. Piccardo, Y.-R. Wu, C.-K. Li, C. Weisbuch, and S. Mayboroda, *Localization landscape theory of disorder in semiconductors*, Phys. Rev. B **95**, 144204 (2017).
 - [105] M. Filoche, P. Pelletier, D. Delande, and S. Mayboroda, *Anderson mobility edge as a percolation transition*, Phys. Rev. B **109**, L220202 (2024).
 - [106] The simulation code for the spectral localizer calculations is available in the Zenodo repository at <https://doi.org/10.5281/zenodo.14782907>.
 - [107] L. Van Hove, *The occurrence of singularities in the elastic frequency distribution of a crystal*, Physical Review **89**, 1189 (1953).
 - [108] N. F. Q. Yuan, H. Isobe, and L. Fu, *Magic of high-order van Hove singularity*, Nature Communications **10**, 5769 (2019).

- [109] A. Chandrasekaran, A. Shtyk, J. J. Betouras, and C. Chamon, *Catastrophe theory classification of fermi surface topological transitions in two dimensions*, Phys. Rev. Research **2**, 013355 (2020).
- [110] N. F. Q. Yuan and L. Fu, *Classification of critical points in energy bands based on topology, scaling, and symmetry*, Physical Review B **101**, 125120 (2020).
- [111] A. B. Pippard, *Quantization of coupled orbits in metals*, Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences **270**, 1 (1962).
- [112] A. B. Pippard, *Quantization of coupled orbits in metals II. the two-dimensional network, with special reference to the properties of zinc*, Philosophical Transactions of the Royal Society of London. Series A, Mathematical and Physical Sciences **256**, 317 (1964).
- [113] A. B. Pippard, *Magnetic breakdown in a dislocated lattice*, Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences **287**, 165 (1965).
- [114] W. G. Chambers, *Linear-network model for magnetic breakdown in two dimensions*, Physical Review **140**, A135 (1965).
- [115] W. G. Chambers, *Magnetic breakdown: Effective Hamiltonian and de Haas-Van Alphen effect*, Phys. Rev. **149**, 493 (1966).
- [116] W. G. Chambers, *Magnetic breakdown and oscillatory magnetoresistance by a Kubo formula*, Phys. Rev. **165**, 799 (1968).
- [117] W. G. Chambers, *Oscillatory magnetoconductivity in a linear chain of orbits coupled by magnetic breakdown*, Journal of Physics F: Metal Physics **3**, 1216 (1973).
- [118] H. J. Fischbeck, *Theory of Bloch electrons in a magnetic field*, Physica Status Solidi (b) **38**, 11 (1970).
- [119] W. G. Chambers, *Linear-network model for magnetic breakdown in two dimensions*, Phys. Rev. **140**, A135 (1965).
- [120] K. S. Novoselov, A. K. Geim, S. V. Morozov, D. Jiang, Y. Zhang, S. V. Dubonos, I. V. Grigorieva, and A. A. Firsov, *Electric field effect in atomically thin carbon films*, Science **306**, 666 (2004).

-
- [121] K. S. Novoselov, D. Jiang, F. Schedin, T. J. Booth, V. V. Khotkevich, S. V. Morozov, and A. K. Geim, *Two-dimensional atomic crystals*, Proceedings of the National Academy of Sciences **102**, 10451 (2005).
- [122] K. S. Novoselov, A. Mishchenko, A. Carvalho, and A. H. Castro Neto, *2D materials and van der Waals heterostructures*, Science **353**, aac9439 (2016).
- [123] S. Manzeli, D. Ovchinnikov, D. Pasquier, O. V. Yazyev, and A. Kis, *2D transition metal dichalcogenides*, Nature Reviews Materials **2**, 17033 (2017).
- [124] S. M. G. Richard E. Prange, *The Quantum Hall Effect*, Springer New York, (1990).
- [125] M. Y. Azbel, *Quasiclassical quantization in the neighborhood of singular classical trajectories*, Sov. Phys. JETP **12**, 891 (1961).
- [126] M. Y. Azbel, *Energy spectrum of a conduction electron in a magnetic field*, Sov. Phys. JETP **19**, 634 (1964).
- [127] A. Alexandradinata and L. Glazman, *Semiclassical theory of Landau levels and magnetic breakdown in topological metals*, Physical Review B **97**, 144422 (2018).
- [128] B. Göbel, A. Mook, J. Henk, and I. Mertig, *Signatures of lattice geometry in quantum and topological Hall effect*, New Journal of Physics **19**, 063042 (2017).
- [129] N. Paul, P. J. D. Crowley, T. Devakul, and L. Fu, *Moiré Landau fans and magic zeros*, Phys. Rev. Lett. **129**, 116804 (2022).
- [130] G. Lemut, A. Donís Vela, M. J. Pacholski, J. Tworzydło, and C. W. J. Beenakker, *Magnetic breakdown spectrum of a Kramers–Weyl semimetal*, New Journal of Physics **22**, 093022 (2020).
- [131] C.-K. Lu and H. A. Fertig, *Magnetic breakdown in twisted bilayer graphene*, Physical Review B **89**, 085408 (2014).
- [132] V. M. Gvozdicov and M. Taut, *Magnetic quantum oscillations of electrons on a two-dimensional lattice: Numerical simulations and the magnetic breakdown approach*, Phys. Rev. B **75**, 155436 (2007).

- [133] A. Nikolaev and M. Zhuravlev, *Anomalous broadening of Landau levels at the saddle point energy of two dimensional square lattice*, Journal of Magnetism and Magnetic Materials **560**, 169674 (2022).
- [134] A. V. Nikolaev, *Saddle point anomaly of Landau levels in graphene-like structures*, Physical Review B **104**, 035419 (2021).
- [135] A. B. Pippard, *Experimental analysis of the electronic structure of metals*, Reports on Progress in Physics **23**, 176 (1960).
- [136] I. M. Lifshitz and M. I. Kaganov, *Some problems of the electron theory of metals I. Classical and quantum mechanics of electrons in metals*, Soviet Physics Uspekhi **2**, 831 (1960).
- [137] R. Stark and L. Falicov, *Magnetic breakdown in metals*, Progress in Low Temperature Physics **6**, 235 (1967).
- [138] V. Zakharov, A. M. Bozkurt, A. R. Akhmerov, and D. O. Oriekhov, *Code for “Landau quantization near generalized van Hove singularities: magnetic breakdown and orbit networks”* 10.5281/zenodo.7707909 (2023).
- [139] G. E. Zil’berman, *Behavior of an electron in a periodic electric and a uniform magnetic field*, Soviet Phys. JETP **5** (1957).
- [140] C.-M. Ho and J. T. Chalker, *Models for the integer quantum Hall effect: The network model, the Dirac equation, and a tight-binding Hamiltonian*, Phys. Rev. B **54**, 8708 (1996).
- [141] R. R. Gerhardts, D. Weiss, and K. v. Klitzing, *Novel magnetoresistance oscillations in a periodically modulated two-dimensional electron gas*, Physical Review Letters **62**, 1173 (1989).
- [142] R. W. Winkler, J. P. Kotthaus, and K. Ploog, *Landau band conductivity in a two-dimensional electron system modulated by an artificial one-dimensional superlattice potential*, Physical Review Letters **62**, 1177 (1989).
- [143] C. W. J. Beenakker, *Guiding-center-drift resonance in a periodically modulated two-dimensional electron gas*, Physical Review Letters **62**, 2020 (1989).

-
- [144] P. Streda and A. H. MacDonald, *Magnetic breakdown and magnetoresistance oscillations in a periodically modulated two-dimensional electron gas*, Physical Review B **41**, 11892 (1990).
 - [145] V. M. Gvozdkov, *Magnetoresistance oscillations in a periodically modulated two-dimensional electron gas: The magnetic-breakdown approach*, Physical Review B **75**, 115106 (2007).
 - [146] J. Finney, A. L. Sharpe, E. J. Fox, C. L. Hsueh, D. E. Parker, M. Yankowitz, S. Chen, K. Watanabe, T. Taniguchi, C. R. Dean, A. Vishwanath, M. A. Kastner, and D. Goldhaber-Gordon, *Unusual magnetotransport in twisted bilayer graphene*, Proceedings of the National Academy of Sciences **119**, 119 (2022).
 - [147] P. Rosenzweig, H. Karakachian, D. Marchenko, K. Küster, and U. Starke, *Overdoping graphene beyond the Van Hove singularity*, Phys. Rev. Lett. **125**, 176403 (2020).
 - [148] M. R. Slot, T. S. Gardenier, P. H. Jacobse, G. C. P. van Miert, S. N. Kempkes, S. J. M. Zevenhuizen, C. M. Smith, D. Vanmaekelbergh, and I. Swart, *Experimental realization and characterization of an electronic Lieb lattice*, Nature Physics **13**, 672 (2017).
 - [149] K. Kim, A. DaSilva, S. Huang, B. Fallahazad, S. Larentis, T. Taniguchi, K. Watanabe, B. J. LeRoy, A. H. MacDonald, and E. Tutuc, *Tunable moiré bands and strong correlations in small-twist-angle bilayer graphene*, Proceedings of the National Academy of Sciences **114**, 3364 (2017).
 - [150] Y. Cao, V. Fatemi, S. Fang, K. Watanabe, T. Taniguchi, E. Kaxiras, and P. Jarillo-Herrero, *Unconventional superconductivity in magic-angle graphene superlattices*, Nature **556**, 43 (2018).
 - [151] Y. Kim, P. Moon, K. Watanabe, T. Taniguchi, and J. H. Smet, *Odd integer quantum Hall states with interlayer coherence in twisted bilayer graphene*, Nano Letters **21**, 4249 (2021).
 - [152] Y.-T. Hsu, F. Wu, and S. Das Sarma, *Spin-valley locked instabilities in moiré transition metal dichalcogenides with conventional and higher-order Van Hove singularities*, Phys. Rev. B **104**, 195134 (2021).
 - [153] E. Y. Andrei, G. Li, and X. Du, *Electronic properties of graphene: a perspective from scanning tunneling microscopy and magnetotransport*, Reports on Progress in Physics **75**, 056501 (2012).

- [154] Y. Xie, B. Lian, B. Jäck, X. Liu, C.-L. Chiu, K. Watanabe, T. Taniguchi, B. A. Bernevig, and A. Yazdani, *Spectroscopic signatures of many-body correlations in magicangle twisted bilayer graphene*, *Nature* **572**, 101 (2019).
- [155] Xinloong Han, Andreas P. Schnyder and Xianxin Wu, *Enhanced nematicity emerging from higher-order Van Hove singularities*, *Phys. Rev. B* **107**, 184504 (2023)