



**Universiteit
Leiden**
The Netherlands

I do as I am: understanding and leveraging identity to promote smoking cessation and physical activity

Penformis, K.M.

Citation

Penformis, K. M. (2025, December 4). *I do as I am: understanding and leveraging identity to promote smoking cessation and physical activity*. Retrieved from <https://hdl.handle.net/1887/4284574>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4284574>

Note: To cite this publication please use the final published version (if applicable).



Chapter 1

General introduction

THE PROBLEMS OF SMOKING AND LOW PHYSICAL ACTIVITY

Low physical activity and smoking are leading preventable risk factors for chronic diseases (e.g., cardiovascular diseases), mental health disorders (e.g., depression and bipolar disorder), infertility, and premature death [1–3]. Globally, approximately 1/5 of adults still use tobacco and 1/3 are insufficiently physically active [4–6], which contributes to 17 million premature deaths from chronic diseases annually [3]. The health risks associated with physical inactivity and smoking rise significantly after the age of 45 [7–10]. The combined impact of low physical activity and smoking is particularly harmful, more than doubling the risk of premature death and reducing disease-free life expectancy by up to six years [10,11]. It is unlikely that new modifiable risk factors will be identified which have a similar or larger impact on health [12]. The economic burden is equally staggering, with smoking costing USD1.4 trillion (EUR1.37 trillion) and low physical activity costing USD27 billion (EUR26.4 billion) annually in health expenditures and productivity losses [13,14]. Given the profound health and economic implications, addressing smoking and low physical activity is critical.

Quitting smoking and increasing physical activity immediately and significantly reduce health risks, even for those with long histories of smoking or low physical activity [15,16]. Evidence underscores a bidirectional relationship between the behaviors: quitting smoking improves physical activity through, for example, enhanced lung function [15], while physical activity supports smoking cessation by strengthening quit intentions [17] and reducing cravings [18]. These links justify considering both behaviors simultaneously in lifestyle interventions. Unfortunately, existing interventions often yield only small to moderate effects and limited long-term success [19–21]. To illustrate, it may take 20–30 attempts to quit smoking [22], and 18–34% of individuals who have increased their physical activity are likely to revert back to old physical activity behavior within 1–4 months, particularly among minority populations [23]. Such (re)lapse rates often result from exposure to risk situations that undermine healthier behavior plans (see the Supplement 1). These patterns underscore the need for more durably effective approaches, effective also when situational contexts elicit strong associations with previous unhealthy behavior. One promising approach is to focus on identity, or in other words: who one thinks one (truly) is, or would (really) like to be.

IDENTITY

Identity refers to the answers to the question ‘Who am I?’, and includes mental representations we hold about ourselves [24]. Identity is often conflated with ‘self-concept’, but the two are distinct. Self-concept refers to all thoughts about oneself, whereas identity represents a subset of this content [24]. The literature generally categorizes identity into three types: 1) social or group identity, derived from memberships to social groups (e.g., parent,

Christian) [25–27], 2) role identity, derived from societal roles (e.g., activist, secretary) [25,28] and 3) personal or person identity [24,25] shaped by internalized meanings and expectations associated with societal roles (e.g., good friend, healthy person). Role and social identities are interconnected, with role identities often seen as “me” (e.g., I am a parent) and social identities as “we” (e.g., we are scientists) [25]. Role and person(al) identity are similarly connected, as person(al) identity reflects internalized meanings and expectations of specific roles [28].

In the health psychology literature, the term “self-identity” is commonly employed to refer to specific parts of “me” which reflect the importance of behavior in how individual perceive themselves. For example, smoking (as a behavior) can be important for identity, such that a person can hold a strong smoker self-identity [29,30]. In other words, self-identities can be considered specific parts of personal or person identity. However, the interchangeable use of terms reveals inconsistencies in identity terminology, which, in turn, may hinder our understanding of identity’s role in smoking cessation and increased physical activity. At the same time, these variations present an opportunity to clarify and compare identity terminology in the contexts of smoking and physical activity – a focus explored in **Chapter 3** of this dissertation. Moreover, as self-identity appears to more directly impact exercise behavior [31] and to have a stronger link to quit intentions and behaviors than group identity [32], this dissertation primarily focuses on self-identity’s role in driving behavior change in smoking and low physical activity.

Individuals often hold multiple simultaneous identities [25]. For example, one can simultaneously identify as woman, parent, lawyer and smoker. For smoking and physical activity, this means that individuals can hold simultaneous, distinct identities for both behaviors (e.g., runner and smoker), and simultaneous, non-mutually exclusive identities for one behavior (e.g., smoker AND smoking quitter or runner AND dancer – [see for example 33].

In addition to present identities, individuals typically hold past identities, tied to previous states (e.g., former runner) [34,35], and future possible identities, representing desired or undesired versions of oneself (e.g., ex-smoker) [36,37]. These identities serve as reference points against which individuals compare their current self. Such comparisons provide a sense of self-unity (i.e., existing as an entity separate from other entities) and self-continuity over time [38]. While identity is considered relatively stable over time, the coexistence of past, present and future possible identities demonstrates the malleable nature of identity [25,39–41].

THE POTENTIAL OF IDENTITY TO PROMOTE SMOKING CESSATION AND PHYSICAL ACTIVITY

Targeting identity is promising for smoking cessation and physical activity promotion because it exerts a powerful motivational influence on behavior. This is reflected in Self-Determination Theory [42] which posits that intrinsic autonomous motivation is most likely to drive behavior. In the theory, integrated motivation – where a behavior is part of one’s identity – is considered the second most autonomous and influential form of motivation, after intrinsic motivation – where behavior stems from enjoyment and/or satisfaction. Since increasing physical activity and especially smoking cessation are uncommonly driven by enjoyment, identity can be seen as the highest form of autonomous motivation for these behaviors. The potential of identity in motivating smoking and physical activity has also been recognized in relation to the Theory of Planned Behavior [43], one of the most influential frameworks for explaining behavior change. The theory proposes that attitudes towards a behavior, social norms related to a behavior and perceived behavioral control over a behavior influence behavioral intention, which then shape the behavior. Over the past decades, many studies [44–48] have advocated for adding identity as an independent predictor of behavioral intention. Furthermore, Behavior Change Technique taxonomy [49], a widely used evidence-based list of active ingredients which can be leveraged in interventions to change behavior, includes a cluster of techniques specifically related to identity. This highlights the potential of identity to effectively change (health) behavior.

Identity theories further emphasize identity’s motivational influence on behavior. Identity Theory [25] and the Identity-Based Motivation model [41] both propose that individuals act in ways consistent with their identity and avoid behaviors that conflict with it. For example, someone identifying as a runner is more likely to adhere to a strict running routine without skipping a session. Identity Theory further argues that the identity most relevant to or readily available in a given situation guides behavior. This means that someone identifying as both a healthy person and a party smoker might choose to smoke at a party – which increases the salience of the party smoker identity – despite the behavior conflicting with their healthy identity. Social Identity Theory [50,51] highlights how group affiliations shape social identities, driving behavior through a desire to belong to the “ingroup”. Individuals are more likely to behave according to the norms of a group the more they identify with it. For instance, one may purchase yoga gear after attending classes to align with the dressing standards of the group. Possible Selves Theory [36] underscores the motivational role of future possible identities, where people adapt current behavior to achieve desired future identities and avoid undesired ones. To illustrate, an older adult may start regular physical activity to align with their desired future identity of being a grand-parent able to play with their grand-children. PRIME theory [52], developed to explain addictive behaviors like smoking, posits that behavior is aligned with identity-based rules. Thus, one strongly

identifying as ex-smoker may remain abstinent to adhere to their identity-based rule “not even a puff”.

Empirical research supports these theoretical perspectives, showing consistent relations between identity on the one hand and (non)smoking and physical (in)activity on the other. For physical activity, studies indicate that individuals who identify as physically active are more likely to engage in physical activity or intend to do so [53–56]. Similarly, smoking-related identity has been linked to smoking behavior and cessation efforts. Individuals who view themselves as smokers are more likely to smoke and persist in the behavior, while those who identify as nonsmokers, ex-smokers or smoking quitters are more likely to attempt quitting and maintain abstinence [57–61]. These findings underscore the central role of identity in sustained behavior change for both health behaviors, while highlighting the opportunity to translate identity-related insights into practical, actionable interventions. Despite the evidence, translation may be challenged by the absence of a comprehensive, up-to-date synthesis and comparison of identity processes in the context of smoking, a health-compromising behavior, and physical activity, a health-promoting behavior. This gap is addressed in **Chapter 3** of this dissertation.

EXISTING IDENTITY-LEVERAGING INTERVENTIONS

Identity-leveraging interventions aim to connect healthy behavior to central components of who one is. One category of identity-leveraging interventions are future-self interventions. These interventions are rooted in possible self-related theories, which, as seen before, posit that possible future identities, and not only current identity, influence current behavior [36,62]. A clear vision of one’s future self can drive the self-regulation needed to achieve the desired future-self [62,63]. Two operationalizations are mental imagery and avatar-based interventions. Mental imagery future-self interventions prompt people to visualize their future selves, typically who they aspire to become (i.e., desired future-self) and/or who they wish to avoid becoming (i.e., undesired future-self). Avatar future-self interventions use graphic technologies to create digital representations of possible future-selves [65]. Other operationalizations, such as interventions challenging identity, are present in the literature [66]. However, less is known about their implementation and effectiveness in the contexts of smoking and physical activity. A current, comprehensive overview of how interventions leverage identity to promote smoking cessation and physical activity, and their effectiveness would provide valuable insights into which approaches are best to use, when to apply them, and under what conditions they are most effective. This gap is addressed in **Chapter 4** of this dissertation.

Mental imagery future-self interventions have shown success in promoting physical activity [67–69], and impacting smoking cessation-related outcomes, such as lower craving intensity, greater quit intention, smoking reduction and abstinence [70–72]. However, some interventions reported no effect on smoking [73] or physical activity [74]. Avatar future-self interventions effectively increased physical activity and its precursors, such as physical activity intention or self-efficacy [75–80], and influenced smoking cessation precursors, including quit motivation, quit intention, and attitudes towards smoking [65,81]. However, as they have more rarely been applied in the context of this behavior, the impact of avatar future-self interventions on actual smoking is unclear. For both types of future-self interventions, effects appear short-lived. Moreover, while future-self and identity-leveraging interventions have been applied in scientific research, their adoption by practitioners for promoting smoking cessation and physical activity remains rare (see the study report in Supplement 2), raising concerns about feasibility and scalability. Finally, while positive user experiences enhance effectiveness [82], little is known about how individuals with different activity levels who smoke perceive identity-leveraging interventions. In summary, experimental studies of both types of future-self interventions in smoking and physical activity contexts seem to yield mixed and short-lived results, avatar-based applications in smoking are scarce and user experiences with identity-leveraging interventions are mostly unknown. This highlights the need to critically evaluate future-self interventions as a means to facilitate smoking cessation and physical activity promotion. This gap is addressed in **Chapters 4, 5, 6 and 7** of this dissertation.

Digital interventions, including eHealth (electronic health) and mHealth (mobile health), have shown promise in influencing health behaviors, among which physical activity and smoking [83–86]. Their key advantages lie in providing scalable, anytime-anywhere support [87], and support tailoring. As a result, smoking cessation and physical activity promotion interventions, including future-self interventions, are increasingly delivered digitally. Seen their growing popularity and potential, this dissertation focuses on digital applications of identity-leveraging interventions in the context of both smoking and physical activity.

Studies show an association between personal, behavioral and/or psychosocial characteristics on the one hand, and smoking-/physical activity-related identity on the other. For example, older individuals, those with lower socioeconomic position and greater nicotine dependence are more likely to identify with smoking rather than quitting or nonsmoking [29,88–91]. However, few studies have explored these relationships, and even fewer have examined the mediating or moderating role of such characteristics in identity-leveraging interventions. Yet, understanding how these characteristics relate to identity and influence the identity-behavior relationship is important for understanding what works for whom and why, in order to maximize intervention effectiveness. **Chapters 3, 4 and 5** in this dissertation provide insight into this.

PERFECT FIT

An interdisciplinary team in the Netherlands recognized the potential of identity to facilitate smoking cessation and increased physical activity. They are developing and testing *Perfect Fit*, a chatbot-based mobile intervention that harnesses identity, among other behavior change techniques, to promote these behaviors [see 92,93 for more details]. However, to deploy it effectively, it is essential to first advance our understanding of how identity relates to smoking and physical activity and of identity-based approaches for promoting change. **Chapters 3, 4, 5, 6 and 7** in this dissertation contribute to this.

THIS DISSERTATION

Interventions that leverage identity by connecting healthier identities to central aspects of who one is offer a promising path to sustainable smoking cessation and increased physical activity. However, to effectively harness identity in interventions with durable results, we must first deepen our understanding of its role in smoking and physical activity, and evaluate interventions that utilize it.

This dissertation has two aims: 1) deepening our understanding of the role of identity in the context of smoking and physical activity, and 2) evaluating interventions (or intervention components) that leverage identity to promote smoking cessation and increased physical activity. To address these aims, five objectives were formulated and are explored across six studies. The six studies employ diverse methodologies, including cross-sectional and longitudinal designs, observational and experimental approaches, and both quantitative and qualitative methods.

Aim 1 – Deepening our understanding of the role of identity in smoking and physical activity

The first aim of this dissertation is to deepen our understanding of the role of identity in smoking and physical activity. To address variations in identity terminology, the first objective is to examine how identity is conceptualized and operationalized in research on these behaviors. **Chapter 3** fulfills this objective through a scoping review that synthesizes and compares empirical evidence for smoking and physical activity.

Despite a strong theoretical foundation and growing evidence, the relationship between identity and these behaviors, including underlying processes, remains unclear. The second objective is to examine these relationships in greater depth. The scoping review in **Chapter 3** also addresses this by synthesizing findings on identity's role in smoking and physical activity, comparing the evidence for a health-compromising (smoking) vs. a health-

promoting-behavior (physical activity). Its focus is on adults aged 45 and older due to their exponentially increasing health risks from smoking and low physical activity.

Understanding the association of personal, behavioral, and psychosocial characteristics with identity can help identify what works best for whom in identity-leveraging interventions. To address this, the third objective is to synthesize evidence on these relationships. Three chapters of the dissertation contribute to this objective. First, the scoping review in **Chapter 3** synthesizes the knowledge regarding the relationship of such characteristics with physical activity and smoking-related identity. Second, **Chapter 4** examines the mediating or moderating roles of these characteristics in identity-based interventions through a mixed-methods systematic review. Finally, **Chapter 5** statistically examines the associations between personal and psychosocial characteristics, and smoking-related identity.

Chapter 2 is a separate protocol paper outlining the methodologies for the scoping and systematic reviews and does not present findings.

Aim 2 – Evaluating interventions (or intervention components) leveraging identity to promote increased physical activity and smoking cessation

The second aim of this dissertation is to evaluate interventions (or intervention components) leveraging identity to promote increased physical activity and smoking cessation. Currently, no comprehensive overview exists of how identity is leveraged in such interventions or their effectiveness. Understanding this can clarify which approaches work best, when to use them, and under what conditions they are most effective. To address this, the fourth objective is to describe how identity is leveraged in interventions aiming to promote smoking cessation and/or increased physical activity. The mixed methods systematic review in **Chapter 4** outlines the impact of identity-leveraging interventions on smoking- and physical activity-related identity and behavior.

The fifth objective is to evaluate the effectiveness of and user experiences with identity-based interventions (or intervention components) which promote smoking cessation and increased physical activity. Four chapters contribute to this aim. The systematic review in **Chapter 4** critically examines the effectiveness of existing identity-leveraging interventions in the context of smoking and physical activity. In **Chapter 5**, an online longitudinal experimental study assesses the effect of envisioning desired and undesired (non)smoking selves on smoking-related identity constructs. In **Chapter 6**, a mixed methods multi-study explores user experiences with future-self interventions related to both physical activity and smoking. Finally, **Chapter 7** uses focus groups to explore and compare perceptions of a mental imagery and avatar-based future-self intervention prototype, designed to promote physical activity prototype. The study examines comprehensibility, feasibility, perceived effectiveness and formatting preferences.

Finally, **Chapter 8** summarizes key findings per objective, situates them within the broader scientific context, discusses implications and offers recommendations for future research and practice. Table 1 presents the dissertation's two core aims, the objectives formulated to achieve these aims and the chapters corresponding to the objectives and aims.

Table 1. Five objectives and their corresponding chapters aligned with the dissertation's aims.

Aims and objectives	Chapter 3 Scoping review	Chapter 4 Systematic review	Chapter 5 Experimental study (<i>Smoking</i>)	Chapter 6 Mixed methods multi-study	Chapter 7 Prototype evaluation (<i>Physical activity</i>)
Aim 1 – Deepening our understanding of the role of identity in the context of smoking and physical activity					
Objective 1 – Examine the conceptualization and operationalization of identity in smoking and physical activity research	√				
Objective 2 – Investigate the relationship of identity with smoking and physical activity	√		√		
Objective 3 – Explore the relationship of personal, behavioral and psychosocial characteristics with smoking- and physical activity-related identity	√	√	√		
Aim 2 – Evaluating interventions (or intervention components) leveraging identity to promote smoking cessation and increased physical activity					
Objective 4 – Describe how identity is leveraged in interventions promoting smoking cessation and/or increased physical activity		√			
Objective 5 – Evaluate the effectiveness of and user experiences with identity-based interventions (or intervention components) to promote smoking cessation and increased physical activity		√	√	√	√

Note. **Chapter 2** is excluded from this overview as it is a protocol paper for the reviews presented in **Chapter 3** and **4**, and does not present findings. Similarly, the Introduction (**Chapter 1**) and General Discussion (**Chapter 8**) are not included.

REFERENCES

- 1 Fluharty M, Taylor AE, Grabski M, *et al.* The Association of Cigarette Smoking With Depression and Anxiety: A Systematic Review. *Nicotine Tob Res Off J Soc Res Nicotine Tob.* 2017;19:3–13. doi: 10.1093/ntr/ntw140
- 2 Taylor GMJ, Treur JL. An application of the stress-diathesis model: A review about the association between smoking tobacco, smoking cessation, and mental health. *Int J Clin Health Psychol IJCHP.* 2023;23:100335. doi: 10.1016/j.ijchp.2022.100335
- 3 World Health Organisation. Non communicable diseases. 2023. <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases> (accessed 13 December 2024)
- 4 Ritchie H, Roser M. Smoking. Our World Data. 2023. <https://ourworldindata.org/smoking> (accessed 9 February 2024)
- 5 World Health Organisation. Tobacco. 2023. <https://www.who.int/news-room/fact-sheets/detail/tobacco> (accessed 13 December 2024)
- 6 World Health Organisation. Physical activity. 2024. <https://www.who.int/news-room/fact-sheets/detail/physical-activity> (accessed 13 December 2024)
- 7 Nivel Zorgregistraties eerste lijn. Chronische aandoening: aantal personen in zorg bij de huisarts. Chronische Aandoen. Aantal Pers. Zorg Bij Huisarts. 2020. <https://www.staatvenz.nl/kerncijfers/chronische-aandoening-jaarprevalentie-huisartsbezoek> (accessed 20 October 2021)
- 8 Nivel Zorgregistraties eerste lijn. Diabetes mellitus: aantal personen bekend bij de huisarts. Diabetes Mellit. Aantal Pers. Bekend Bij Huisarts. 2020. <https://www.staatvenz.nl/kerncijfers/diabetes-mellitus-aantal-pati%C3%ABnten-bekend-bij-de-huisarts> (accessed 20 October 2021)
- 9 Office for National Statistics. People with long-term health conditions, UK: January to December 2019. 2020.
- 10 Stenholm S, Head J, Kivimäki M, *et al.* Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. *Int J Epidemiol.* 2016;45:1260–70. doi: 10.1093/ije/dyw126
- 11 Yang Y, Xu H, Liu X, *et al.* Joint association of smoking and physical activity with mortality in elderly hypertensive patients: A Chinese population-based cohort study in 2007–2018. *Front Public Health.* 2022;10:1005260. doi: 10.3389/fpubh.2022.1005260
- 12 World Health Organisation, editor. *Global health risks: mortality and burden of disease attributable to selected major risks.* Geneva, Switzerland: World Health Organization 2009.
- 13 Goodchild M, Nargis N, d’Espaignet ET. Global economic cost of smoking-attributable diseases. *Tob Control.* 2018;27:58–64. doi: 10.1136/tobaccocontrol-2016-053305
- 14 World Health Organisation. Global Status Report on Physical Activity 2022. Geneva: World Health Organization 2022.
- 15 U.S. Department of Health and Human Services. The Health Consequences of Smoking -- 50 Years of progress: A Report of the Surgeon General. Rockville, MD: Centers for Disease Control and Prevention (US). 2014.
- 16 World Health Organisation. Data and statistics, Physical activity. World Health Organ. Reg. Off. Eur. 2021. <https://www.euro.who.int/en/health-topics/disease-prevention/physical-activity/data-and-statistics> (accessed 9 June 2021)
- 17 Frith E, Loprinzi PD. Exercise Facilitates Smoking Cessation Indirectly via Intention to Quit Smoking: Prospective Cohort Study Among a National Sample of Young Smokers. *Am J Health Promot.* 2018;32:1234–8. doi: 10.1177/0890117117717372

- 18 Haasova M, Warren FC, Ussher M, *et al.* The acute effects of physical activity on cigarette cravings: systematic review and meta-analysis with individual participant data. *Addiction*. 2013;108:26–37. doi: 10.1111/j.1360-0443.2012.04034.x
- 19 Hartmann-Boyce J, Fanshawe TR, Lindson N, *et al.* Behavioural interventions for smoking cessation: an overview and network meta-analysis. *Cochrane Database Syst Rev*. Published Online First: 20 December 2018. doi: 10.1002/14651858.CD013229
- 20 Jepson RG, Harris FM, Platt S, *et al.* The effectiveness of interventions to change six health behaviours: a review of reviews. *BMC Public Health*. 2010;10:538. doi: 10.1186/1471-2458-10-538
- 21 Murray JM, Brennan SF, French DP, *et al.* Effectiveness of physical activity interventions in achieving behaviour change maintenance in young and middle aged adults: A systematic review and meta-analysis. *Soc Sci Med*. 2017;192:125–33. doi: 10.1016/j.socscimed.2017.09.021
- 22 Chaiton M, Diemert L, Cohen JE, *et al.* Estimating the number of quit attempts it takes to quit smoking successfully in a longitudinal cohort of smokers. *BMJ Open*. 2016;6:e011045. doi: 10.1136/bmjopen-2016-011045
- 23 Mendoza-Vasconez AS, Arredondo EM, Larsen B, *et al.* Lapse, Relapse, and Recovery in Physical Activity Interventions for Latinas: a Survival Analysis. *Int J Behav Med*. 2021;28:540–51. doi: 10.1007/s12529-020-09943-z
- 24 Oyserman D, Elmore K, Smith G. Self, self-concept, and identity. *Handbook of self and identity*. 2012:69–104.
- 25 Burke PJ, Stets JE. *Identity theory*. Oxford, NY: Oxford University Press 2009.
- 26 Oyserman D. Social Identity and Self-Regulation. *Handb Basic Princ*. 2007;2:432–53.
- 27 Tajfel H, Turner JC. An integrative theory of intergroup conflict. In: Austin WG, Worchel S, eds. *The social psychology of intergroup relations*. Monterey, CA: Brooks/Cole Publishing Company 1979:33–47.
- 28 Stryker S. Identity Theory and Personality Theory: Mutual Relevance. *J Pers*. 2007;75:1083–102. doi: 10.1111/j.1467-6494.2007.00468.x
- 29 Meijer E, Gebhardt WA, Dijkstra A, *et al.* Quitting smoking: The importance of non-smoker identity in predicting smoking behaviour and responses to a smoking ban. *Psychol Health*. 2015;30:1387–409. doi: 10.1080/08870446.2015.1049603
- 30 Meijer E, Gebhardt WA, Van Laar C, *et al.* Socio-economic status in relation to smoking: The role of (expected and desired) social support and quitter identity. *Soc Sci Med*. 2016;162:41–9. doi: 10.1016/j.socscimed.2016.06.022
- 31 Verkooijen KT, de Bruijn G-J. Exercise self-identity: interactions with social comparison and exercise behaviour. *Psychol Health Med*. 2013;18:490–9. doi: 10.1080/13548506.2012.750727
- 32 Meijer E. *This is (not) who I am. Understanding identity in continued smoking and smoking cessation*. 2017.
- 33 Meijer E, Vangeli E, Gebhardt WA, *et al.* Identity processes in smokers who want to quit smoking: A longitudinal interpretative phenomenological analysis. *Health (N Y)*. 2020;24:493–517. doi: 10.1177/1363459318817923
- 34 Markus H. Self-schemata and processing information about the self. *J Pers Soc Psychol*. 1977;35:63–78. doi: 10.1037/0022-3514.35.2.63
- 35 Wilson AE, Ross M. The frequency of temporal-self and social comparisons in people's personal appraisals. *J Pers Soc Psychol*. 2000;78:928–42. doi: 10.1037/0022-3514.78.5.928
- 36 Markus H, Nurius P. Possible selves. *Am Psychol*. 1986;41:954–69. doi: 10.1037/0003-066X.41.9.954

- 37 Oyserman D, James L. Possible Identities. *Handbook of Identity Theory and Research - Narrative identity*. New York, NY, UNITED STATES: Springer 2011.
- 38 Baumeister. Narrative Self-Understanding Helps Construct the Unity of Self across Time. *Evol Stud Imaginative Cult*. 2019;3:23. doi: 10.26613/esic.3.1.112
- 39 Boyatzis RE. An overview of intentional change from a complexity perspective. *J Manag Dev*. 2006;25:607–23. doi: 10.1108/02621710610678445
- 40 Kearney MH, O’Sullivan J. Identity Shifts as Turning Points in Health Behavior Change. *West J Nurs Res*. 2003;25:134–52. doi: 10.1177/0193945902250032
- 41 Oyserman D. Identity-based motivation: Implications for action-readiness, procedural-readiness, and consumer behavior. *J Consum Psychol*. 2009;19:250–60. doi: 10.1016/j.jcps.2009.05.008
- 42 Ryan RM, Deci EL. Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. *Am Psychol*. 2000;55:68–78. doi: 10.1037/0003-066X.55.1.68
- 43 Ajzen I. The theory of planned behavior. *Organ Behav Hum Decis Process*. 1991;50:179–211. doi: 10.1016/0749-5978(91)90020-T
- 44 Charng H, Piliavin JA, Callero PL. Role identity and reasoned action in the prediction of repeated behavior. *Soc Psychol Q*. 1988;51:303–17. doi: 10.2307/2786758
- 45 de Bruijn G-J, Verkooijen K, de Vries NK, et al. Antecedents of self identity and consequences for action control: An application of the theory of planned behaviour in the exercise domain. *Psychol Sport Exerc*. 2012;13:771–8. doi: 10.1016/j.psychsport.2012.05.008
- 46 Hagger MS, Chatzisarantis NLD. Self-identity and the theory of planned behaviour: Between- and within-participants analyses. *Br J Soc Psychol*. 2006;45:731–57. doi: 10.1348/014466605X85654
- 47 Rise J, Sheeran P, Hukkelberg S. The Role of Self-identity in the Theory of Planned Behavior: A Meta-Analysis. *J Appl Soc Psychol*. 2010;40:1085–105. doi: 10.1111/j.1559-1816.2010.00611.x
- 48 Sheeran P, Orbell S. Self-schemas and the theory of planned behaviour. *Eur J Soc Psychol*. 2000;30:533–50. doi: 10.1002/1099-0992(200007/08)30:4<533::AID-EJSP6>3.0.CO;2-F
- 49 Michie S, Richardson M, Johnston M, et al. The Behavior Change Technique Taxonomy (v1) of 93 Hierarchically Clustered Techniques: Building an International Consensus for the Reporting of Behavior Change Interventions. *Ann Behav Med*. 2013;46:81–95. doi: 10.1007/s12160-013-9486-6
- 50 Tajfel H. Social identity and intergroup behaviour. *Soc Sci Inf*. 1974;13:65–93. doi: 10.1177/053901847401300204
- 51 Tajfel H, Turner JC. The Social Identity Theory of Intergroup Behavior. In: Jost JT, Sidanius J, eds. *Political Psychology*. Psychology Press 2004:276–93.
- 52 West R, Brown J. *Theory of addiction*. Second edition. Chichester, West sussex, UK: Wiley Blackwell, Addiction Press 2014.
- 53 Babic MJ, Morgan PJ, Plotnikoff RC, et al. Physical Activity and Physical Self-Concept in Youth: Systematic Review and Meta-Analysis. *Sports Med*. 2014;44:1589–601. doi: 10.1007/s40279-014-0229-z
- 54 De Bruijn G-J de, Van den Putte B. Exercise promotion: An integration of exercise self-identity, beliefs, intention, and behaviour. *Eur J Sport Sci*. 2012;12:354–66. doi: 10.1080/17461391.2011.568631
- 55 Lau PWC, Fox KR, Cheung MWL. Psychosocial and Socio-Environmental Correlates of Sport Identity and Sport Participation in Secondary School-Age Children. *Eur J Sport Sci*. 2004;4:1–21. doi: 10.1080/17461390400074301

- 56 Rhodes RE, Kaushal N, Quinlan A. Is physical activity a part of who I am? A review and meta-analysis of identity, schema and physical activity. *Health Psychol Rev.* 2016;10:204–25. doi: 10.1080/17437199.2016.1143334
- 57 Black N, Johnston M, Michie S, *et al.* Behaviour change techniques associated with smoking cessation in intervention and comparator groups of randomized controlled trials: a systematic review and meta-regression. *Addiction.* 2020;115:2008–20. doi: 10.1111/add.15056
- 58 Meijer E, Van den Putte B, Gebhardt WA, *et al.* A longitudinal study into the reciprocal effects of identities and smoking behaviour: Findings from the ITC Netherlands Survey. *Soc Sci Med.* 2018;200:249–57. doi: 10.1016/j.socscimed.2017.12.006
- 59 Montes KS, Olin CC, Teachman BA, *et al.* Hazardous drinking has unique relationships with implicit and explicit drinking identity. *Addict Behav.* 2018;87:155–61. doi: 10.1016/j.add-beh.2018.07.011
- 60 Tombor I, Shahab L, Brown J, *et al.* Does non-smoker identity following quitting predict long-term abstinence? Evidence from a population survey in England. *Addict Behav.* 2015;45:99–103. doi: 10.1016/j.addbeh.2015.01.026
- 61 Van den Putte B, Yzer M, Willemsen MC, *et al.* The effects of smoking self-identity and quitting self-identity on attempts to quit smoking. *Health Psychol.* 2009;28:535–44. doi: 10.1037/a0015199
- 62 Oyserman D, Bybee D, Terry K, *et al.* Possible selves as roadmaps. *J Res Personal.* 2004;38:130–49. doi: 10.1016/S0092-6566(03)00057-6
- 63 Oettingen G. Future thought and behaviour change. *Eur Rev Soc Psychol.* 2012;23:1–63. doi: 10.1080/10463283.2011.643698
- 64 Chan C, Cameron L. Promoting physical activity with goal-oriented mental imagery: A randomized controlled trial. *J Behav Med.* 2012;35:347–63. doi: 10.1007/s10865-011-9360-6
- 65 Song H, Kim J, Kwon RJ, *et al.* Anti-smoking educational game using avatars as visualized possible selves. *Comput Hum Behav.* 2013;29:2029–36. doi: 10.1016/j.chb.2013.04.008
- 66 Strachan SM, Brawley LR. Reactions to a Perceived Challenge to Identity: A Focus on Exercise and Healthy Eating. *J Health Psychol.* 2008;13:575–88. doi: 10.1177/1359105308090930
- 67 Kim BH, Newton RA, Sachs ML, *et al.* The Effect of Guided Relaxation and Exercise Imagery on Self-Reported Leisure-Time Exercise Behaviors in Older Adults. *J Aging Phys Act.* 2011;19:137–46. doi: 10.1123/japa.19.2.137
- 68 Murru EC, Ginis KAM. Imagining the Possibilities: The Effects of a Possible Selves Intervention on Self-Regulatory Efficacy and Exercise Behavior. *J Sport Exerc Psychol.* 2010;32:537–54. doi: 10.1123/jsep.32.4.537
- 69 Rutchick AM, Slepian ML, Reyes MO, *et al.* Future self-continuity is associated with improved health and increases exercise behavior. *J Exp Psychol Appl.* 2018;24:72–80. doi: 10.1037/xap0000153
- 70 Shadel WG, Cervone D. Evaluating social-cognitive mechanisms that regulate self-efficacy in response to provocative smoking cues: An experimental investigation. *Psychol Addict Behav.* 2006;20:91–6. doi: 10.1037/0893-164X.20.1.91
- 71 Tindle HA, Barbeau EM, Davis RB, *et al.* Guided Imagery for Smoking Cessation in Adults: A Randomized Pilot Trial. *Complement Health Pract Rev.* 2006;11:166–75. doi: 10.1177/1533210106296773
- 72 Wynd CA. Guided Health Imagery for Smoking Cessation and Long-Term Abstinence. *J Nurs Scholarsh.* 2005;37:245–50. doi: <https://doi.org/10.1111/j.1547-5069.2005.00042.x>
- 73 Meijer E, Gebhardt WA, van Laar C, *et al.* Strengthening quitter self-identity: An experimental study. *Psychol Health.* 2018;33:1229–50. doi: 10.1080/08870446.2018.1478976

- 74 Meslot C, Gauchet A, Allenet B, *et al.* Theory-Based Interventions Combining Mental Simulation and Planning Techniques to Improve Physical Activity: Null Results from Two Randomized Controlled Trials. *Front Psychol.* 2016;7. doi: 10.3389/fpsyg.2016.01789
- 75 Fox J, Bailenson JN. Virtual Self-Modeling: The Effects of Vicarious Reinforcement and Identification on Exercise Behaviors. *Media Psychol.* 2009;12:1–25. doi: 10.1080/15213260802669474
- 76 Kastenmüller A, Greitemeyer T, Fairclough S, *et al.* Playing Exergames and Sporting Activity. *Soc Psychol.* 2013;44:264–70. doi: 10.1027/1864-9335/a000111
- 77 Mönninghoff A, Fuchs K, Wu J, *et al.* The Effect of a Future-Self Avatar Mobile Health Intervention (FutureMe) on Physical Activity and Food Purchases: Randomized Controlled Trial. *J Med Internet Res.* 2022;24. doi: 10.2196/32487
- 78 Navarro J, Peña J, Cebolla A, *et al.* Can Avatar Appearance Influence Physical Activity? User-Avatar Similarity and Proteus Effects on Cardiac Frequency and Step Counts. *Health Commun.* 2022;37:222–9. doi: 10.1080/10410236.2020.1834194
- 79 Tammy Lin J-H, Wu D-Y. Exercising With Embodied Young Avatars: How Young vs. Older Avatars in Virtual Reality Affect Perceived Exertion and Physical Activity Among Male and Female Elderly Individuals. *Front Psychol.* 2021;12:693545. doi: 10.3389/fpsyg.2021.693545
- 80 Thompson DI, Cantu D, Callender C, *et al.* Photorealistic Avatar and Teen Physical Activity: Feasibility and Preliminary Efficacy. *Games Health J.* 2018;7:143. doi: 10.1089/g4h.2017.0103
- 81 Brinker TJ, Seeger W, Buslaff F. Photoaging Mobile Apps in School-Based Tobacco Prevention: The Mirroring Approach. *J Med Internet Res.* 2016;18:e183. doi: 10.2196/jmir.6016
- 82 Yardley L, Spring BJ, Riper H, *et al.* Understanding and Promoting Effective Engagement With Digital Behavior Change Interventions. *Am J Prev Med.* 2016;51:833–42. doi: 10.1016/j.amepre.2016.06.015
- 83 Fang YE, Zhang Z, Wang R, *et al.* Effectiveness of eHealth Smoking Cessation Interventions: Systematic Review and Meta-Analysis. *J Med Internet Res.* 2023;25:e45111. doi: 10.2196/45111
- 84 McIntosh JRD, Jay S, Hadden N, *et al.* Do E-health interventions improve physical activity in young people: a systematic review. *Public Health.* 2017;148:140–8. doi: 10.1016/j.puhe.2017.04.001
- 85 Muellmann S, Forberger S, Möllers T, *et al.* Effectiveness of eHealth interventions for the promotion of physical activity in older adults: A systematic review. *Prev Med.* 2018;108:93–110. doi: 10.1016/j.ypmed.2017.12.026
- 86 Shi B, Li G, Wu S, *et al.* Assessing the Effectiveness of eHealth Interventions to Manage Multiple Lifestyle Risk Behaviors Among Older Adults: Systematic Review and Meta-Analysis. *J Med Internet Res.* 2024;26:e58174. doi: 10.2196/58174
- 87 Marcolino MS, Oliveira JAQ, D'Agostino M, *et al.* The Impact of mHealth Interventions: Systematic Review of Systematic Reviews. *JMIR MHealth UHealth.* 2018;6:e8873. doi: 10.2196/mhealth.8873
- 88 Blondé J, Falomir-Pichastor J-M. Tobacco dependence and motivation to quit smoking: An identity-based framework. *Int J Soc Psychol.* 2021;1–26. doi: 10.1080/02134748.2021.1882224
- 89 Falomir-Pichastor JM, Blondé J, Desrichard O, *et al.* Tobacco dependence and smoking cessation: The mediating role of smoker and ex-smoker self-concepts. *Addict Behav.* 2020;102:106200. doi: 10.1016/j.addbeh.2019.106200
- 90 Meijer E, van Laar C, Gebhardt WA, *et al.* Identity change among smokers and ex-smokers: Findings from the ITC Netherlands Survey. *Psychol Addict Behav.* 2017;31:465–78. doi: 10.1037/adb0000281

- 91 Tombor I, Shahab L, Brown J, *et al.* Positive smoker identity as a barrier to quitting smoking: Findings from a national survey of smokers in England. *Drug Alcohol Depend.* 2013;133:740–5. doi: 10.1016/j.drugalcdep.2013.09.001
- 92 van Vliet MHM, Versluis A, Chavannes NH, *et al.* Protocol of a mixed-methods evaluation of Perfect Fit: A personalized mHealth intervention with a virtual coach to promote smoking cessation and physical activity in adults. *Digit Health.* 2024;10:20552076241300020. doi: 10.1177/20552076241300020
- 93 Versluis A, Penfornis KM, Burg SA van der, *et al.* Targeting Key Risk Factors for Cardiovascular Disease in At-Risk Individuals: Developing a Digital, Personalized, and Real-Time Intervention to Facilitate Smoking Cessation and Physical Activity. *JMIR Cardio.* 2024;8:e47730. doi: 10.2196/47730