



**Universiteit
Leiden**
The Netherlands

Lifestyle change modelling for climate change mitigation: complementary strengths, policy support, and research avenues

Scherer, L.A.; Sluisveld, M.A.E. van; Berg, N.J. van den; Cap, S.; Fuortes, A.; Jager, L. de;
... ; Valkengoed, A.M. van

Citation

Scherer, L. A., Sluisveld, M. A. E. van, Berg, N. J. van den, Cap, S., Fuortes, A., Jager, L. de, ... Valkengoed, A. M. van. (2025). Lifestyle change modelling for climate change mitigation: complementary strengths, policy support, and research avenues. *Environmental Science & Policy*, 173. doi:10.1016/j.envsci.2025.104256

Version: Publisher's Version

License: [Creative Commons CC BY 4.0 license](https://creativecommons.org/licenses/by/4.0/)

Downloaded from: <https://hdl.handle.net/1887/4284971>

Note: To cite this publication please use the final published version (if applicable).



Lifestyle change modelling for climate change mitigation: Complementary strengths, policy support, and research avenues

Laura Scherer^{a,*}, Mariësse A.E. van Sluisveld^b, Nicole J. van den Berg^c, Stephanie Cap^a, Agnese Fuortes^{a,d}, Lynn de Jager^{d,e}, Ryu Koide^{e,f,g}, Arjan de Koning^a, Giacomo Marangoni^e, Francesca Rubiconto^{h,i}, Anne M. van Valkengoed^j

^a Institute of Environmental Sciences (CML), Leiden University, Leiden, The Netherlands

^b PBL Netherlands Environmental Assessment Agency, The Hague, The Netherlands

^c Netherlands Organization for Applied Scientific Research (TNO), Amsterdam, The Netherlands

^d RIVM National Institute for Public Health and the Environment, Bilthoven, The Netherlands

^e Delft University of Technology, Delft, The Netherlands

^f National Institute for Environmental Studies, Tsukuba, Japan

^g Institute for Global Environmental Strategies, Hayama, Japan

^h Wageningen University, Wageningen, The Netherlands

ⁱ United Nations University - Maastricht Economic and Social Research Institute on Innovation and Technology, Maastricht, The Netherlands

^j University of Groningen, Groningen, The Netherlands

ARTICLE INFO

Keywords:

Climate-friendly lifestyles

Climate policy

Agent-based modelling

Input-output analysis

Integrated assessment modelling

Life cycle assessment

ABSTRACT

Lifestyle changes are an essential, complementary measure for reducing greenhouse gas emissions and, therefore, also an important ingredient to climate policy. Computational models of lifestyle changes and their contribution to climate change mitigation can provide valuable insights in support of decision-making by individuals and policymaking. In this Perspective, we examine four modelling approaches with this in mind: input-output analysis, life cycle assessment, integrated assessment models, and agent-based models. They have different strengths and weaknesses related to spatial and temporal scales, sector representation, consumer heterogeneity, and impact assessment. Despite their differences, all are ultimately suitable for modelling different types of climate-friendly lifestyle changes – from sufficiency over efficiency to modal shift measures. Each modelling approach provides useful, albeit partial, insights into lifestyle changes. The identified challenges call for both continual refinements within individual model frameworks and hybrid methods that bridge their respective strengths and allow for representing lifestyle changes more comprehensively. Together, they inform about the theoretical mitigation potential, initiative feasibility, behavioural plasticity, and policy effectiveness of lifestyle changes. Ultimately, cross-disciplinary collaboration will be key to designing lifestyle-focused policies that are both impactful and acceptable.

1. Introduction

Lifestyle changes, i.e. changes on the demand side, are increasingly recognised as essential to a pathway to reach the 1.5°C target. Decarbonisation on the supply side alone cannot reduce greenhouse gas (GHG) emissions sufficiently (Cap et al., 2024), and heavily relying on carbon dioxide removal entails various risks and uncertainties (Rueda et al., 2021). Since lifestyle changes similarly affect domestic and imported goods, they avoid potential carbon leakage (Girod et al., 2014). Moreover, climate-friendly lifestyle changes often yield co-benefits for

human well-being (Creutzig et al., 2022a), further supporting their importance.

While individuals can make lifestyle changes independently, they may encounter considerable barriers, some of which are structural in nature (Hirth et al., 2023; Vadovics et al., 2024). Lifestyles are shaped and constrained by the broader systems in which people live, such as infrastructure and economic incentives. Policy interventions can address these structural barriers and reshape systems to create more supportive environments that make lifestyle changes more accessible. In addition, the need for lifestyle changes and the effectiveness of some specific

* Correspondence to: Institute of Environmental Sciences (CML), Leiden University, Einsteinweg 2, 2333 CC Leiden, The Netherlands

E-mail address: l.a.scherer@cml.leidenuniv.nl (L. Scherer).

<https://doi.org/10.1016/j.envsci.2025.104256>

Received 30 April 2025; Received in revised form 2 August 2025; Accepted 14 October 2025

1462-9011/© 2025 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

lifestyle changes also depend on the production systems satisfying consumer demands (Cap et al., 2024), and policies can support changes in such systems.

In our complex world, computational models have the potential to support policy processes regarding lifestyle changes. They can have a place throughout the different policy stages, such as policy design through target setting and exploration of policy options, as well as evaluation of implemented policies through impact assessment (Gilbert et al., 2018; Süßer et al., 2021). By enabling experiments in a virtual world, they offer several advantages over running “real-world experiments” or policy pilots: they save time and costs, avoid irreversibility, allow to explore several alternatives under otherwise equal conditions or the same policy under different contexts, avoid ethical issues of administering a beneficial policy to some individuals but not others, and allow to examine possible futures (Gilbert et al., 2018). However, lifestyle change has so far been represented in models only to a limited extent, ranging from limitations in how models are constructed (Cian et al., 2020) to their representativeness and use in multi-scale policy-making (Filatova et al., 2025; van den Berg et al., 2019). These limitations hinder our understanding of the potential and scope of lifestyle change to support climate policy.

In this Perspective, we examine four distinct model families that are relevant to emulating anticipated impacts of climate-friendly lifestyle changes and are widely used in climate change mitigation research and policy-relevant applications: input-output analysis (IOA) (Tukker et al., 2020), life cycle assessment (LCA) (Jegen, 2024), integrated assessment models (IAMs) (van Beek et al., 2020), and agent-based models (ABMs) (Castro et al., 2020). Earlier articles have qualitatively compared different sets of model families for different scopes. For example, Boulanger and Bréchet (2005) compared six model families for policy-making in sustainable development, with a closer look at energy, land use, and transport, and the only overlapping model family were ABMs. More recently, Filatova et al. (2025) compared three model families on bridging decision scales for policy analysis related to climate change mitigation and adaptation, addressing global (IAM), economic (CGE) and agent-based modelling (ABM). Both of them focused on the supply side. In contrast, we zoom in on lifestyle changes and their representation across model families, which so far have received much less attention in climate change modelling and policies.

Modelling lifestyle changes is a field of innovation and a challenge for each of the modelling communities. A lack of oversight on this challenge across different modelling approaches obscures progress. It also remains unclear which modelling approaches are best suited to analyze specific challenges and how different paradigms can be bridged. The Perspective emerged from a day-long workshop featuring extensive discussions on the subject among modelling experts from various disciplines from both academia and boundary organisations. In the following, we highlight the models’ strengths and weaknesses, their feasibility of modelling the contribution of different lifestyle changes to climate change mitigation, and the potential utilisation of such information for supporting policy processes, next to discussing new research avenues.

2. Model comparison

This section compares the attributes of four model families relevant to lifestyle changes:

- Input-output analysis (IOA), more specifically when linking to climate change mitigation environmentally extended IOA, is based on a demand-driven paradigm and attributes upstream environmental pressures to final demand by tracing inter-industry and inter-regional transactions usually in monetary units (Leontief, 1970). IOA uses data from national economic (and environmental) accounts (Tukker et al., 2020).

- Life cycle assessment (LCA) evaluates the environmental impacts of product or service systems across all life cycle stages by tracking the physical flows of resources and emissions from unit processes to the final functional unit (Hellweg and Milà i Canals, 2014). It follows guidelines under ISO 14040/14044 standards.
- Integrated assessment models (IAMs) integrate multiple sub-models or modules representing climate, land use, and energy system dynamics, which interact with economic and technological components to capture feedback effects (IAM Consortium, 2025). Most IAMs are driven by cost optimisation within a general equilibrium framework and assume market equilibrium and rational decision-making.
- Agent-based models (ABMs) simulate individual agents’ behaviours and interactions through a set of equations, ‘if-else’ rules, and interactions with markets or other institutions to understand emerging macro-level phenomena (van Dam et al., 2012). Within the complex system science modelling methods, ABMs are considered the most suitable technique to represent complex human behaviours (Borshchev and Filippov, 2004; Walzberg et al., 2021). ABMs can represent decision-making through heterogeneous preferences, bounded rationality, cognitive processes, habituation, and social influence rather than assuming perfect rationality, equilibrium, or optimisation.

The four model families differ greatly, as do their strengths and weaknesses. IOA and IAMs are both top-down models, providing comprehensive pictures and macroeconomic insights based on their high spatial (often global) and sectoral coverage. Among these, IOA has the advantages of higher spatial and sectoral resolutions. In contrast, LCA and ABMs are bottom-up models, favouring depth over breadth. LCA offers process-specific insights at a much higher resolution. However, typically, inventory data only represent a specific region and major exporters, and only one or a few entities of a sector are represented in a given study. Similarly, ABMs typically focus on small scales like a community or city in great detail, with a focus on attributes relevant to agents’ decision-making.

While IAMs and ABMs are dynamic models, IOA and LCA are typically static models. IAMs are used to assess long-term scenarios, often up to the year 2100 with an annual or 5-yearly resolution. Dynamic interactions are endogenously modelled through price-based decision-making. Similarly, ABMs capture dynamic feedback effects, allowing behaviours to emerge endogenously and diffuse across populations. Their decision-making processes are more complex and consider multiple criteria. Temporal coverage and resolution are flexible, as models are often custom-built (Crooks and Heppenstall, 2012). For example, EV-charging behaviour can be simulated hourly over the course of a month, while renewable energy technology adoption can be simulated yearly over decades. In contrast, IOA assumes fixed production recipes through technical coefficients (Miller and Blair, 2009). IO databases are constructed for specific years, often with some delay due to data collection efforts (Kitzes, 2013). LCA also works with fixed technical coefficients and is typically even time-agnostic, often assessing impacts under assumed current conditions. In both cases, dynamics can only be considered through exogenous perturbation.

ABMs excel in the simulation of heterogeneous agents. For the other model families, final consumer heterogeneity is limited. Heterogeneous consumption patterns have to be defined exogenously. Depending on the model and sector, some demographics, such as income groups or rural and urban, are distinguished in IAMs (Daioglou et al., 2012; McCollum et al., 2018). Similarly, some recent IOA research has disaggregated final demand into income groups or other socio-economic categories (Ivanova et al., 2017; Ottelin et al., 2019; Scherer et al., 2018; Zheng et al., 2022). LCA has similar limitations in that it typically only models the average consumer within a country rather than individual behaviours, although LCA can compare consumer archetypes such as different consumption patterns, income groups, or urbanisation levels (Froemelt et al., 2018; Nita et al., 2017).

IOA, LCA, and IAMs can all assess GHG emissions comprehensively. Climate change mitigation scenarios are a common application of IAMs (Guivarch et al., 2022; van Beek et al., 2020). LCA considers a wide range of environmental impact categories well beyond GHG emissions, and it is common to assess trade-offs among impact categories (Guinée, 2015). While environmentally extended IOA traditionally focuses on GHG emissions, several recent databases also allow for assessing a multitude of environmental impacts (Stadler et al., 2018).

3. Applicability of models to lifestyle change analyses

Lifestyle changes are reflected in altered consumption patterns and can take various forms. They are commonly categorised as *Avoid* (e.g., reducing travel), *Shift* (e.g., transitioning to public transport), or *Improve* (e.g., adopting more efficient electric vehicles) (Creutzig et al., 2022a). They can also be distinguished by whether a change requires, above all, a financial investment (e.g., insulating the house) or an actual behaviour change (e.g., changing your diet) (Vadovics et al., 2024). Such different categories of lifestyle change impose different requirements both on individuals implementing them and modellers.

Lifestyle changes cannot be directly modelled in IOA, but IOA is often used to assess the effects of a change in final demand (Wood et al., 2018), which can be used as a proxy for a change in lifestyles. *Avoid* measures are straightforward to model, as they simply require reducing the final demand when disregarding potential re-spending of the saved expenditure. The ease of modelling *Shift* measures depends on the required product resolution and the ease of converting between monetary and physical units to determine an appropriate level of substitution. It can, therefore, range from high for simple shifts in final demand categories to low for the necessity of detailed adjustments in the technical coefficients to reflect new production recipes. *Improve* measures are again relatively easy, as they require reducing the final demand for energy or adjusting the emission coefficients. The only tricky part is adjusting direct emissions from households, which aggregate emissions from cooking, heating, and mobility.

LCA is best suited for evaluating the environmental impacts of discrete lifestyle changes that involve multiple alternatives producing the same function, such as shifting to low-carbon transportation or adopting more sustainable diets (Nita et al., 2017). LCA can also assess how technological advancements and fuel mix changes influence environmental outcomes by comparing the model's output with each technology change. So, both *Shift* and *Improve* measures can be captured well. For *Avoid* measures, the effectiveness can best be assessed in relation to the overall footprint of an individual, which is more difficult based on LCA. Moreover, neither conventional IOA nor LCA can represent dynamic individual decision-making.

IAMs have traditionally been able to represent *Shift* and *Improve* measures more structurally in their model formulations given some level of economic incentivisation that can be attributed to such measures (van den Berg et al., 2019). Examples are shifting transport mode (Girod et al., 2013), vehicle choice (McCollum et al., 2018), recycling behaviour (Daioglou et al., 2014; Stegmann et al., 2022) and housing (van Heerden et al., 2025). Accounting for *Avoid* options has been more challenging, although recent efforts have worked to represent their effects in IAMs. These measures are mostly captured through proxies, e.g. exogenously via narratives or stylised through changes to calibration factors (van den Berg et al., 2024; van Sluisveld et al., 2016). Lifestyles are then mostly implemented in a linear fashion, replicating the original (rational economic) decision-making response, just with newly set constraints or intensities of activities. As dynamic models, they can also reflect decision-making to some extent; however, changes that require mainly a financial investment are easier to simulate due to the price-based decision-making in IAMs.

Overall, IOA, LCA, and IAMs are suited to measure the GHG emissions of lifestyle changes, but not *who* is making the change or the rationale behind it (Madsen and Weidema, 2023). Also, none of them

can capture social interactions that are relevant to understanding lifestyle changes. In contrast, ABMs offer the possibility to simulate heterogeneous agents, interactions among them, and decision-making beyond prices as a criterion. This makes them especially well-suited for modelling actual behaviour changes and could lead to an understanding of adoption conditions for lifestyle change. ABMs can also be employed to track the effects of individual lifestyle changes over time focusing on specific behaviours such as energy use, mobility, and product consumption (Ribeiro-Rodrigues and Bortoleto, 2024) and holistic lifestyle changes considering spillover (Allen et al., 2019).

4. Suitability of models for supporting policymaking

Here, we elaborate on modelling contributions to three essential dimensions of lifestyle change for emissions reductions – theoretical/technical mitigation potential, initiative feasibility, and behavioural plasticity (Nielsen et al., 2020) – that together inform policy effectiveness. This framework aims to be comprehensive and to address that an opportunity to mitigate climate change does not necessarily reach its full potential. Each dimension illuminates distinct policy-relevant questions about lifestyle changes and guides the selection or development of suitable modelling techniques.

4.1. Theoretical mitigation potential

IAMs, with their capability for dynamic scenario analyses and feedback loops among different submodels, are unique in that they can estimate the remaining carbon budget we can afford to remain under a certain temperature by the end of the century, such as the 1.5°C target established in the Paris Agreement. They are also used to simulate if we can get back to a temperature level after temporarily overshooting it. Comparing such a carbon budget to the annual global emissions indicates how much such emissions must be reduced overall.

Once such a global target is set, the next question is how the necessary reductions are distributed among different countries and consumer groups. Which approach for the distribution can be considered fair is an ethical question. However, whatever approach is chosen, it requires estimates of current and potentially even historical carbon footprints to account for cumulative GHG emissions to downscale the targets and determine the gaps to these targets. IOA is ideal for this type of analysis thanks to its comprehensiveness and the representation of at least the dozens of major economies as individual countries and has already been used for such purposes (Cap et al., 2024). As mentioned above, IOA, LCA, and IAMs can be employed to estimate the mitigation potential of numerous lifestyle change options. IAMs can also capture how multiple intervention strategies might interact, noting that their collective effect can be more complex than a simple sum of individual impacts (van Heerden et al., 2025). IOA, with its monetary units, can additionally account for financial rebound effects that can offset some of the mitigation potential (Hertwich, 2005). Only ABMs are not well suited to assess the theoretical mitigation potential.

4.2. Policy acceptance and initiative feasibility

Initiative feasibility involves evaluating whether a proposed mitigation effort can be implemented by governments and other actors in a way that yields effective results (Nielsen et al., 2020). For lifestyle-based transitions, structural support and collective action are crucial; hence, public acceptance is often the deciding factor (Chater and Loewenstein, 2023). Nevertheless, the literature focusing on stakeholder support and feasibility is comparatively sparse, leaving policymakers uncertain which instruments to prioritise (Nielsen et al., 2024).

Among the available modelling approaches, ABMs hold particular promise for incorporating insights from political science, such as preferences, negotiation dynamics, and policy acceptance (Savin et al., 2023). Recent work has, for instance, integrated households'

preferences into global climate policy negotiations (Gerst et al., 2013) and investigated public support for carbon tax dynamics (Konc et al., 2022). Feasibility in IAMs has been studied mostly by computing multi-dimensional feasibility metrics derived from aggregated demand-side transformations and by comparing alternative decarbonisation pathways (Brutschin et al., 2021).

Another barrier to acceptance can be when policies have been evaluated with computational models due to low trust in outcomes from complex and difficult-to-understand models whose assumptions are hard to validate. Participatory modelling, in which stakeholders are involved early in the modelling process, can increase the chances that the model will be accepted and useful to policymakers (Gilbert et al., 2018). Stakeholders like policymakers can, for example, co-define the study scope, support making realistic assumptions in the model, and indicate which model outputs would be valuable (Süsser et al., 2021).

4.3. Adoption of lifestyle change and behavioural plasticity

Behavioural plasticity describes the fraction of non-adopters who can be induced to change their behaviour via interventions (Dietz et al., 2009). ABMs can simulate the decision-making processes of individuals and other stakeholders, accounting for both internal motivations and social influences, although not necessarily interactions with changing infrastructure over time. Thereby, ABMs shed light on lifestyle changes (Castro et al., 2020; Ribeiro-Rodrigues and Bortoleto, 2024). IAMs can include some of these behavioural dimensions, but typically in a highly aggregated manner, focusing on economic drivers (Mastrucci et al., 2023). Conventional IOA and LCA approaches generally treat behavioural plasticity as an external assumption (e.g., predefined adoption rates), constraining their ability to explore endogenous behavioural shifts (Koide et al., 2021).

4.4. Effectiveness of policies on emission reduction

Ideally, a policy would offer substantial mitigation potential, enjoy widespread public support, and present relatively few adoption barriers (Nielsen et al., 2020). Assessing the performance of a policy involves integrating the three perspectives discussed above, i.e. theoretical potential, feasibility, and behavioural plasticity.

Policies can be assessed retrospectively or prospectively using computational modelling (Gilbert et al., 2018). Conventional IOA and LCA are primarily retrospective, examining the impacts of existing or past policies. Although this backward-looking approach offers valuable lessons, it may not fully capture how future technological or behavioural changes could influence policy outcomes (Di Bari et al., 2024; Palazzo et al., 2020). In contrast, prospective analysis is a core strength of IAMs and ABMs, which can explore hypothetical scenarios, future policy impacts, and the complex interactions among sectors and actors.

A robust evaluation of policy effectiveness requires recognising the heterogeneity of behaviours and policy responses across individuals (Smith, 2022). Factors such as consumer preferences, socio-economic status, and cultural norms can lead to vastly different adoption rates and outcomes (Koide et al., 2025; Olson et al., 2024). IOA and IAMs typically approximate heterogeneity by segmenting consumers into broad categories. Meanwhile, ABMs allow a more fine-grained view by representing individual households, enabling the modeller to capture how specific subgroups might respond to policy incentives or structural changes (Chappin et al., 2017).

Another critical consideration is the set of policy instruments being analyzed. IAMs traditionally emphasise economic tools, such as carbon taxes or fuel mandates, assuming relatively rational decisions within fairly homogeneous groups (Trutnevyte et al., 2019). ABMs, in contrast, can simulate the decision-making processes of multiple stakeholders, from consumers to regulators, when exposed to a variety of policy levers, from subsidies to information campaigns (Castro et al., 2020; Ribeiro-Rodrigues and Bortoleto, 2024). However, ABMs can be hard to

calibrate and typically do not quantify emissions. IOA or LCA can fill this gap and, jointly with ABMs, allow for evaluating the overall impact on GHG emissions (Micolier et al., 2019).

5. Promising research avenues

To further the development of effective scientific advice on lifestyle change in the environmental arena, we utilise the framework of Cash et al. (2003) to structure our recommendations. The framework defines the need for credibility, saliency, and legitimacy to create impact beyond the scientific realm (Cash et al., 2003). Traditionally, scientific knowledge actors have focused on trusted and believable information (credibility), though as important is to tailor the information to the end user (saliency) and ensure inclusion of different value systems (legitimacy). To be able to understand and evaluate the potential of lifestyle changes to reduce GHG emissions much better, we propose three research avenues:

1) **Credibility:** The current models used for representing lifestyle changes need to be improved, especially regarding their credibility and reusability, which can be done within each model domain, perhaps borrowing from others.

2) **Beyond credibility:** A coupling of computational models is necessary to evaluate lifestyle changes from different angles and overcome the limitations of individual models by exploiting their complementary strengths.

3) **Legitimacy:** People's preferences and drivers of behaviour resulting in lifestyle changes need to be better understood and fed into the models, to which theoretical and empirical social science methods can contribute.

The following subsections elaborate upon each research avenue.

5.1. Credibility and reusability of lifestyle models

Credibility implies the scientific adequacy of representing lifestyles. Within the domain of IOA, LCA, IAMs, and ABMs, some common themes need more research and attention to enhance the models' credibility. While model validation based on observed data is often infeasible due to the unobservable nature of the models' results (e.g., a carbon footprint of a product or service system as modelled in LCA cannot be measured in practice), especially for prospective assessments, several steps can be taken to assess a model's adequacy and reliability (Randall and Ogland-Hand, 2023). For example, although not frequently done so far, in IOA and LCA, uncertainties can be assessed (Heijungs, 2024; Schulte et al., 2024). Others synthesise methods that can be used to evaluate IAMs (Wilson et al., 2021) and validate ABMs (Collins et al., 2024). Such assessments can also support identifying key areas that require further data collection or model refinement efforts to increase the realism of the models.

Transparency can also help build trust (Randall and Ogland-Hand, 2023), enable cumulative science (Pauliuk, 2020), and facilitate the development of integrated approaches (see next subsection). This seems especially helpful considering the relatively early stage of lifestyle change modelling. Open data and open-source models are important for this purpose. Several IO databases, such as EXIOBASE (Stadler et al., 2018), are publicly available, as is open-source code for conducting IOA (Stadler, 2021). LCA faces particular challenges in data transparency, as portions of the data often come from proprietary databases accessible only for a license fee and confidential data provided by companies, but a better balance between transparency and privacy could be achieved (Kuczenski, 2019). In contrast, multiple options for open-source LCA software are available (Ciroth, 2007; Mutel, 2017; Steubing et al., 2020). While transparency in IAMs has historically been limited (Skea et al., 2021), a movement exists to create openness around the models contributing to the latest IPCC report (e.g. the IAM wiki documentation; IAM Consortium, 2025). ABMs have a tradition of open-source models such as the CoMSES network and model library, which can also provide

peer-review functions (Janssen et al., 2008). Nevertheless, most ABMs are still built from scratch rather than being reused, extended, or adapted by the research community. This is inefficient and results in many different implementations of the same behavioural theories, potentially creating issues of legitimacy as outlined in Section 5.3. A recent initiative promoting the reusability of ABMs is that of Reusable Building Blocks (Berger et al., 2024). The idea is that they describe individual mechanisms and processes on a generic level so they can be reused in various models. The Reusable Building Blocks can be found in an open repository. Apart from open data and open-source models, clear documentation of model assumptions, such as the (key) causal relationships of complex models like IAMs and ABMs, is valuable and helps understand the behaviour of the models. While there are widely followed protocols for describing ABMs and their empirical grounding (Grimm et al., 2006; Laatabi et al., 2018; Müller et al., 2013) that help make model descriptions more understandable and complete, this is only available for more aggregated levels in IAMs (e.g., in sophisticated platforms like the IAM model documentation), with details on the specific data and assumptions used usually scattered around in literature.

5.2. Beyond credibility: model coupling and learning across representations

Building a common knowledge base may be favourable for lifestyle change scholars, as “[c]redibility is hard to establish in arenas in which considerable uncertainty and scientific disagreement exists, either about facts or causal relationships” (Cash et al., 2003). As detailed above, the main models currently used for assessing environmental impacts differ considerably in coverage, resolution, and dynamics. Since each contributes fundamentally to the framing, implementation, and evaluation of policies to achieve climate targets, their hybridisation and combination offer promising research avenues.

The coarse product groups distinguished in IOA, as well as the potential lack of representativeness and process cut-offs from limited system boundaries in LCA, can hamper the analysis of lifestyle changes. Hybrid LCA, coupling IOA with LCA, instead can lead to a more comprehensive and precise analysis (Hagenaars et al., 2025). Also, IOA and IAMs complement each other, and the former could be used to increase the sectoral resolution of the latter (Malik and Schaeffer, 2024). In turn, IAMs can help create IOA models of future scenario worlds (Cap et al., 2024) and increase the robustness of prospective LCAs by considering future background system changes (Mendoza Beltran et al., 2020).

All three model families suffer from limited representation among actors, which ABMs can improve. For example, ABMs can represent the social dynamics between heterogeneous agents that adopt a specific behaviour or technology, creating a series of alternative scenarios. When coupling with LCA, the collective behaviour of these actors can, in turn, influence the technological development in specific production chains through changes in the technical coefficients. Actor behaviours can also influence consumption patterns through changes in the total demand for functional units or in the composition of products/services fulfilling those units in LCAs (Hicks, 2022; Micolier et al., 2019). Similarly, coupling ABMs with IAMs combines economy-wide dynamics with detailed modelling of behavioural diversity. Such an approach enables the representation and analysis of complex phenomena emerging across scales, including tipping points and nonlinear transitions in socio-economic systems (Lackner et al., 2025).

Even if not coupling models, it could still be valuable to use multiple models not only within one model family (van Heerden et al., 2025) but also across model families to check the robustness of the results.

5.3. Legitimacy: potential contributions of theoretical and empirical social sciences to modelling lifestyles

To model when, how, and if lifestyle change occurs requires a

comprehensive representation of people's preferences and the drivers of people's behaviour (e.g., Schlüter et al., 2017; van Valkengoed et al., 2025). Different social science disciplines, including psychology (van Valkengoed et al., 2025), behavioural economics (e.g., Brekke and Johansson-Stenman, 2008; Mayer et al., 2023), political science (Newell et al., 2022) and sociology (e.g., Lockie, 2022) hold key insights that can inform the modelling of lifestyle changes in different ways.

Empirical work from the social sciences can be used to parameterise agents and determine decision rules for them in ABMs (e.g., Eker et al., 2019; Niamir et al., 2020; Schlüter et al., 2017; Scholz et al., 2023) or to introduce heterogeneity between actors in other ways, for example, by introducing different consumer groups in IOA (e.g., Ivanova et al., 2017; Koide et al., 2019) or IAMs (e.g., Edelenbosch et al., 2018; McCollum et al., 2017; Pettifor et al., 2024). The theoretical mitigation potential of lifestyle changes estimated through IOA or LCA can be further refined by empirically examining the behavioural plasticity of these changes, or people's ability and willingness to change their behaviour (e.g., Koch et al., 2024; Payró et al., 2024). Existing empirical data can also be used to validate models via hindcasting (e.g., Kaaronen and Strelkovskii, 2020). Social science methods can further be used to co-create scenarios, pathways, and models using participatory approaches such as workshops with stakeholders and interviews (e.g., Pedde et al., 2021; van den Berg et al., 2024; van Sluisveld et al., 2016; van Sluisveld et al., 2020; Vita et al., 2019; Wachsmuth et al., 2023). Particularly the influence of different narratives on each other has been considered relevant in this respect (Creutzig et al., 2022b).

Modellers can run into disciplinary barriers when employing the rich resources available in the social sciences. Theories in social science are manifold and not mutually exclusive, with varying foci and levels of analysis, which can make navigating the literature and selecting relevant theories challenging (e.g., Schlüter et al., 2017; van Valkengoed et al., 2025; Wijermans et al., 2023). Translating verbal descriptions of theories into models is also not straightforward and can reveal key uncertainties and ambiguities which require modellers to make critical decisions on how to best represent theoretical propositions (e.g., Muelder and Filatova, 2018; Schlüter et al., 2017; Taraghi and Yoder, 2025). Empirical research results in the social sciences are often heterogeneous, and distilling key outputs or parameters can be challenging (Linden and Hönekopp, 2021). Through more intensive collaborations, social scientists can help modellers overcome these challenges to ensure this literature is used most effectively and is accurately represented in modelling applications (de Vries et al., 2021; Elsayah et al., 2020; Trutnevyte et al., 2019; van Valkengoed et al., 2025). In addition, collaborations can ensure empirical work is more closely coupled to specific modelling applications.

6. Conclusions

As underscored throughout this Perspective, lifestyle change representations and effects are analyzed across multiple research fields. Despite sizable corpuses in these fields underscoring the importance of lifestyle change as a favourable intervention to combat climate change, they are far from addressing lifestyle change holistically. Snippets of its driving force or effects can be obtained from specific modelling paradigms and scientific disciplines, though these empirical bases are still very much in development as a science and in their practice. In general, it is understood that knowledge of causation and correlation can be drawn from historical phenomena, expert elicitation or surveys, though such empirical evidence may not immediately find further application in models on impact assessment yet. Further experimentation and integration are therefore considered important to better understand these fundamental mechanisms that motivate personal choice over time and space and what that means for the global socio-ecological and socio-economic systems. Interdisciplinary collaboration is still not the standard – disciplinary evaluation criteria disincentivize the various schools from more thoroughly collaborating, and difficulties due to different

languages and working styles may reduce productivity. However, sharing common goals and showing mutual trust and respect can increase the group's effectiveness and lead to innovative research (Specht and Crowston, 2022) capable of addressing complex sustainability challenges such as climate-friendly lifestyles more holistically.

The literature on lifestyle change can contribute to many facets relevant to a more systemic societal change. However, as outlined above, recent efforts appear to have mostly evolved around improving credibility and legitimacy, making it a rather isolated scientific endeavour of modelling and social science communities. Considering also the tension between translating knowledge to actual action (Dechezleprêtre et al., 2025), engaging more with stakeholders and decision-makers in scoping and developing knowledge can improve the salience of the research field. Such more holistic assessments may offer greater value for agents of change and those in positions of power.

CRedit authorship contribution statement

Laura Scherer: Writing – original draft, Conceptualization. **van Sluisveld Mariësse A. E.:** Writing – original draft, Conceptualization. **Nicole J. van den Berg:** Writing – original draft. **Stephanie Cap:** Writing – original draft. **Agnese Fuortes:** Writing – original draft. **Lynn de Jager:** Writing – original draft. **Ryu Koide:** Writing – original draft. **Arjan de Koning:** Writing – original draft. **Giacomo Marangoni:** Writing – original draft. **Francesca Rubiconto:** Writing – original draft. **Anne M. van Valkengoed:** Writing – original draft.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

We would like to thank Ruud van den Brink for valuable discussions related to this paper. The research presented here and, specifically, L.S., S.C., and A.d.K. received funding from the European Union's H2020 Research and Innovation programme under grant agreement no. 101003880. M.A.E.v.S received funding from the European Union's Horizon Europe Research and Innovation programme under grant agreement no. 101131520 (CASRI). A.F. and L.d.J. were supported by the Strategic Programme of the Dutch National Institute for Public Health and the Environment (RIVM) under grant number S/121021/01 CHANGE. R.K. was supported by Grants-in-Aid for Scientific Research from the Japan Society for the Promotion of Science under grant number JP24K03152. G.M. received funding from the European Research Council (ERC) under the European Union's Horizon Europe Research and Innovation programme (RIPPLE, grant no. 101165221). The sole responsibility for the content of this paper lies with the authors.

Data availability

No data was used for the research described in the article.

References

- Allen, P., Robinson, M., Butans, E., Varga, L., 2019. Innovations for sustainable lifestyles: an agent-based model approach. *Sustain. Sci.* 14 (2), 341–354.
- van Beek, L., Hajer, M., Pelzer, P., van Vuuren, D., Cassen, C., 2020. Anticipating futures through models: the rise of integrated assessment modelling in the climate science-policy interface since 1970. *Glob. Environ. Change* 65, 102191.
- van den Berg, N.J., Hof, A.F., Akenji, L., Edelenbosch, O.Y., van Sluisveld, M.A., Timmer, V.J., van Vuuren, D.P., 2019. Improved modelling of lifestyle changes in integrated assessment models: Cross-disciplinary insights from methodologies and theories. *Energy Strategy Rev.* 26, 100420.
- van den Berg, N.J., Hof, A.F., Timmer, V., Akenji, L., van Vuuren, D.P., 2024. (Path)ways to sustainable living: the impact of the SLIM scenarios on long-term emissions. *Glob. Environ. Change* 84, 102774.
- Berger, U., Bell, A., Barton, C.M., Chappin, E., Dreßler, G., Filatova, T., Fronville, T., Lee, A., van Loon, E., Lorscheid, I., Meyer, M., Müller, B., Piou, C., Radchuk, V., Roxburgh, N., Schüler, L., Troost, C., Wijermans, N., Williams, T.G., Wimmer, M.-C., Grimm, V., 2024. Towards reusable building blocks for agent-based modelling and theory development. *Environ. Model. Softw.* 175, 106003.
- Borshchev, A., Filippov, A., 2004. From system dynamics and discrete event to practical agent based modeling: reasons, techniques, tools.
- Boulanger, P.-M., Bréchet, T., 2005. Models for policy-making in sustainable development: the state of the art and perspectives for research. *Ecol. Econ.* 55 (3), 337–350.
- Brekke, K.A., Johansson-Stenman, O., 2008. The behavioural economics of climate change. *Oxf. Rev. Econ. Policy* 24 (2), 280–297.
- Brutschin, E., Pianta, S., Tavoni, M., Riahi, K., Bosetti, V., Marangoni, G., van Ruijven, B. J., 2021. A multidimensional feasibility evaluation of low-carbon scenarios. *Environ. Res. Lett.* 16 (6), 040609.
- Cap, S., Koning, A. de, Tukker, A., Scherer, L., 2024. (In)Sufficiency of industrial decarbonization to reduce household carbon footprints to 1.5°C-compatible levels. *Sustain. Prod. Consum.* 45, 216–227.
- Cash, D., Clark, W., Alcock, F., Dickson, N.M., Eckley, N., Jäger, J., 2003. Salience, credibility, legitimacy and boundaries: linking research, assessment and decision making.
- Castro, J., Drews, S., Exadaktylos, F., Foramitti, J., Klein, F., Konc, T., Savin, I., van den Bergh, J., 2020. A review of agent-based modeling of climate-energy policy. *WIREs Clim. Change* 11 (4), e647.
- Chappin, E.J., Vries, L.J. de, Richstein, J.C., Bhagwat, P., Iychettira, K., Khan, S., 2017. Simulating climate and energy policy with agent-based modelling: the energy modelling laboratory (EMLab). *Environ. Model. Softw.* 96, 421–431.
- Chater, N., Loewenstein, G., 2023. The I-frame and the s-frame: how focusing on individual-level solutions has led behavioral public policy astray. *Behav. Brain Sci.* 46, e147.
- Cian, E. de, Dasgupta, S., Hof, A.F., van Sluisveld, M.A., Köhler, J., Pfluger, B., van Vuuren, D.P., 2020. Actors, decision-making, and institutions in quantitative system modelling. *Technol. Forecast. Soc. Change* 151, 119480.
- Ciroth, A., 2007. ICT for environment in life cycle applications openLCA — a new open source software for life cycle assessment. *Int. J. Life Cycle Assess.* 12 (4), 209–210.
- Collins, A., Koehler, M., Lynch, C., 2024. Methods that support the validation of Agent-Based models: an overview and discussion. *J. Artif. Soc. Soc. Simul.* 27 (1), 11.
- Creutzig, F., Niamir, L., Bai, X., Callaghan, M., Cullen, J., Díaz-José, J., Figueroa, M., Grubler, A., Lamb, W.F., Leip, A., Masanet, E., Mata, É., Mattauch, L., Minx, J.C., Mirasgedis, S., Mulugetta, Y., Nugroho, S.B., Pathak, M., Perkins, P., Roy, J., La Rue Can, S. de, Saheb, Y., Some, S., Steg, L., Steinberger, J., Ürges-Vorsatz, D., 2022a. Demand-side solutions to climate change mitigation consistent with high levels of well-being. *Nat. Clim. Change* 12 (1), 36–46.
- Creutzig, F., Roy, J., Devine-Wright, P., Díaz-José, J., Geels, F.W., Grubler, A., Maizi, N., Masanet, E., Mulugetta, Y., Onyige, C.D., Perkins, P.E., Sanches-Pereira, A., Weber, E.U., 2022b. Demand, services and social aspects of mitigation. In: Shukla, P. R., Skea, J., Slade, R., Al Khourdajie, A., van Diemen, R., McCollum, D., Pathak, M., Some, S., Vyas, P., Fradera, R., Belkacemi, M., Hasija, A., Lisboa, G., Luz, S., Malley, J. (Eds.), *Climate Change 2022. Mitigation of Climate Change. Contribution of Working Group III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, UK and New York, NY, USA.
- Crooks, A.T., Heppenstall, A.J., 2012. Introduction to agent-based modelling. In: Heppenstall, A.J., Crooks, A.T., See, L.M., Batty, M. (Eds.), *Agent-Based Models of Geographical Systems*. Springer Netherlands, Dordrecht, pp. 85–105.
- Daigoglou, V., Faaij, A.P.C., Saygin, D., Patel, M.K., Wicke, B., van Vuuren, D.P., 2014. Energy demand and emissions of the non-energy sector. *Energy Environ. Sci.* 7 (2), 482–498.
- Daigoglou, V., van Ruijven, B.J., van Vuuren, D.P., 2012. Model projections for household energy use in developing countries. *Energy* 37 (12), 601–615.
- van Dam, K.H., Nikolic, I., Lukszo, Z., 2012. *Agent-Based Modelling of Socio-Technical Systems*. Springer Science & Business Media.
- Dechezleprêtre, A., Fabre, A., Kruse, T., Planterose, B., Sanchez Chico, A., Stantcheva, S., 2025. Fighting Climate Change: International Attitudes toward Climate Policies. *Am. Econ. Rev.* 115 (4), 1258–1300.
- Di Bari, R., Alaux, N., Saade, M., Hong, S.H., Horn, R., Passer, A., 2024. Systematising the LCA approaches' soup: a framework based on text mining. *Int. J. Life Cycle Assess.* 29 (9), 1621–1638.
- Dietz, T., Gardner, G.T., Gilligan, J., Stern, P.C., Vandenbergh, M.P., 2009. Household actions can provide a behavioral wedge to rapidly reduce US carbon emissions. *Proc. Natl. Acad. Sci. USA* 106 (44), 18452–18456.
- Edelenbosch, O.Y., McCollum, D.L., Pettifor, H., Wilson, C., van Vuuren, D.P., 2018. Interactions between social learning and technological learning in electric vehicle futures. *Environ. Res. Lett.* 13 (12), 124004.
- Eker, S., Reese, G., Obersteiner, M., 2019. Modelling the drivers of a widespread shift to sustainable diets. *Nat. Sustain.* 2 (8), 725–735.
- Elsawah, S., Filatova, T., Jakeman, A.J., Kettner, A.J., Zellner, M.L., Athanasiadis, I.N., Hamilton, S.H., Axtell, R.L., Brown, D.G., Gilligan, J.M., Janssen, M.A., Robinson, D. T., Rozenberg, J., Ullah, I.I.T., Lade, S.J., 2020. Eight grand challenges in socio-environmental systems modeling. *SESMO* 2, 16226.
- Filatova, T., Akkerman, J., Bosello, F., Chatzivasilieadis, T., Cortés Arbués, I., Ghorbani, A., Ivanova, O., Knittel, N., Kwakkel, J., Lamperti, F., Magliocca, N.R., Marangoni, G., Nabernegg, S., Pichler, A., Poujon, A., Safarzynska, K., Taberna, A.,

- van Sluisveld, M.A.E., Verbeek, L., Wei, T., 2025. The power of bridging decision scales: Model coupling for advanced climate policy analysis. *Proc. Natl. Acad. Sci. U. S. A.* 122 (38), e2411592122.
- Fromelt, A., Dürrenmatt, D.J., Hellweg, S., 2018. Using data mining to assess environmental impacts of household consumption behaviors. *Environ. Sci. Technol.* 52 (15), 8467–8478.
- Gerst, M.D., Wang, P., Roventini, A., Fagiolo, G., Dosi, G., Howarth, R.B., Borsuk, M.E., 2013. Agent-based modeling of climate policy: an introduction to the ENGAGE multi-level model framework. *Environ. Model. Softw.* 44, 62–75.
- Gilbert, N., Ahrweiler, P., Barbrook-Johnson, P., Narasimhan, K.P., Wilkinson, H., 2018. Computational modelling of public policy: reflections on practice. *J. Artif. Soc. Soc. Simul.* 21 (1), 14.
- Girod, B., van Vuuren, D.P., Hertwich, E.G., 2014. Climate policy through changing consumption choices: options and obstacles for reducing greenhouse gas emissions. *Glob. Environ. Change* 25, 5–15.
- Girod, B., van Vuuren, D.P., Vries, B. de, 2013. Influence of travel behavior on global CO₂ emissions. *Transp. Res. Part A Policy Pract.* 50, 183–197.
- Grimm, V., Berger, U., Bastiansen, F., Eliassen, S., Ginot, V., Giske, J., Goss-Custard, J., Grand, T., Heinze, S.K., Huse, G., Huth, A., Jepsen, J.U., Jørgensen, C., Mooij, W.M., Müller, B., Pe'er, G., Piou, C., Railsback, S.F., Robbins, A.M., Robbins, M.M., Rossmanith, E., Rüger, N., Strand, E., Souissi, S., Stillman, R.A., Vabø, R., Visser, U., DeAngelis, D.L., 2006. A standard protocol for describing individual-based and agent-based models. *Ecol. Model.* 198 (1), 115–126.
- Guinée, J.B., 2015. Selection of impact categories and classification of LCI results to impact categories. In: Hauschild, M.Z., Huijbregts, M.A. (Eds.), *Life Cycle Impact Assessment*. Springer Netherlands, Dordrecht, pp. 17–37.
- Guivarch, C., Le Gallic, T., Bauer, N., Fragkos, P., Huppmann, D., Jaxa-Rozen, M., Keppo, I., Krieger, E., Luderer, G., Marangoni, G., Pye, S., Riahi, K., Schaeffer, R., Tavoni, M., Trutnevyte, E., van Vuuren, D., Wagner, F., 2022. Using large ensembles of climate change mitigation scenarios for robust insights. *Nat. Clim. Change* 12 (5), 428–435.
- Hagenaars, R.H., Heijungs, R., Tukker, A., Wang, R., 2025. Hybrid LCA for sustainable transitions: principles, applications, and prospects. *Renew. Sustain. Energy Rev.* 212, 115443.
- van Heerden, R., Edelenbosch, O.Y., Daiglou, V., Le Gallic, T., Baptista, L.B., Di Bella, A., Colelli, F.P., Emmerling, J., Fragkos, P., Hasse, R., Hoppe, J., Kishimoto, P., Leblanc, F., Lefevre, J., Luderer, G., Marangoni, G., Mastrucci, A., Pettifor, H., Pietzcker, R., Rochedo, P., van Ruijven, B., Schaeffer, R., Wilson, C., Yeh, S., Zisarou, E., van Vuuren, D., 2025. Demand-side strategies enable rapid and deep cuts in buildings and transport emissions to 2050. *Nat. Energy* 10 (3), 380–394.
- Heijungs, R., 2024. *Probability, Statistics and Life Cycle Assessment: Guidance for Dealing with Uncertainty and Sensitivity*. Springer Nature.
- Hellweg, S., Milà i Canals, L., 2014. Emerging approaches, challenges and opportunities in life cycle assessment. *Science* 344 (6188), 1109–1113.
- Hertwich, E.G., 2005. Consumption and the Rebound Effect: An Industrial Ecology Perspective. *J. Ind. Ecol.* 9, 85–98.
- Hicks, A., 2022. Seeing the people in LCA: agent based models as one possibility. *Resour. Conserv. Recycl. Adv.* 15, 200091.
- Hirth, S., Kreinin, H., Fuchs, D., Blossy, N., Mamut, P., Philipp, J., 2023. Barriers and enablers of 1.5° lifestyles: Shallow and deep structural factors shaping the potential for sustainable consumption. *Front. Sustain.* 4, 1014662.
- IAM Consortium, 2025. The common Integrated Assessment Model (IAM) documentation.** (https://www.iamcdocumentation.eu/IAMC_wiki/).
- Ivanova, D., Vita, G., Steen-Olsen, K., Stadler, K., Melo, P.C., Wood, R., Hertwich, E.G., 2017. Mapping the carbon footprint of EU regions. *Environ. Res. Lett.* 12 (5), 54013.
- Janssens, M.A., Alessa, L.N., Barton, M., Bergin, S., Lee, A., 2008. Towards a community framework for agent-based modelling. *J. Artif. Soc. Soc. Simul.* 11 (2), 6.
- Jegen, M., 2024. Life cycle assessment: from industry to policy to politics. *Int. J. Life Cycle Assess.* 29 (4), 597–606.
- Kaaronen, R.O., Strelkovskii, N., 2020. Cultural evolution of sustainable behaviors: Pro-environmental tipping points in an Agent-Based model. *One Earth* 2 (1), 85–97.
- Kitzes, J., 2013. An introduction to environmentally-extended input-output analysis. *Resources* 2 (4), 489–503.
- Koch, J., Vringer, K., van der Werff, E., Wilting, H., Steg, L., 2024. Circular consumption to reduce environmental pressure: potential of behavioural change in the Netherlands. *Sustain. Prod. Consum.* 44, 101–113.
- Koide, R., Hata, S., Tajima, R., Yokoo, H.-F., Lettenmeier, M., Nansai, K., 2025. Who is self-committed to climate action? Exploring decarbonisation actions and target gaps using carbon footprint calculator data in Japan. *Energy Res. Soc. Sci.* 120, 103930.
- Koide, R., Lettenmeier, M., Akenji, L., Toivio, V., Amellina, A., Khodke, A., Watabe, A., Kojima, S., 2021. Lifestyle carbon footprints and changes in lifestyles to limit global warming to 1.5 °C, and ways forward for related research. *Sustain. Sci.* 16 (6), 2087–2099.
- Koide, R., Lettenmeier, M., Kojima, S., Toivio, V., Amellina, A., Akenji, L., 2019. Carbon footprints and consumer lifestyles: an analysis of lifestyle factors and gap analysis by consumer segment in Japan. *Sustainability* 11 (21).
- Konc, T., Drews, S., Savin, I., van den Bergh, J.C., 2022. Co-dynamics of climate policy stringency and public support. *Glob. Environ. Change* 74, 102528.
- Kuczenski, B., 2019. Disclosure of product system models in life cycle assessment: achieving transparency and privacy. *J. Ind. Ecol.* 23 (3), 574–586.
- Laatabi, A., Marilleau, N., Nguyen-Huu, T., Hbid, H., Ait Babram, M., 2018. ODD+2D: an ODD based protocol for mapping data to empirical ABMs. *J. Artif. Soc. Soc. Simul.* 21 (2), 9.
- Lackner, T., Fierro, L.E., Mellacher, P., 2025. Opinion dynamics meet agent-based climate economics: an integrated analysis of carbon taxation. *J. Econ. Behav. Organ.* 229, 106816.
- Leontief, W., 1970. Environmental repercussions and the economic structure: an input-output approach. *Rev. Econ. Stat.* 52 (3), 262–271.
- Linden, A.H., Hönekopp, J., 2021. Heterogeneity of research results: a new perspective from which to assess and promote progress in psychological science. *Perspect. Psychol. Sci.* 16 (2), 358–376.
- Lockie, S., 2022. Mainstreaming climate change sociology. *Environ. Sociol.* 8 (1), 1–6.
- Madsen, S.T., Weidema, B.P., 2023. Input-output modelling for household activity-level environmental footprints: a systematic literature review. *Environ. Res. Lett.* 18 (4), 43003.
- Malik, A., Schaeffer, R., 2024. Integrated assessment modelling and input-output analysis. *Econ. Syst. Res.* 36 (4), 501–507.
- Mastrucci, A., Niamir, L., Boza-Kiss, B., Bento, N., Wiedenhofer, D., Streeck, J., Pachauri, S., Wilson, C., Chatterjee, S., Creutzig, F., Dukkkipati, S., Feng, W., Grubler, A., Jupesta, J., Kumar, P., Marangoni, G., Saheb, Y., Shimoda, Y., Shoaib-Tehrani, B., Yamaguchi, Y., van Ruijven, B., 2023. Modeling low energy demand futures for buildings: current state and research needs. *Annu. Rev. Environ. Resour.* 48 (48, 2023), 761–792.
- Mayer, M., Burger, M., Vollen, B., 2023. A behavioral (economics) framework for sustainable transformation. In: Bucciol, A., Tavoni, A., Veronesi, M. (Eds.), *Behavioural Economics and the Environment. A Research Companion*, first ed. Routledge research companions in business and economics. Routledge, London, pp. 8–30.
- McCollum, D.L., Wilson, C., Bevione, M., Carrara, S., Edelenbosch, O.Y., Emmerling, J., Guivarch, C., Karkatsoulis, P., Keppo, I., Krey, V., Lin, Z., Broin, E.O., Paroussos, L., Pettifor, H., Ramea, K., Riahi, K., Sano, F., Rodriguez, B.S., van Vuuren, D.P., 2018. Interaction of consumer preferences and climate policies in the global transition to low-carbon vehicles. *Nat. Energy* 3 (8), 664–673.
- McCollum, D.L., Wilson, C., Pettifor, H., Ramea, K., Krey, V., Riahi, K., Bertram, C., Lin, Z., Edelenbosch, O.Y., Fujisawa, S., 2017. Improving the behavioral realism of global integrated assessment models: an application to consumers' vehicle choices. *Transp. Res. Part D Transp. Environ.* 55, 322–342.
- Mendoza Beltran, A., Cox, B., Mutel, C., van Vuuren, D.P., Font Vivanco, D., Deetman, S., Edelenbosch, O.Y., Guinée, J., Tukker, A., 2020. When the background matters: using scenarios from integrated assessment models in prospective life cycle assessment. *J. Ind. Ecol.* 24 (1), 64–79.
- Micolier, A., Loubet, P., Taillandier, F., Sonnemann, G., 2019. To what extent can agent-based modelling enhance a life cycle assessment? Answers based on a literature review. *J. Clean. Prod.* 239, 118123.
- Miller, R.E., Blair, P.D., 2009. *Input-Output Analysis: Foundations and Extensions*. Cambridge University Press.
- Muelder, H., Filatova, T., 2018. One theory - many formalizations: testing different code implementations of the theory of planned behaviour in energy agent-based models. *J. Artif. Soc. Soc. Simul.* 21 (4), 5.
- Müller, B., Bohn, F., Dreßler, G., Groeneveld, J., Klassert, C., Martin, R., Schlüter, M., Schulze, J., Weise, H., Schwarz, N., 2013. Describing human decisions in agent-based models – ODD + D, an extension of the ODD protocol. *Environ. Model. Softw.* 48, 37–48.
- Mutel, C., 2017. Brightway: an open source framework for life cycle assessment. *JOSS* 2 (12), 236.
- Newell, P., Daley, F., Twena, M., 2022. *Changing Our Ways: Behaviour Change and the Climate Crisis. Elements in Earth System Governance*. Cambridge University Press, Cambridge.
- Niamir, L., Ivanova, O., Filatova, T., Voinov, A., Bressers, H., 2020. Demand-side solutions for climate mitigation: Bottom-up drivers of household energy behavior change in the Netherlands and Spain. *Energy Res. Soc. Sci.* 62, 101356.
- Nielsen, K.S., Cologna, V., Bauer, J.M., Berger, S., Brick, C., Dietz, T., Hahnel, U.J.J., Henn, L., Lange, F., Stern, P.C., Wolske, K.S., 2024. Realizing the full potential of behavioural science for climate change mitigation. *Nat. Clim. Change* 14 (4), 322–330.
- Nielsen, K.S., Stern, P.C., Dietz, T., Gilligan, J.M., van Vuuren, D.P., Figueroa, M.J., Folke, C., Gwozd, W., Ivanova, D., Reisch, L.A., Vandenberg, M.P., Wolske, K.S., Wood, R., 2020. Improving climate change mitigation analysis: a framework for examining feasibility. *One Earth* 3 (3), 325–336.
- Nita, V., Castellani, V., Sala, S., 2017. *Consumer's behaviour in assessing environmental impact of consumption – State of the art and challenges for modelling consumer's behaviour in life cycle based indicators*, JRC 109174 ed. Publications Office of the European Union, Luxembourg.
- Olson, S.C., Heinonen, J., Ottelin, J., Czepkiewicz, M., Árnadóttir, Á., 2024. The impact of low-carbon consumption options on carbon footprints in the nordic region. *Consum. Soc.* 3 (2), 183–210.
- Ottelin, J., Heinonen, J., Nässén, J., Junnila, S., 2019. Household carbon footprint patterns by the degree of urbanisation in Europe. *Environ. Res. Lett.* 14 (11), 114016.
- Palazzo, J., Geyer, R., Suh, S., 2020. A review of methods for characterizing the environmental consequences of actions in life cycle assessment. *J. Ind. Ecol.* 24 (4), 815–829.
- Pauliuk, S., 2020. Making sustainability science a cumulative effort. *Nat. Sustain.* 3 (1), 2–4.
- Payró, C., Taherzadeh, O., van Oorschot, M., Koch, J., Marselis, S., 2024. Consumer resistance diminishes environmental gains of dietary change. *Environ. Res. Lett.* 19 (5), 54033.
- Pedde, S., Harrison, P.A., Holman, I.P., Powney, G.D., Lofts, S., Schmucki, R., Gramberger, M., Bullock, J.M., 2021. Enriching the shared socioeconomic pathways to co-create essential multi-sector scenarios for the UK. *Sci. Total Environ.* 756, 143172.

- Pettifor, H., Mastrucci, A., Wilson, C., van Ruijven, B., Agnew, M., Le Gallic, T., 2024. Endogenous simulation of low-carbon lifestyle change in global climate mitigation pathways. *Environ. Res. Lett.* 19 (1), 14016.
- Randall, A., Ogland-Hand, J., 2023. Validity and validation of computer simulations—a methodological inquiry with application to integrated assessment models. *Knowledge 3* (2), 262–276.
- Ribeiro-Rodrigues, E., Bortoleto, A.P., 2024. A systematic review of agent-based modeling and simulation applications for analyzing pro-environmental behaviors. *Sustain. Prod. Consum.* 47, 343–362.
- Rueda, O., Mogollón, J.M., Tukker, A., Scherer, L., 2021. Negative-emissions technology portfolios to meet the 1.5 °C target. *Glob. Environ. Change* 67, 102238.
- Savin, I., Creutzig, F., Filatova, T., Foramitti, J., Konc, T., Niamir, L., Safarzynska, K., van den Bergh, J., 2023. Agent-based modeling to integrate elements from different disciplines for ambitious climate policy. *WIREs Clim. Change* 14 (2), e811.
- Scherer, L., Behrens, P., Koning, A. de, Heijungs, R., Sprecher, B., Tukker, A., 2018. Trade-offs between social and environmental sustainable development goals. *Environ. Sci. Policy* 90, 65–72.
- Schlüter, M., Baeza, A., Dressler, G., Frank, K., Groeneveld, J., Jager, W., Janssen, M.A., McAllister, R.R., Müller, B., Orach, K., Schwarz, N., Wijermans, N., 2017. A framework for mapping and comparing behavioural theories in models of social-ecological systems. *Ecol. Econ.* 131, 21–35.
- Scholz, G., Wijermans, N., Paolillo, R., Neumann, M., Masson, T., Chappin, E., Templeton, A., Kocheril, G., 2023. Social agents? A systematic review of social identity formalizations. *J. Artif. Soc. Soc. Simul.* 26 (2), 6.
- Schulte, S., Jakobs, A., Pauliuk, S., 2024. Estimating the uncertainty of the greenhouse gas emission accounts in global multi-regional input-output analysis. *Earth Syst. Sci. Data* 16 (6), 2669–2700.
- Skea, J., Shukla, P., Al Khourdajie, A., McCollum, D., 2021. Intergovernmental panel on climate change: transparency and integrated assessment modeling. *WIREs Clim. Change* 12 (5), e727.
- van Sluisveld, M.A.E., Hof, A.F., Carrara, S., Geels, F.W., Nilsson, M., Rogge, K., Turnheim, B., van Vuuren, D.P., 2020. Aligning integrated assessment modelling with socio-technical transition insights: an application to low-carbon energy scenario analysis in Europe. *Technol. Forecast. Soc. Change* 151, 119177.
- van Sluisveld, M.A.E., Martínez, S.H., Daioglou, V., van Vuuren, D.P., 2016. Exploring the implications of lifestyle change in 2°C mitigation scenarios using the IMAGE integrated assessment model. *Technol. Forecast. Soc. Change* 102, 309–319.
- Smith, J., 2022. Treatment effect heterogeneity. *Eval. Rev.* 46 (5), 652–677.
- Specht, A., Crowston, K., 2022. Interdisciplinary collaboration from diverse science teams can produce significant outcomes. *PLOS One* 17 (11), e0278043.
- Stadler, K., 2021. Pymrio – a python based multi-regional input-output analysis. *Toolbox. J. Open Res. Softw.*
- Stadler, K., Wood, R., Bulavskaya, T., Södersten, C.-J., Simas, M., Schmidt, S., Usubiaga, A., Acosta-Fernández, J., Kuenen, J., Bruckner, M., Giljum, S., Lutter, S., Merciai, S., Schmidt, J.H., Theurl, M.C., Plutzar, C., Kastner, T., Eisenmenger, N., Erb, K.-H., Koning, A. de, Tukker, A., 2018. EXIOBASE 3: developing a time series of detailed environmentally extended multi-regional input-output tables. *J. Ind. Ecol.* 22 (3), 502–515.
- Stegmann, P., Daioglou, V., Londo, M., van Vuuren, D.P., Junginger, M., 2022. Plastic futures and their CO2 emissions. *Nature* 612 (7939), 272–276.
- Steubing, B., Koning, D. de, Haas, A., Mutel, C.L., 2020. The activity browser — an open source LCA software building on top of the brightway framework. *Softw. Impacts* 3, 100012.
- Süsser, D., Ceglaz, A., Gaschnig, H., Stavarakas, V., Flamos, A., Giannakidis, G., Lilliestam, J., 2021. Model-based policymaking or policy-based modelling? How energy models and energy policy interact. *Energy Res. Soc. Sci.* 75, 101984.
- Taraghi, M., Yoder, L., 2025. Integrating the theory of planned behavior in agent-based models: a systematic review of applications of pro-environmental behaviors. *Ecol. Model.* 508, 111231.
- Trutnevyte, E., Hirt, L.F., Bauer, N., Cherp, A., Hawkes, A., Edelenbosch, O.Y., Pedde, S., van Vuuren, D.P., 2019. Societal transformations in models for energy and climate policy: the ambitious next step. *One Earth* 1 (4), 423–433.
- Tukker, A., Pollitt, H., Henkemans, M., 2020. Consumption-based carbon accounting: sense and sensibility. *Clim. Policy* 20 (sup1), S1–S13.
- Vadovics, E., Richter, J.L., Tornow, M., Ozcelik, N., Coscieme, L., Lettenmeier, M., Csiki, E., Domröse, L., Cap, S., Puente, L.L., Beloussa, I., Scherer, L., 2024. Preferences enablers barriers 1.5°C lifestyle options Findings Citizen Thinking Labs five European Union countries. *Sustain. Sci. Pract. Policy* 20 (1), 2375806.
- van Valkengoed, A.M., Perlaviciute, G., Steg, L., 2025. Representing the drivers of lifestyle change in integrated assessment models using theories from environmental psychology: introducing the motivation, agency, and past behaviour (MAP) framework. *Environ. Res. Commun.* 7 (3), 32001.
- Vita, G., Lundström, J.R., Hertwich, E.G., Quist, J., Ivanova, D., Stadler, K., Wood, R., 2019. The environmental impact of Green consumption and sufficiency lifestyles scenarios in Europe: connecting local sustainability visions to global consequences. *Ecol. Econ.* 164, 106322.
- de Vries, G., Biely, K., Chappin, E., 2021. Psychology: the missing link in transitions research. *Environ. Innov. Soc. Transit.* 41, 42–44.
- Wachsmuth, J., Warnke, P., Gambhir, A., Giarola, S., Koasidis, K., Mittal, S., Nikas, A., Vaillancourt, K., Doukas, H., 2023. Co-creating socio-technical scenarios for net-zero emission pathways: comparison of five national case studies. *Renew. Sustain. Energy Transit.* 4, 100064.
- Walzberg, J., Lonca, G., Hanes, R.J., Eberle, A.L., Carpenter, A., Heath, G.A., 2021. Do we need a new sustainability assessment method for the circular economy? A critical literature review. *Front. Sustain.* 1.
- Wijermans, N., Scholz, G., Chappin, E., Heppenstall, A., Filatova, T., Polhill, J.G., Semenik, C., Stöppler, F., 2023. Agent decision-making: the elephant in the room - enabling the justification of decision model fit in social-ecological models. *Environ. Model. Softw.* 170, 105850.
- Wilson, C., Guivarch, C., Kriegler, E., van Ruijven, B., van Vuuren, D.P., Krey, V., Schwanitz, V.J., Thompson, E.L., 2021. Evaluating process-based integrated assessment models of climate change mitigation. *Clim. Change* 166 (1), 3.
- Wood, R., Moran, D., Stadler, K., Ivanova, D., Steen-Olsen, K., Tisserant, A., Hertwich, E. G., 2018. Prioritizing consumption-based carbon policy based on the evaluation of mitigation potential using input-output methods. *J. Ind. Ecol.* 22 (3), 540–552.
- Zheng, H., Long, Y., Wood, R., Moran, D., Zhang, Z., Meng, J., Feng, K., Hertwich, E., Guan, D., 2022. Ageing society in developed countries challenges carbon mitigation. *Nat. Clim. Change* 12 (3), 241–248.