



Universiteit
Leiden

The Netherlands

A song of ice and gas: the formation and evolution of complex organic molecules

Chen, Y.

Citation

Chen, Y. (2026, February 24). *A song of ice and gas: the formation and evolution of complex organic molecules*. Retrieved from <https://hdl.handle.net/1887/4292644>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4292644>

Note: To cite this publication please use the final published version (if applicable).

A Song of Ice and Gas

The formation and evolution of complex organic molecules

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr. S. de Rijcke,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 24 februari 2026
klokke 14:30 uur
door

Yuan Chen

陈缘

geboren te Guangzhou, China
in 1997

Promotor:

Prof. dr. E. F. van Dishoeck

Co-promotor:

Dr. M. L. van Gelder

Netherlands Organisation for Applied
Scientific Research (TNO)

Promotiecommissie:

Prof. dr. I. A. G. Snellen

Prof. dr. S. Viti

Prof. dr. J. K. Jørgensen

University of Copenhagen, Denmark

Prof. dr. N. Sakai

RIKEN Pioneering Research Institute, Japan

Prof. dr. J.-E. Lee

Seoul National University, South Korea

ISBN: 978-94-6534-206-1

Cover: A protostellar system with distinct colors highlighting the hot core region and the cold envelope. Designed by Yuan Chen using Midjourney (AI-generated draft), Procreate (hand-drawn refinement), and Keynote (text editing and formatting).

时间向前走，一定只有路口没有尽头。

As time moves forward,
there are always crossings ahead and never an end to the road.

—陈奕迅 《让我留在你身边》

—Eason Chan, *Let Me Stay by Your Side*

Table of Contents

1	Introduction	1
1.1	Star formation	2
1.1.1	Prestellar phase	2
1.1.2	Low-mass star formation	3
1.1.3	High-mass star formation	4
1.2	Chemistry in early stages of star formation	5
1.2.1	Cold prestellar and collapsing phase	5
1.2.2	Warm-up phase	8
1.2.3	Hot core phase	8
1.3	Complex organic molecules	9
1.3.1	Categories	9
1.3.2	Formation theories	9
1.3.3	Observations of gas-phase COMs	12
1.3.3.1	Rotational spectroscopy	12
1.3.3.2	Millimeter facilities	14
1.3.3.3	Line surveys	16
1.3.4	Observations of solid-phase COMs	18
1.3.4.1	Vibrational bands of interstellar ices	18
1.3.4.2	Laboratory IR spectroscopy	19
1.3.4.3	Observations in the pre-JWST era	21
1.3.4.4	Findings and challenges of JWST observations	22
1.4	This thesis	24
1.4.1	Overview of chapters	24
1.4.2	Outlook	26
2	CoCCoA: Complex Chemistry in hot Cores with ALMA	
	Selected oxygen-bearing species	29
2.1	Introduction	31
2.2	Observations	33
2.2.1	Overview	33
2.2.2	Data reduction	34
2.3	Methods	36
2.3.1	Spectral analyses	36
2.3.2	Isotope ratio calibration for methanol	40
2.4	Results	41
2.4.1	Morphology	41
2.4.2	Spectra and detection	41
2.4.3	Column density and excitation temperature	42
2.5	Discussion	43
2.5.1	Column density ratios	43
2.5.2	Observations versus simulations	46

2.5.2.1	CH_3OCH_3 (DME) and CH_3OCHO (MF)	47
2.5.2.2	$\text{C}_2\text{H}_5\text{OH}$	48
2.5.2.3	CH_3CHO	49
2.5.2.4	CH_2OHCHO (GA) and $(\text{CH}_2\text{OH})_2$ (EG)	50
2.5.3	The influence of energetic processes	51
2.5.4	O-COMs from clouds to comets	52
2.5.5	JWST ice observations	53
2.6	Conclusions	54
Appendices		56
2.A	Additional figures	56
2.B	Additional tables	63
3	CoCCoA: Complex Chemistry in hot Cores with ALMA	
	The chemical evolution of acetone from ice to gas	79
3.1	Introduction	81
3.2	Observations	82
3.3	Methods	83
3.3.1	Acetone (CH_3COCH_3)	83
3.3.2	Ketene (CH_2CO)	86
3.3.3	Propyne (CH_3CCH)	87
3.3.4	Propanal ($\text{C}_2\text{H}_5\text{CHO}$) and other three-carbon O-COMs	88
3.3.5	Methanol (CH_3OH)	89
3.4	Results	89
3.4.1	Emission morphology	89
3.4.2	Physical properties	91
3.5	Discussion	92
3.5.1	Acetone and other O-COMs	92
3.5.2	Acetone: Ice versus gas	94
3.5.3	Chemical evolution of acetone	96
3.5.3.1	Insights from astrochemical simulations	96
3.5.3.2	Insights from computational chemistry	99
3.5.3.3	Insights from experiments	101
3.5.4	Correlations among O-COMs and acetone relevant species	101
3.6	Conclusions	103
Appendices		105
3.A	Supplementary figures for Section 3.5	105
3.B	Best-fit physical parameters of molecules involved in this work in addition to acetone	106
3.C	Transitions covered in the CoCCoA dataset	108
3.D	Figures for spectral fitting results	111
4	JOYS+: The link between the ice and gas of complex organic molecules	
	Comparing JWST and ALMA data of two low-mass protostars	125
4.1	Introduction	127
4.2	Observations and data reduction	130
4.2.1	ALMA	130
4.2.2	JWST	131
4.3	Methods	132

4.3.1	ALMA	132
4.3.2	JWST	133
4.3.2.1	Global continuum	133
4.3.2.2	Silicate bands	135
4.3.2.3	Local continuum	135
4.3.2.4	Gas-phase lines	136
4.3.2.5	Absorption features of complex organic molecule ices	136
4.3.2.6	Ice bands of CH ₃ OH and H ₂ O	140
4.3.2.7	Ice column density	140
4.4	Results	141
4.4.1	ALMA	141
4.4.1.1	Emission maps	141
4.4.1.2	Spectra	141
4.4.2	JWST	144
4.4.2.1	Constituents of ice mixtures	144
4.4.2.2	Temperature of ice mixtures	147
4.4.2.3	Decomposition of the B1-c spectrum in 6.8–8.8 μm	148
4.4.2.4	Fitting statistics	150
4.4.2.5	CH ₃ OH and H ₂ O bands	152
4.5	Discussion	155
4.5.1	Column density ratios: Ice versus gas	155
4.5.2	Origin of the similarity in complex organic molecule ratios between ice and gas	155
4.5.3	Origin of the difference in complex organic molecule ratios between ice and gas	156
4.5.3.1	Gas-phase reprocessing	156
4.5.3.2	Spatial distribution	157
4.5.4	Ice ratios in protostars and comets	160
4.6	Conclusions	161
	Appendices	163
4.A	Images of ALMA and JWST observations	163
4.B	The silicate features	166
4.C	Selection of ice mixtures	166
4.D	Baseline correction of lab spectra	168
4.E	Fitting results of the ALMA spectra of IRAS 2A and B1-c	169
4.F	H ₂ CO bands in the CH ₃ OCHO mixture	172
4.G	Temperature analysis of COM ices	174
4.H	Band strengths	174
4.I	Statistics of fitting the JWST/MIRI-MRS spectrum of B1-c	174
4.J	The CH ₃ OH band at 3.9 μm	177
4.K	Additional figures for the JWST fitting results	178
4.L	Additional table	181
5	JOYS+: An overview of the ice features in the COM fingerprint range (6.8–8.8 μm)	191
5.1	Introduction	194
5.2	Observations	195

5.3	Methods	196
5.3.1	Removal of gas-phase lines	197
5.3.2	Interactive fitting of global continuum, silicates, and H ₂ O	200
5.3.3	Interactive fitting of local continuum	201
5.3.4	Determination of band properties	202
5.4	Results and discussion	203
5.4.1	Silicates and simple ices	203
5.4.2	COM ice fingerprint range (6.8–8.8 μm)	207
5.4.2.1	Detection of ice bands	207
5.4.2.2	Band properties I: area	208
5.4.2.3	Band properties II: peak and width	209
5.5	Conclusions	211
	Appendices	213
5.A	Interactive fitting tool	213
5.B	Additional figures	214
5.C	Table of band properties in observations	214
5.D	Uncertainty estimation of band properties	222
5.D.1	Observed spectra	222
5.D.2	Laboratory spectra	222
5.E	Laboratory spectra of HCOO ⁻ ices	223
5.E.1	Experiments	223
5.E.2	Baseline correction and band property measurements	224
	Bibliography	227
	Nederlandse samenvatting	239
	English summary	245
	Publications	251
	Curriculum Vitae	255
	Acknowledgements	257