



Universiteit
Leiden

The Netherlands

Spectral localisers and aperiodic topological phases in noncommutative geometry

Li, Y.

Citation

Li, Y. (2026, February 26). *Spectral localisers and aperiodic topological phases in noncommutative geometry*. Retrieved from <https://hdl.handle.net/1887/4293907>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4293907>

Note: To cite this publication please use the final published version (if applicable).

Appendix

Bibliography

- [AAR99] G. E. Andrews, R. Askey, and R. Roy, *Special functions*, Encyclopedia of Mathematics and its Applications, vol. 71, Cambridge University Press, Cambridge, 1999. [MR 1688958](#)
- [AH61] M. F. Atiyah and F. Hirzebruch, *Vector bundles and homogeneous spaces*, Proc. Sympos. Pure Math., Vol. III, 1961, pp. 7–38. [MR 139181](#)
- [AK48] R. F. Arens and I. Kaplansky, *Topological representation of algebras*, Trans. Amer. Math. Soc. **63** (1948), 457–481. [MR 25453](#)
- [AP77] C. A. Akemann and G. K. Pedersen, *Ideal perturbations of elements in C^* -algebras*, Math. Scand. **41** (1977), no. 1, 117–139. [MR 473848](#)
- [AP98] J. E. Anderson and I. F. Putnam, *Topological invariants for substitution tilings and their associated C^* -algebras*, Ergodic Theory Dynam. Systems **18** (1998), no. 3, 509–537. [MR 1631708](#)
- [Ara01] P. Ara, *Morita equivalence and Pedersen ideals*, Proc. Amer. Math. Soc. **129** (2001), no. 4, 1041–1049. [MR 1814143](#)
- [Arv77] W. Arveson, *Notes on extensions of C^* -algebras*, Duke Math. J. **44** (1977), no. 2, 329–355. [MR 438137](#)
- [Ati70] M. F. Atiyah, *Global theory of elliptic operators*, Proc. Internat. Conf. on Functional Analysis and Related Topics (Tokyo, 1969), 1970, pp. 21–30. [MR 266247](#)
- [BCLR22] C. Bourne, A. L. Carey, M. Lesch, and A. Rennie, *The KO -valued spectral flow for skew-adjoint Fredholm operators*, J. Topol. Anal. **14** (2022), no. 2, 505–556. [MR 4446917](#)
- [BCR16] C. Bourne, A. L. Carey, and A. Rennie, *A non-commutative framework for topological insulators*, Rev. Math. Phys. **28** (2016), no. 2, 1650004, 51. [MR 3484317](#)
- [BD24] U. Bunke and B. Dünzinger, *E-theory is compactly assembled* (2024). [arXiv: 2402.18228](#).
- [BE12] A. Buss and R. Exel, *Fell bundles over inverse semigroups and twisted étale groupoids*, J. Operator Theory **67** (2012), no. 1, 153–205. [MR 2881538](#)
- [BEL21] U. Bunke, A. Engel, and M. Land, *A stable ∞ -category for equivariant KK-theory* (2021). [arXiv: 2102.13372](#).
- [Bel86] J. Bellissard, *K-theory of C^* -algebras in solid state physics*, Statistical mechanics and field theory: mathematical aspects (Groningen, 1985), 1986, pp. 99–156. [MR 862832](#)
- [BHZ00] J. Bellissard, D. J. L. Herrmann, and M. Zarrouati, *Hulls of aperiodic solids and gap labeling theorems*, Directions in mathematical quasicrystals, 2000, pp. 207–258. [MR 1798994](#)
- [BJ83] S. Baaj and P. Julg, *Théorie bivariante de Kasparov et opérateurs non bornés dans les C^* -modules hilbertiens*, C. R. Acad. Sci. Paris Sér. I Math. **296** (1983), no. 21, 875–878. [MR 715325](#)
- [BKR17] C. Bourne, J. Kellendonk, and A. Rennie, *The K-theoretic bulk-edge correspondence for topological insulators*, Ann. Henri Poincaré **18** (2017), no. 5, 1833–1866. [MR 3635969](#)

- [BKR20] ———, *The Cayley transform in complex, real and graded K-theory*, *Internat. J. Math.* **31** (2020), no. 9, 2050074, 50. [MR 4140811](#)
- [Bla06] B. Blackadar, *Operator algebras*, *Encyclopaedia of Mathematical Sciences*, vol. 122, Springer-Verlag, Berlin, 2006. *Theory of C*-algebras and von Neumann algebras, Operator Algebras and Non-commutative Geometry, III*. [MR 2188261](#)
- [Bla98] ———, *K-theory for operator algebras*, 2nd ed., *Mathematical Sciences Research Institute Publications*, vol. 5, Cambridge University Press, Cambridge, 1998. [MR 1656031](#)
- [BM19] C. Bourne and B. Mesland, *Index theory and topological phases of aperiodic lattices*, *Ann. Henri Poincaré* **20** (2019), no. 6, 1969–2038. [MR 3956166](#)
- [BMvS16] S. Brain, B. Mesland, and W. D. van Suijlekom, *Gauge theory for spectral triples and the unbounded Kasparov product*, *J. Noncommut. Geom.* **10** (2016), no. 1, 135–206. [MR 3500818](#)
- [BP18] C. Bourne and E. Prodan, *Non-commutative Chern numbers for generic aperiodic discrete systems*, *J. Phys. A* **51** (2018), no. 23, 235202, 38. [MR 3810727](#)
- [BR87] O. Bratteli and D. W. Robinson, *Operator algebras and quantum statistical mechanics. I*, 2nd ed., *Texts and Monographs in Physics*, Springer-Verlag, New York, 1987. *C*- and W*-algebras, symmetry groups, decomposition of states*. [MR 887100](#)
- [BvESB94] J. Bellissard, A. van Elst, and H. Schulz-Baldes, *The noncommutative geometry of the quantum Hall effect*, *J. Math. Phys.* **35** (1994), no. 10, 5373–5451. [MR 1295473](#)
- [CGRS14] A. L. Carey, V. Gayral, A. Rennie, and F. A. Sukochev, *Index theory for locally compact noncommutative geometries*, *Mem. Amer. Math. Soc.* **231** (2014), no. 1085, vi+130. [MR 3221983](#)
- [CH89] A. Connes and N. Higson, *Almost homomorphisms and KK-theory* (1989). Unpublished manuscript.
- [CH90] ———, *Déformations, morphismes asymptotiques et K-théorie bivariante*, *C. R. Acad. Sci. Paris Sér. I Math.* **311** (1990), no. 2, 101–106. [MR 1065438](#)
- [Chu18] Y. C. Chung, *Quantitative K-theory for Banach algebras*, *J. Funct. Anal.* **274** (2018), no. 1, 278–340. [MR 3718054](#)
- [ĆM21] B. Ćaćić and B. Mesland, *Gauge theory on noncommutative Riemannian principal bundles*, *Comm. Math. Phys.* **388** (2021), no. 1, 107–198. [MR 4328052](#)
- [Con13] A. Connes, *On the spectral characterization of manifolds*, *J. Noncommut. Geom.* **7** (2013), no. 1, 1–82. [MR 3032810](#)
- [CP98] A. L. Carey and J. Phillips, *Unbounded Fredholm modules and spectral flow*, *Canad. J. Math.* **50** (1998), no. 4, 673–718. [MR 1638603](#)
- [CS84] A. Connes and G. Skandalis, *The longitudinal index theorem for foliations*, *Publ. Res. Inst. Math. Sci.* **20** (1984), no. 6, 1139–1183. [MR 775126](#)
- [Cun84] J. Cuntz, *K-theory and C*-algebras*, *Algebraic K-theory, number theory, geometry and analysis (Bielefeld, 1982)*, 1984, pp. 55–79. [MR 750677](#)
- [Cun87] ———, *A new look at KK-theory*, *K-Theory* **1** (1987), no. 1, 31–51. [MR 899916](#)
- [CvS21] A. Connes and W. D. van Suijlekom, *Spectral truncations in noncommutative geometry and operator systems*, *Comm. Math. Phys.* **383** (2021), no. 3, 2021–2067. [MR 4244265](#)
- [CZ83] F. Combes and H. Zettl, *Order structures, traces and weights on Morita equivalent C*-algebras*, *Math. Ann.* **265** (1983), no. 1, 67–81. [MR 719351](#)

- [Dea95] V. Deaconu, *Groupoids associated with endomorphisms*, Trans. Amer. Math. Soc. **347** (1995), no. 5, 1779–1786. [MR 1233967](#)
- [DKM01] V. Deaconu, A. Kumjian, and P. Muhly, *Cohomology of topological graphs and Cuntz-Pimsner algebras*, J. Operator Theory **46** (2001), no. 2, 251–264. [MR 1870406](#)
- [Dum05] C. D. Dumitrascu, *Asymptotic morphisms, K-homology and Dirac operators*, Pacific J. Math. **218** (2005), no. 1, 53–74. [MR 2224589](#)
- [Dum16] C. D. Dumitrascu, *On an intermediate bivariant K-theory for C*-algebras*, J. Noncommut. Geom. **10** (2016), no. 3, 1083–1130. [MR 3554843](#)
- [DWW18] M. Dadarlat, R. Willett, and J. Wu, *Localization C*-algebras and K-theoretic duality*, Ann. K-Theory **3** (2018), no. 4, 615–630. [MR 3892961](#)
- [Ell14] G. A. Elliott, *Uniqueness of the index map in Banach algebra K-theory*, C. R. Math. Acad. Sci. Soc. R. Can. **36** (2014), no. 2-3, 93–96. [MR 3241180](#)
- [EM19] E. E. Ewert and R. Meyer, *Coarse geometry and topological phases*, Comm. Math. Phys. **366** (2019), no. 3, 1069–1098. [MR 3927086](#)
- [Exe08] R. Exel, *Inverse semigroups and combinatorial C*-algebras*, Bull. Braz. Math. Soc. (N.S.) **39** (2008), no. 2, 191–313. [MR 2419901](#)
- [Exe17] ———, *Partial dynamical systems, Fell bundles and applications*, Mathematical Surveys and Monographs, vol. 224, American Mathematical Society, Providence, RI, 2017. [MR 3699795](#)
- [GBVF01] J. M. Gracia-Bondía, J. C. Várilly, and H. Figueroa, *Elements of noncommutative geometry*, Birkhäuser Advanced Texts: Basler Lehrbücher., Birkhäuser Boston, Inc., Boston, MA, 2001. [MR 1789831](#)
- [GHT00] E. Guentner, N. Higson, and J. Trout, *Equivariant E-theory for C*-algebras*, Mem. Amer. Math. Soc. **148** (2000), no. 703, viii+86. [MR 1711324](#)
- [GRU19] M. Goffeng, A. Rennie, and A. Usachev, *Constructing KMS states from infinite-dimensional spectral triples*, J. Geom. Phys. **143** (2019), 107–149. [MR 3955675](#)
- [Gue94] E. Guentner, *Relative E-theory, quantization and index theory*, Ph.D. Thesis, 1994.
- [Gue99] ———, *Relative E-theory*, K-Theory **17** (1999), no. 1, 55–93. [MR 1689821](#)
- [Hek21] E. Hekkelman, *Truncated geometry on the circle*, Master’s Thesis, 2021. Available at <http://www.waltervansuijlekom.nl/wp-content/uploads/2022/10/Scriptie-EvaMariaHekkelman.pdf>.
- [HG04] N. Higson and E. Guentner, *Group C*-algebras and K-theory*, Noncommutative geometry, 2004, pp. 137–251. [MR 2058474](#)
- [Hig87] N. Higson, *A characterization of KK-theory*, Pacific J. Math. **126** (1987), no. 2, 253–276. [MR 869779](#)
- [Hig88] ———, *Algebraic K-theory of stable C*-algebras*, Adv. in Math. **67** (1988), no. 1, 14. [MR 922140](#)
- [Hig90] ———, *Categories of fractions and excision in KK-theory*, J. Pure Appl. Algebra **65** (1990), no. 2, 119–138. [MR 1068250](#)
- [HK01] N. Higson and G. Kasparov, *E-theory and KK-theory for groups which act properly and isometrically on Hilbert space*, Invent. Math. **144** (2001), no. 1, 23–74. [MR 1821144](#)
- [HKT98] N. Higson, G. Kasparov, and J. Trout, *A Bott periodicity theorem for infinite-dimensional Euclidean space*, Adv. Math. **135** (1998), no. 1, 1–40. [MR 1617411](#)

- [HR00] N. Higson and J. Roe, *Analytic K-homology*, Oxford Mathematical Monographs, Oxford University Press, Oxford, 2000. Oxford Science Publications. [MR 1817560](#)
- [HRY93] N. Higson, J. Roe, and G. Yu, *A coarse Mayer–Vietoris principle*, Math. Proc. Cambridge Philos. Soc. **114** (1993), no. 1, 85–97. [MR 1219916](#)
- [JM23] C. M. Joseph and R. Meyer, *Geometric construction of classes in van Daele’s K-theory*, J. Math. Phys. **64** (2023), no. 5, Paper No. 053504, 21. [MR 4589059](#)
- [JS09] M. Joachim and S. Stolz, *An enrichment of KK-theory over the category of symmetric spectra*, Münster J. Math. **2** (2009), 143–182. [MR 2545610](#)
- [Kaa25] J. Kaad, *Spectral localizers in KK-theory* (2025). [arXiv: 2508.08668](#).
- [Kas75] G. Kasparov, *Topological invariants of elliptic operators. I. K-homology*, Math. USSR-Izv. **9** (1975), no. 4, 751–792. [MR 488027](#)
- [Kas80a] ———, *Hilbert C^* -modules: theorems of Stinespring and Voiculescu*, J. Operator Theory **4** (1980), no. 1, 133–150. [MR 587371](#)
- [Kas80b] ———, *The operator K-functor and extensions of C^* -algebras*, Izv. Akad. Nauk SSSR Ser. Mat. **44** (1980), no. 3, 571–636, 719. [MR 582160](#)
- [Kas88] ———, *Equivariant KK-theory and the Novikov conjecture*, Invent. Math. **91** (1988), no. 1, 147–201. [MR 918241](#)
- [Kat04] T. Katsura, *A class of C^* -algebras generalizing both graph algebras and homeomorphism C^* -algebras. I. Fundamental results*, Trans. Amer. Math. Soc. **356** (2004), no. 11, 4287–4322. [MR 2067120](#)
- [Kel17] J. Kellendonk, *On the C^* -algebraic approach to topological phases for insulators*, Ann. Henri Poincaré **18** (2017), no. 7, 2251–2300. [MR 3665214](#)
- [KL13] J. Kaad and M. Lesch, *Spectral flow and the unbounded Kasparov product*, Adv. Math. **248** (2013), 495–530. [MR 3107519](#)
- [KL17] A. Kumjian and H. Li, *Twisted topological graph algebras are twisted groupoid C^* -algebras*, J. Operator Theory **78** (2017), no. 1, 201–225. [MR 3679613](#)
- [KNR12] J. Kaad, R. Nest, and A. Rennie, *KK-theory and spectral flow in von Neumann algebras*, J. K-Theory **10** (2012), no. 2, 241–277. [MR 3004169](#)
- [KRSB02] J. Kellendonk, T. Richter, and H. Schulz-Baldes, *Edge current channels and Chern numbers in the integer quantum Hall effect*, Rev. Math. Phys. **14** (2002), no. 1, 87–119. [MR 1877916](#)
- [KS02] M. Khoshkam and G. Skandalis, *Regular representation of groupoid C^* -algebras and applications to inverse semigroups*, J. Reine Angew. Math. **546** (2002), 47–72. [MR 1900993](#)
- [Kub17] Y. Kubota, *Controlled topological phases and bulk-edge correspondence*, Comm. Math. Phys. **349** (2017), no. 2, 493–525. [MR 3594362](#)
- [Kuc97] D. Kucerovsky, *The KK-product of unbounded modules*, K-Theory **11** (1997), no. 1, 17–34. [MR 1435704](#)
- [KvS18a] J. Kaad and W. D. van Suijlekom, *Factorization of Dirac operators on toric noncommutative manifolds*, J. Geom. Phys. **132** (2018), 282–300. [MR 3836782](#)
- [KvS18b] ———, *Riemannian submersions and factorization of Dirac operators*, J. Noncommut. Geom. **12** (2018), no. 3, 1133–1159. [MR 3873573](#)

- [KvS20] ———, *Factorization of Dirac operators on almost-regular fibrations of spin^c manifolds*, Doc. Math. **25** (2020), 2049–2084. [MR 4187718](#)
- [Lan95] E. C. Lance, *Hilbert C*-modules*, London Mathematical Society Lecture Note Series, vol. 210, Cambridge University Press, Cambridge, 1995. A toolkit for operator algebraists. [MR 1325694](#)
- [Li25] Y. Li, *Robustness of topological phases on aperiodic lattices* (2025). [arXiv: 2504.04817](#).
- [LM25] Y. Li and B. Mesland, *The odd spectral localiser via asymptotic morphisms and quasi-projections* (2025). [arXiv: 2506.17143](#). To appear in *Ann. K-Theory*.
- [LN04] M. Laca and S. Neshveyev, *KMS states of quasi-free dynamics on Pimsner algebras*, J. Funct. Anal. **211** (2004), no. 2, 457–482. [MR 2056837](#)
- [LRV12] S. Lord, A. Rennie, and J. C. Várilly, *Riemannian manifolds in noncommutative geometry*, J. Geom. Phys. **62** (2012), no. 7, 1611–1638. [MR 2922025](#)
- [LSB17] T. A. Loring and H. Schulz-Baldes, *Finite volume calculation of K-theory invariants*, New York J. Math. **23** (2017), 1111–1140. [MR 3711272](#)
- [LSB19] ———, *Spectral flow argument localizing an odd index pairing*, Canad. Math. Bull. **62** (2019), no. 2, 373–381. [MR 3952525](#)
- [LSB20] ———, *The spectral localizer for even index pairings*, J. Noncommut. Geom. **14** (2020), no. 1, 1–23. [MR 4107509](#)
- [LT23] M. Ludewig and G. C. Thiang, *Quantization of conductance and the coarse cohomology of partitions* (2023). [arXiv: 2308.02819](#).
- [LT25a] Y. Li and G. C. Thiang, *Symmetry-breaking topological phases* (2025). In preparation.
- [LT25b] M. Ludewig and G. C. Thiang, *Large-scale quantization of trace I: Finite propagation operators* (2025). [arXiv: 2506.10957](#).
- [Mac71] S. MacLane, *Categories for the working mathematician*, Graduate Texts in Mathematics, vol. 5, Springer-Verlag, New York-Berlin, 1971. [MR 354798](#)
- [Mes11] B. Mesland, *Groupoid cocycles and K-theory*, Münster J. Math. **4** (2011), 227–249. [MR 2869262](#)
- [Mes14] ———, *Unbounded bivariant K-theory and correspondences in noncommutative geometry*, J. Reine Angew. Math. **691** (2014), 101–172. [MR 3213549](#)
- [Mey08] R. Meyer, *Categorical aspects of bivariant K-theory*, K-theory and noncommutative geometry, 2008, pp. 1–39. [MR 2513331](#)
- [MP22] B. Mesland and E. Prodan, *A groupoid approach to interacting fermions*, Comm. Math. Phys. **394** (2022), no. 1, 143–213. [MR 4456123](#)
- [MR16] B. Mesland and A. Rennie, *Nonunital spectral triples and metric completeness in unbounded KK-theory*, J. Funct. Anal. **271** (2016), no. 9, 2460–2538. [MR 3545223](#)
- [MRvS22] B. Mesland, A. Rennie, and W. D. van Suijlekom, *Curvature of differentiable Hilbert modules and Kasparov modules*, Adv. Math. **402** (2022), Paper No. 108128, 52. [MR 4418881](#)
- [MRW87] P. S. Muhly, J. N. Renault, and D. P. Williams, *Equivalence and isomorphism for groupoid C*-algebras*, J. Operator Theory **17** (1987), no. 1, 3–22. [MR 873460](#)
- [OOY15] H. Oyono-Oyono and G. Yu, *On quantitative operator K-theory*, Ann. Inst. Fourier (Grenoble) **65** (2015), no. 2, 605–674. [MR 3449163](#)

- [Pat99] A. L. T. Paterson, *Groupoids, inverse semigroups, and their operator algebras*, Progress in Mathematics, vol. 170, Birkhäuser Boston, Inc., Boston, MA, 1999. [MR 1724106](#)
- [Phi97] J. Phillips, *Spectral flow in type I and II factors—a new approach*, Cyclic cohomology and noncommutative geometry (Waterloo, ON, 1995), 1997, pp. 137–153. [MR 1478707](#)
- [Pus96] M. Puschnigg, *Asymptotic cyclic cohomology*, Lecture Notes in Mathematics, vol. 1642, Springer-Verlag, Berlin, 1996. [MR 1482804](#)
- [Ren00] J. Renault, *Cuntz-like algebras*, Operator theoretical methods (Timișoara, 1998), 2000, pp. 371–386. [MR 1770333](#)
- [RLL00] M. Rørdam, F. Larsen, and N. Laustsen, *An introduction to K-theory for C*-algebras*, London Mathematical Society Student Texts, vol. 49, Cambridge University Press, Cambridge, 2000. [MR 1783408](#)
- [Roe96] J. Roe, *Index theory, coarse geometry, and topology of manifolds*, CBMS Regional Conference Series in Mathematics, vol. 90, Published for the Conference Board of the Mathematical Sciences, Washington, DC; by the American Mathematical Society, Providence, RI, 1996. [MR 1399087](#)
- [RS87] J. Rosenberg and C. Schochet, *The Künneth theorem and the universal coefficient theorem for Kasparov's generalized K-functor*, Duke Math. J. **55** (1987), no. 2, 431–474. [MR 894590](#)
- [Špa08] J. Špakula, *K-theory of uniform Roe algebras*, ProQuest LLC, Ann Arbor, MI, 2008. Thesis (Ph.D.)—Vanderbilt University. [MR 2712872](#)
- [SBS21] H. Schulz-Baldes and T. Stoiber, *The spectral localizer for semifinite spectral triples*, Proc. Amer. Math. Soc. **149** (2021), no. 1, 121–134. [MR 4172591](#)
- [Sch81] C. Schochet, *Topological methods for C*-algebras. I. Spectral sequences*, Pacific J. Math. **96** (1981), no. 1, 193–211. [MR 634772](#)
- [Ska88] G. Skandalis, *Une notion de nucléarité en K-théorie (d'après J. Cuntz)*, K-Theory **1** (1988), no. 6, 549–573. [MR 953916](#)
- [Sto25] T. Stoiber, *A spectral localizer approach to strong topological invariants in the mobility gap regime*, Comm. Math. Phys. **406** (2025), no. 8, Paper No. 184, 33. [MR 4927813](#)
- [STY02] G. Skandalis, J. Tu, and G. Yu, *The coarse Baum-Connes conjecture and groupoids*, Topology **41** (2002), no. 4, 807–834. [MR 1905840](#)
- [SW03] L. Sadun and R. F. Williams, *Tiling spaces are Cantor set fiber bundles*, Ergodic Theory Dynam. Systems **23** (2003), no. 1, 307–316. [MR 1971208](#)
- [Thi16] G. C. Thiang, *On the K-theoretic classification of topological phases of matter*, Ann. Henri Poincaré **17** (2016), no. 4, 757–794. [MR 3472623](#)
- [Thi17] ———, *Lecture notes on symmetries, topological phases and K-theory* (2017). Lecture notes.
- [Thi23] ———, *Quantum kilogram, large-scale index, quantum Hall effect* (2023), available at <http://bicmr.pku.edu.cn/~guochuanthiang/Talks/kilogram-talk.pdf>. Lecture notes.
- [Thi25] ———, *Fractional index of Bargmann-Fock space and Landau levels*, J. Geom. Phys. **209** (2025), Paper No. 105415, 13. [MR 4848587](#)
- [Tho99] K. Thomsen, *Asymptotic homomorphisms and equivariant KK-theory*, J. Funct. Anal. **163** (1999), no. 2, 324–343. [MR 1680467](#)
- [Tro00] J. Trout, *On graded K-theory, elliptic operators and the functional calculus*, Illinois J. Math. **44** (2000), no. 2, 294–309. [MR 1775323](#)

- [vD88a] A. van Daele, *K-theory for graded Banach algebras. I*, Quart. J. Math. Oxford Ser. (2) **39** (1988), no. 154, 185–199. [MR 947500](#)
- [vD88b] ———, *K-theory for graded Banach algebras. II*, Pacific J. Math. **134** (1988), no. 2, 377–392. [MR 961241](#)
- [vdDM20] K. van den Dungen and B. Mesland, *Homotopy equivalence in unbounded KK-theory*, Ann. K-Theory **5** (2020), no. 3, 501–537. [MR 4132745](#)
- [vS24a] W. D. van Suijlekom, *A generalization of K-theory to operator systems* (2024). [arXiv: 2409.02773](#).
- [vS24b] ———, *Higher K-groups for operator systems* (2024). [arXiv: 2411.02981](#).
- [VSSB19] E. L. Viesca, J. Schober, and H. Schulz-Baldes, *Chern numbers as half-signature of the spectral localizer*, J. Math. Phys. **60** (2019), no. 7, 072101, 13. [MR 3982949](#)
- [vSV22] W. D. van Suijlekom and L. S. Verhoeven, *Immersion and the unbounded Kasparov product: embedding spheres into Euclidean space*, J. Noncommut. Geom. **16** (2022), no. 2, 489–511. [MR 4478262](#)
- [vSV23] ———, *Riemannian embeddings in codimension one as unbounded KK-cycles*, Ann. K-Theory **8** (2023), no. 4, 645–668. [MR 4673950](#)
- [Wil20] R. Willett, *Bott periodicity and almost commuting matrices*, K-theory in algebra, analysis and topology, 2020, pp. 379–388. [MR 4087646](#)
- [Wil21] ———, *Approximate ideal structures and K-theory*, New York J. Math. **27** (2021), 1–52. [MR 4195416](#)
- [Wul22] C. Wulff, *Generalized asymptotic algebras and E-theory for non-separable C*-algebras* (2022). [arXiv: 2212.07216](#).
- [WY20] R. Willett and G. Yu, *Higher index theory*, Cambridge Studies in Advanced Mathematics, vol. 189, Cambridge University Press, Cambridge, 2020. [MR 4411373](#)
- [Yee06] T. Yeend, *Topological higher-rank graphs and the C*-algebras of topological 1-graphs*, Operator theory, operator algebras, and applications, 2006, pp. 231–244. [MR 2277214](#)
- [Yu97] G. Yu, *Localization algebras and the coarse Baum-Connes conjecture*, K-Theory **11** (1997), no. 4, 307–318. [MR 1451759](#)

Notation and symbols

Categories and universal functors

\mathfrak{Ab}	category of abelian groups, with group homomorphisms as arrows
$\mathcal{C}^*\mathfrak{Sep}$	category of separable C^* -algebras, with $*$ -homomorphisms as arrows
$\mathfrak{N}\mathcal{C}^*$	intersection of the bootstrap category with $\mathcal{C}^*\mathfrak{Sep}$
\mathfrak{Asym}	homotopy category of asymptotic morphisms
\mathfrak{KK}	Kasparov category
\mathfrak{E}	E-theory category
$\eta: \mathfrak{KK} \rightarrow \mathfrak{E}$	the universal comparison functor $\mathfrak{KK} \rightarrow \mathfrak{E}$

C^* -algebras and Hilbert C^* -modules

B^+	unitisation of B
B_+	positive cone of B
$J \triangleleft B$	J is an ideal of B
$C_0(X, B)$	C^* -algebra of continuous functions $X \rightarrow B$ vanishing at infinity
$C_b(X, B)$	C^* -algebra of bounded functions $X \rightarrow B$
SB	$:= C_0(\mathbb{R}) \otimes B$
$S^i B$	$:= C_0(\mathbb{R}^i) \otimes B$
CB	$:= C_0((-\infty, +\infty]) \otimes B$
$\mathcal{M}(B)$	multiplier algebra of B
$\mathcal{Q}(B)$	$:= \mathcal{M}(B)/B$, Calkin algebra of B
\mathcal{H}_B	$:= \ell^2(\mathbb{N}) \otimes B$, the standard countably generated Hilbert B -module
\mathbb{K}	$:= \mathbb{K}(\mathcal{H})$, C^* -algebra of compact operators on a separable Hilbert space
$\mathbb{K}_B(\mathcal{E})$	C^* -algebra of B -linear compact operators on \mathcal{E}
$\text{Fin}_B(\mathcal{E})$	algebra of B -linear finite-rank operators on \mathcal{E}
$\mathbb{B}_B(\mathcal{E})$	C^* -algebra of B -linear bounded adjointable operators on \mathcal{E}
$\mathbb{B}_B(\mathcal{E}, \mathcal{F})$	space of B -linear bounded adjointable operators $\mathcal{E} \rightarrow \mathcal{F}$
$\mathbb{C}\ell_n$	complex Clifford algebra of n generators
$\mathbb{C}\ell_{p,q}$	“real” Clifford algebra of p self-adjoint and q anti-self-adjoint generators
$\mathbb{C}\ell_{p,q}$	real subalgebra of $\mathbb{C}\ell_{p,q}$

Operators on Hilbert C^* -modules

$\text{dom } T$	domain of T
$\text{ran } T$	range of T
$\mathcal{G}(T)$	$:= \{(x, Tx) \in \mathcal{E} \oplus \mathcal{F} \mid x \in \text{dom } T\}$, graph of T
$\mathbb{1}_{\mathcal{E}}$	the identity operator on a Hilbert module \mathcal{E}
$\mathbb{1}_{n \times n}$	the identity $n \times n$ -matrix
$ x\rangle\langle y $	rank-one operator $ x\rangle\langle y z := x\langle y, z\rangle$
X_j	position operator $X_j f(x) := x_j f(x)$ for $x = (x_1, \dots, x_d) \in \mathbb{R}^d$

Kasparov theory and E-theory

$\text{KK}(A, B)$	set of Kasparov A - B -modules
$\text{KK}_1(A, B)$	set of odd (=ungraded) Kasparov A - B -modules
$\Psi(A, B)$	set of unbounded Kasparov A - B -modules
$\Psi_1(A, B)$	set of odd (=ungraded) unbounded Kasparov A - B -modules
$\alpha \times \beta$	Kasparov product of KK-classes α and β
$\alpha \boxtimes \beta$	exterior Kasparov product of KK-classes α and β
$\mathbf{1}_A$	unit of KK-ring $\text{KK}(A, A)$
$\mathfrak{A}B$	$:= C_b([1, \infty), B)/C_0([1, \infty), B)$, asymptotic algebra of B
$\Phi: A \dashrightarrow B$	asymptotic morphism $(\Phi_t: A \rightarrow B)_{t \in [1, \infty)}$
$\llbracket A, B \rrbracket$	set of homotopy equivalence classes of asymptotic morphisms $A \dashrightarrow B$

Spectral localiser and (semi-finite) index pairing

$[v]$	$K_1(A)$ -class of a unitary $v \in A$
$[D]$	$\text{KK}_1(A, B)$ -class of an odd unbounded Kasparov A - B -module $(\mathcal{A}, \mathcal{E}, D)$
$\langle [v], [D] \rangle$	$K_0(\mathbb{K}_B(\mathcal{E}))$ -valued index pairing of $[v] \in K_1(A)$ and $[D] \in \text{KK}_1(A, B)$
$\widehat{\mathcal{E}}$	$:= \mathcal{E} \oplus \mathcal{E}$
$\mathcal{E}_\lambda^\uparrow$	upper spectral submodule with threshold λ
$\mathcal{E}_\lambda^\downarrow$	lower spectral submodule with threshold λ
$L_{\kappa, \lambda}$	spectral localiser with tuning parameter κ and spectral threshold λ
$\widehat{\tau}$	transferred trace $\widehat{\tau}: \mathbb{K}_B(\mathcal{E}) \rightarrow [0, +\infty]$ of a finite trace $\tau: B \rightarrow \mathbb{C}$
$L^2(B, \tau)$	GNS-Hilbert space induced by a finite trace $\tau: B \rightarrow \mathbb{C}$
\mathcal{H}^τ	$:= \mathcal{E} \otimes_B L^2(B, \tau)$, localised Hilbert space induced by τ
ϱ^τ	$:= \varrho \otimes \mathbb{1}_{L^2(B, \tau)}$, representation on \mathcal{H}^τ induced by τ
D^τ	$:= D \otimes \mathbb{1}_{L^2(B, \tau)}$, unbounded self-adjoint operator on \mathcal{H}^τ induced by τ

Groupoid of a Delone set and its C*-algebra

$\mathcal{G} \rightrightarrows \mathcal{G}^0$	groupoid \mathcal{G} with unit space \mathcal{G}^0
\mathcal{G}^2	$:= \{(\gamma_1, \gamma_2) \in \mathcal{G} \times \mathcal{G} \mid s(\gamma_1) = r(\gamma_2)\}$
$\text{Bis}(\mathcal{G})$	inverse semigroup of local bisections of a groupoid \mathcal{G}
$C^*(\mathcal{G})$	reduced groupoid C*-algebra of a groupoid \mathcal{G}
$\text{Ball}(x, R)$	open ball centered at x with radius R
$\text{Del}_{(r,R)}(\mathbb{R}^d)$	space of (r, R) -Delone sets
Ω_Λ	closure of the orbit of $\Lambda \in \text{Del}_{(r,R)}(\mathbb{R}^d)$ under the translation action by \mathbb{R}^d
Ω_0	$:= \{\omega \in \Omega_\Lambda \mid 0 \in \omega\}$, canonical transversal of $\Omega_\Lambda \rtimes \mathbb{R}^d$
\mathcal{G}_Λ	$:= \Omega_\Lambda \rtimes \mathbb{R}^d \Big _{\Omega_0}^{\Omega_0}$, groupoid of a Delone set Λ
π_ω	localised regular representation $C^*(\mathcal{G}_\Lambda) \rightarrow \mathbb{B}(\ell^2(\omega))$
\mathcal{E}_Λ	topological graph associated to a one-dimensional Delone set Λ

Coarse geometry, group actions and symmetry-breaking

$C^*(G)$	reduced group C*-algebra of group G
$C_\lambda^*(G)$	reduced group C*-algebra generated by left regular representation
$C_\rho^*(G)$	reduced group C*-algebra generated by right regular representation
$G \curvearrowright X$	G acts on X
\mathcal{H}_X	ample X -module
$C_{\text{Roe}}^*(X)$	Roe C*-algebra of a space X
$C_{\text{Roe}}^*(X)^\Gamma$	Γ -equivariant Roe C*-algebra of a Γ -space X
\mathfrak{S}	symmetry-breaking chain
$C_{\text{Roe}}^*(X)^{\mathfrak{S}}$	symmetry-breaking Roe C*-algebra of X for symmetry-breaking chain \mathfrak{S}

Index

- ample module, 125
 - equivariant \sim , 186
 - standard \sim , 126, 187
- approximate unit, 64
 - quasi-central \sim , 64
- asymptotic algebra, 42
- asymptotic morphism, 41
 - n -homotopy of \sim s, 44
 - composition of \sim s, 46
 - homotopy category of \sim s, 46
 - homotopy of \sim s, 44
 - operation on \sim s, 41
- bisection, 173
- Bott periodicity, 26, 35
- bounded transform, 60
- C^* -algebra
 - $\mathbb{Z}/2$ -graded \sim , 28
 - “real” \sim , 133
 - real \sim , 133
- C^* -correspondence, 31
 - essential \sim , 31
 - Morita equivalence, 31
 - proper \sim , 31
- C^* -stable, 25
- chopping function, 59
- Clifford algebra, 30, 135
- coarse groupoid, 163
- Delone set, 118
 - groupoid C^* -algebra of a \sim , 124
 - groupoid of a \sim , 122
 - Roe C^* -algebra of a \sim , 129
 - space of \sim s, 121
- E-theory, 46
 - Connes–Higson construction, 63
- exact, 25
 - semi-split \sim , 25
 - split \sim , 26
- Hilbert C^* -module
 - complemented \sim , 58
- Hilbert C^* -module
 - $\mathbb{Z}/2$ -graded \sim , 29
 - full \sim , 31
- homotopy invariant, 26
- index pairing, 48
 - E-theoretic \sim , 52
 - KK-theoretic \sim , 49
 - semi-finite \sim , 103
 - uniqueness of \sim , 52
- inverse semigroup
 - action, 173
 - action groupoid, 173
 - of local bisections, 173
 - wide \sim , 174
- Kasparov module, 31
 - odd \sim , 39
 - unbounded \sim , 60
- Kasparov product, 33
 - general \sim , 34
- KK-theory, 33
 - KK-equivalence, 34
 - Connes–Skandalis conditions, 33

- extension picture of KK_1 , 39
 - Kasparov's picture of KK_0 , 31
 - ungraded picture of KK_1 , 39
- quasi-idempotent, 83
- quasi-projection, 83
- regular representation
 - localised \sim , 124
 - of a discrete group, 184
 - of an étale groupoid, 122
- Renault–Deaconu groupoid, 170
- Roe C^* -algebra, 127
 - equivariant \sim , 187
 - symmetry-breaking \sim , 195
- spectral decomposition
 - of a Hilbert C^* -module, 81
 - of a Hilbert space, 82
- spectral localiser, 81
 - even \sim , 83
 - odd \sim , 82, 96
- spectral triple, 55
 - position \sim , 141
 - real \sim , 140
- symmetry-breaking
 - chain, 195
 - map, 186, 192
 - Roe C^* -algebra, 195
- topological graph, 168
 - C^* -algebra of a \sim , 168
 - C^* -correspondence of a \sim , 168
- topological phase
 - mixed \sim , 208
 - robustness of \sim , 155
 - stacked \sim , 157
 - strong \sim , 155, 208
 - weak \sim , 157, 208
- topological phases, 132
- unbounded operator, 57
 - adjoint of an \sim , 57
 - closed \sim , 57
 - functional calculus of \sim s, 60
 - graph of an \sim , 57
 - regular \sim , 58
 - self-adjoint \sim , 57
 - symmetric \sim , 57
- universal functor, 26
 - \natural , 27, 73
 - E , 27, 46
 - KK , 26, 27, 33