Universiteit
Leiden
The Netherlands

From inference to influence: applying causal game theory to complex security environments

Vonk, M.C.

Citation
Vonk, M. C. (2026, March 26). *From inference to influence: applying causal game theory to complex security environments*. Retrieved from https://hdl.handle.net/1887/4299782

Version:	Publisher's Version
License:	Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden
Downloaded from:	https://hdl.handle.net/1887/4299782

Note: To cite this publication please use the final published version (if applicable).

Appendix A

Acronyms and Notation Conventions

A.1 Acronyms

A unified list of acronyms that are frequently used throughout the thesis is presented in this section. It includes terms frequently encountered in the context of causal game theory, as well as those related to the methodology introduced in Chapter 5, such as discretization, decision diagrams, and optimization.

ADMG Acyclic Directed Mixed Graph
ATE Average Treatment Effect
BDD Binary Decision Diagram
BN Bayesian Network
BP Belief Propagation
CAIM Class-Attribute Interdependence Maximization
CBN Causal Bayesian Network
CM ChiMerge
CNF Conjunctive Normal Form
CPDAG Completed Partially Directed Acyclic Graph
CPT Conditional Probability Table
DAG Directed Acyclic Graph
DDN Dynamic Discretization
DE Differential Evolution

EBP Bayesian Method with Adjusted Empirical Bayes Priors
EF Equal Frequency
EFG Extensive-Form Game
EW Equal Width
FFRCISTGS Finest Fully Randomized Causally Interpretable Structured Tree Graph
GES Greedy Equivalent Search
ID Influence Diagram
LiNGAM Linear Non-Gaussian Acyclic Model
MAID Multi-Agent Influence Diagram
MDLP Minimum Description Length Principle
MLE Maximum Likelihood Estimation
NFG Normal-Form Game
NPSEM-ie Non-Parametric Structural Equation Model with Independent Errors
PE ATE Percentage Error of the Average Treatment Effect
PGM Probabilistic Graphical Model
PO Potential Outcome
POF Potential Outcome Framework
RCT Randomized Controlled Trial
SCM Structural Causal Model
SEM Structural Equation Model
SESEM Spatially Explicit Structural Equation Model
SPE Subgame Perfect Equilibrium
SUTVA Stable Unit-Treatment Value Assumption
SWIG Single World Intervention Graph
VE Variable Elimination
WRMSE Weighted Root Mean Squared Error

A.2 Notation Conventions

The notation conventions that are used throughout this thesis can be found in Table A.1.

Table A.1: List of Frequently Used Notation Conventions

Symbol	Object
$\boldsymbol{A}$	Set of Action Sets
B_j	Discretized Bin
Γ	Game
$\mathbf{ch}(V_i)$	Children of Node V_i
$\boldsymbol{D}$	Set of Decision Nodes
do	Do-Operator
$\mathbf{de}(V_i)$	Descendants of Node V_i
$\boldsymbol{E}$	Set of Edges
$\mathbb{E}[X_i]$	Expected Value of X_i
$\boldsymbol{F}$	Set of Structural Functions
$\mathcal{G}$	Family of Graphs
G	Graph
G_i	Subgraph of Nodes V_j, where $j \leq i$ in the Topological Sort
$G_{\overline{\boldsymbol{V}'}}$	Mutilated Graph G with respect to $\overline{\boldsymbol{V}'}$
M	Agents
μ_i	Higher-Order Belief
$\mathbf{nonde}(V_i)$	Non-Descendants of Node V_i
ρ	Path
$\mathbf{pa}(V_i)$	Parents of Node V_i as Random Variables
$\boldsymbol{pa}_i$	Assignments of Parents of Node V_i
$P(X_i)$, $p(X_i)$	Probability Distribution of X_i (Discrete or Continuous)
$\mathcal{S}$	Structural Causal Model
σ^i	Strategy
σ	Strategy Profile
σ^{-i}	Partial Strategy
T	Treatment Variable or Type Profile Tuple
$\boldsymbol{U}$	Set of Utilities
$\boldsymbol{V}$	Set of Nodes
$\boldsymbol{W}$	Set of Exogenous Variables
$\boldsymbol{X}$	Set of Random Variables
X_i	Random Variable
$\boldsymbol{X}_{-i}$	Random Variables $\boldsymbol{X} \setminus X_i$
$\boldsymbol{x}$, x_i	Assignment of $\boldsymbol{X}$, X_i
Y	Dependent or Outcome Variable
Ω	State Space
Ω_{X_i}	State Space of Random Variable X_i
$\perp\!\!\!\perp_P$	Independence in Probability
$\perp\!\!\!\perp_G$	d-separation
$<$	Ordering induced by Topological Sort

Appendix B

Appendix Chapter 5

B.1 Heatmap Results

As the computational cost becomes generally higher when the number of bins in the discretization process increases, the heatmaps in this section focus on the quality of discretization and inference. For example, the discretization EF9 in Pareto front of Figure 5.5e dominates all other EF discretizations in terms of the error. Therefore, EF9 returns in the heatmap of Table B.1 in the corresponding error and CPT inference method column.

Table B.1: Heatmap summarizing the causal results: every box refers to a Pareto front corresponding to discretization methods EF and EB, evaluation measure EMD, WRMSE and PE ATE, and inferring CPT method MLE or EBP. The color indicates the number of bins in the best approach for the corresponding experiment with respect to the chosen evaluation measure: light blue stands for a small number of bins and dark blue means a large number of bins. In the heatmap, a star indicates MDLP dominance over all solutions for that binning strategy, a plus signifies CAIM dominance, a minus denotes ChiMerge dominance and a tilde denotes dynamic discretization dominance.

Error measure		EMD	PE ATE	
CPT method		All	EBP	
Binning method		–	EF	EW
Experiment	N			
CQ DGP	2500	EF30	EF30	EW25
Lalonde	2675	EF12	EF9*	EW3*
MC	4000	EW30		

Table B.2: Heatmap summarizing all the non-causal results.

Error measure		EMD	WRMSE			
CPT method		NA	EBP	MLE	EBP	MLE
Binning method		All	EF	EF	EW	EW
Experiment	N					
LG9	5000	EF30	EF17	EF17	EW12	EW12*
LG10	3000	EF30	EF17*	EF17*	EW10*	EW10*
LG11	2000	EF30	EF12*	EF12*	EW8*	EW8*
LG12	1000	EF30	EF12	EF12	EW8*	EW8*
LG13	800	EF30	EF12	EF12	EW5*	EW5*
LG14	600	EW30	EF8	EF8	EW8*	EW8*
LG15	500	EW30	EF8	EF8	EW8*	EW8*
LG16	400	EW30	EF8	EF8	EW5*	EW5*
LG17	300	EW30	EF8	EF8	EW5*	EW5*
LG18	200	EW30	EF5	EF5	EW5-	EW5-
LG19	100	EW30	EF5	EF5	EW5-	EW5-
LG101	100	EW30	EF5	EF5	EW8*	EW8*
LG102	1050	EF30	EF12	EF12	EW8	EW8
LG103	1525	EF30	EF12	EF12	EW10*	EW10*
LG104	575	EF30	EF5*	EF5*	EW5*	EW5*
LG105	812	EF30	EF12	EF12	EW8*	EW8*
LG106	1762	EF30	EF17	EF17	EW8*	EW8*
LG107	1288	EF30	EF12	EF12	EW8*	EW8*
LG108	338	EW30	EF8	EF8	EW5-	EW5-
LG109	456	EW30	EF8	EF8	EW5*	EW5*
LG110	1406	EF30	EF10	EF10	EW8-	EW8-
LG111	1881	EF30	EF10*	EF10*	EW12*	EW12*
LG112	931	EF30	EF10	EF10	EW5*	EW5*
LG113	694	EW30	EF10	EF10	EW8*	EW8*
LG114	1644	EW30	EF14	EF14	EW8-	EW8-
LG115	1169	EF30	EF12	EF12	EW10*	EW10*
LG116	219	EW30	EF5	EF5	EW5-	EW5-
LG117	278	EW30	EF5	EF5	EW5-	EW5-
LG118	1228	EF30	EF10	EF10	EW8*	EW8*
LG119	1703	EF30	EF17	EF17	EW10*	EW10*
LG120	753	EF30	EF12	EF12	EW8-	EW8-
LG121	991	EF30	EF12*	EF12*	EW8*	EW8*
LG122	1941	EF30	EF10	EF10	EW8*	EW8*
LG123	1466	EF30	EF12	EF12	EW8*	EW8*
LG124	516	EW30	EF10	EF10	EW5*	EW5*
LG125	397	EW30	EF8	EF8	EW5*	EW5*
NM1	500	EW30+	EF25+	EF25+	EW20+	EW20+
NM2	500	EF30+	EF30+	EF30+	EW30+	EW30+
NM3	500	EF30+	EF25+	EF25+	EW17+	EW17+
NM4	500	EF30+	EF30+	EF30+	EW25+	EW25+
NM5	100	EF30+	EF8+	EF8+	EW17+	EW17+
NM6	100	EF30+	EF30+	EF30+	EW25+	EW25+
NM7	100	EF30+	EF17+	EF17+	EW30+	EW30+
NM8	100	EF25+	EF25+	EF25+	EW30+	EW30+
Arth	1000	EW30				

B.2 Experimental Set-up

The experimental setup outlines the specifications of each of the experiments in terms of their distribution and sample size.

Table B.3: The first 25 experiments involving linear Gaussian BNs parameterized by Sobol sequences for the number of samples N and standard deviations. Each variable follows a normal distribution $\mathcal{N}(\mu, \sigma)$, with mean μ specified in the header and standard deviation σ listed in the table.

		$P(X_1)$	$P(X_2)$	$P(X_3)$	$P(X_4 \mid X_1, X_2)$	$P(X_5 \mid X_3, X_4)$
	μ	20	20	15	$2X_1 + 3X_2$	$3X_3 + 3X_4$
Experiment	N	σ	σ	σ	σ	σ
LG101	100	1	1	1	1	1
LG102	1050	5.5	5.5	5.5	5.5	5.5
LG103	1525	3.25	3.25	3.25	3.25	3.25
LG104	575	7.75	7.75	7.75	7.75	7.75
LG105	813	4.38	4.38	4.38	4.38	4.38
LG106	1763	8.88	8.88	8.88	8.88	8.88
LG107	1288	2.13	2.13	2.13	2.13	2.13
LG108	338	6.63	6.63	6.63	6.63	6.63
LG109	456	3.81	3.81	3.81	3.81	3.81
LG110	1406	8.31	8.31	8.31	8.31	8.31
LG111	1881	1.56	1.56	1.56	1.56	1.56
LG112	931	6.06	6.06	6.06	6.06	6.06
LG113	694	2.69	2.69	2.69	2.69	2.69
LG114	1644	7.19	7.19	7.19	7.19	7.19
LG115	1169	4.94	4.94	4.94	4.94	4.94
LG116	219	9.44	9.44	9.44	9.44	9.44
LG117	278	5.22	5.22	5.22	5.22	5.22
LG118	1228	9.72	9.72	9.72	9.72	9.72
LG119	1703	2.97	2.97	2.97	2.97	2.97
LG120	754	7.47	7.47	7.47	7.47	7.47
LG121	991	1.84	1.84	1.84	1.84	1.84
LG122	1941	6.34	6.34	6.34	6.34	6.34
LG123	1466	4.09	4.09	4.09	4.09	4.09
LG124	516	8.59	8.59	8.59	8.59	8.59
LG125	397	2.41	2.41	2.41	2.41	2.41

Table B.4: Number of samples and parametrization of the experiments with the 11 extra linear Gaussian Bayesian networks. These experiments are meant to isolate the effect of the sample size on the Pareto front. Note that the samples in lower sample-sized experiments are contained in the samples of experiments with higher sample sizes.

(a) Parametrization of all of the experiments

$P(X_1)$	$P(X_2)$	$P(X_3)$	$P(X_4 \mid X_1, X_2)$	$P(X_5 \mid X_3, X_4)$
$\mathcal{N}(20, 2)$	$\mathcal{N}(20, 2)$	$\mathcal{N}(15, 2)$	$\mathcal{N}(2X_1 + 3X_2, 2)$	$\mathcal{N}(3X_3 + 3X_4, 2)$

(b) Name and sample size of experiments

Experiment	**LG9**	**LG10**	**LG11**	**LG12**	**LG13**	**LG14**	**LG15**	**LG16**	**LG17**	**LG18**	**LG19**
N	5000	3000	2000	1000	800	600	500	400	300	200	100

Table B.5: Name, number of samples, and parametrization of the experiments with the Normal mixture model

Experiment	N	$P(X_1)$	$P(X_2 \mid X_1 = 1)$	$P(X_2 \mid X_1 = 0)$
NM1	500	$B(1, \frac{1}{2})$	$\mathcal{N}(21, 10)$	$\mathcal{N}(25, 1)$
NM2	500	$B(1, \frac{4}{5})$	$\mathcal{N}(21, 10)$	$\mathcal{N}(25, 1)$
NM3	500	$B(1, \frac{1}{2})$	$\mathcal{N}(6, 2)$	$\mathcal{N}(4, 2)$
NM4	500	$B(1, \frac{4}{5})$	$\mathcal{N}(6, 2)$	$\mathcal{N}(4, 2)$
NM5	100	$B(1, \frac{1}{2})$	$\mathcal{N}(21, 10)$	$\mathcal{N}(25, 1)$
NM6	100	$B(1, \frac{4}{5})$	$\mathcal{N}(21, 10)$	$\mathcal{N}(25, 1)$
NM7	100	$B(1, \frac{1}{2})$	$\mathcal{N}(6, 2)$	$\mathcal{N}(4, 2)$
NM8	100	$B(1, \frac{4}{5})$	$\mathcal{N}(6, 2)$	$\mathcal{N}(4, 2)$

The following causal quadratic (CQ) experiment is adopted from Parikh et al. [176]:

$$
\begin{aligned}
&X_i \sim \mathcal{N}(0, 1) \\
&Y_i(0) = \beta^T X_i + \epsilon_0 && \text{where } \epsilon_0 \sim \mathcal{N}(0, 1) \\
&Y_i(1) = Y_i(0)^2 + \alpha^T X_i + \epsilon_1 && \text{where } \epsilon_1 \sim \mathcal{N}(0, 1) \\
&T_i = \text{expit}(\mathbf{1}^T X_i))
\end{aligned}
$$

A maximum number of 30 bins was allowed for all experiments except for the Lalonde dataset (12 bins maximum).

B.3 Evaluation Measures

The conditional expected value of the target variable, $\mathbb{E}[Y \mid X]$, in the original Bayesian network is compared with its counterpart in the discretised network, denoted $\mathbb{E}_{\text{disc}}[Y \mid X]$, where X is a root node. To account for the distribution of X, the accuracy of the discretized expectation is assessed using the weighted root mean squared error (WRMSE):

$$WRMSE = \sqrt{\sum_{x} P(X = x)(\mathbb{E}[Y \mid X = x] - \mathbb{E}_{disc}[Y \mid X = x])^2}$$

where $P(X = x)$ denotes the discretized probability that X takes value x. Note that the number of values involved in WRMSE depends on the discretization of the root node X.

For the causal Bayesian networks in Section 5.3.2, the average treatment effect is obtained using the adjustment formula detailed in Chapter 3. The experiments investigate the percentage error (PE) of the average treatment effect (ATE) as the primary object of analysis:

$$PE = 100 \times \left| \frac{ATE_{true} + ATE_{disc}}{ATE_{true}} \right|.$$

Appendix C

Appendix Chapter 6

C.1 Experimental Data of Deterring Hybrid Threat

This section specifies the details about the experiments of the experimental section by specifying the probability distributions these experiments are drawn from.

The most damaging impact θ_1 and the substantial impact θ_2 are drawn from the truncated normal distributions $f(x, \mu_1, \sigma_1, a, b)$ and $f(x, \mu_2, \sigma_2, a, b)$ respectively, where $a = 0$, $\mu_1, \mu_2 = 1000, 100$ and $\sigma_1, \sigma_2 = 300, 50$ respectively [170]. Hence x is drawn from the interval $[0, \infty]$. Negligible damaging impact θ_3 is drawn from a positive half-normal distribution based on normal distribution $\mathcal{N}(0, 5)$. All values represent millions of damaging costs.

The costs γ_i for each of the counter-hybrid measures d_i are drawn from truncated normal distributions. The probability of the adversary conducting a hybrid operation q_{ij} after counter-hybrid measure d_i is drawn from beta distributions as it is the conjugate prior to the Bernoulli distribution (assuming the adversary either attacks or does not attack). Finally, the probabilities of the potential impact of hybrid conduct w_{ijh} based on counter-hybrid measure d_i and attack c_j are drawn from a Dirichlet distribution as it is the conjugate prior to the categorical distribution and commonly used in influence diagrams [228].

Active intelligence sharing. When intelligence is shared, this is not directly communicated to the adversary, leaving the probability that the adversary conducts a hybrid operation after this measure q_{11} at $Be(5, 5)$. However, this measure significantly improves the mitigation ability of the damaging impact of the hybrid conduct

leaving the probabilities being drawn from Dirichlet distribution:

$$\begin{pmatrix} w_{111} \\ w_{112} \\ w_{113} \end{pmatrix} \sim \text{Dir} \begin{pmatrix} 4 \\ 8 \\ 12 \end{pmatrix}.$$

The cost of this measure accounts for losing confidential information to unauthorized parties and is drawn from the truncated normal distributions $f(x, \mu, \sigma, a, b)$ with $\mu = 150, \sigma = 50$ and $a = 0$. In case the adversary does not conduct a hybrid operation, the probability that the damaging impact will be negligible is always 1.

Boost cyber resilience at the wider societal level. Boosting cyber resilience works via deterrence by denial, leaving the probability that the measure dissuades the adversary from committing a hybrid conduct q_{21} drawn from $Be(4, 8)$ and the mitigation of potential impact drawn from the following Dirichlet distributions:

$$\begin{pmatrix} w_{211} \\ w_{212} \\ w_{213} \end{pmatrix} \sim \text{Dir} \begin{pmatrix} 3 \\ 5 \\ 8 \end{pmatrix}.$$

The cost of this measure is mostly carried by the private sector and is drawn from truncated normal distribution $f(x, \mu, \sigma, a, b)$ with $\mu = 300, \sigma = 50$ and $a = 0$.

Offensive cyber operation. An offensive cyber operation has deterrence by denial as well as deterrence by punishment components. To compensate for the fact that the measure can also backfire, the probability that this measure is successful in dissuading the adversary from committing hybrid conduct q_{31} is drawn from $Be(1, 1.2)$ and the damage mitigation potential drawn from the following Dirichlet distributions:

$$\begin{pmatrix} w_{311} \\ w_{312} \\ w_{313} \end{pmatrix} \sim \text{Dir} \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix}.$$

The costs of this measure contain the cost of setting up an offensive cyber unit as well as the cost that comes with the associated attack. It is drawn from truncated normal distribution $f(x, \mu, \sigma, a, b)$ with $\mu = 250, \sigma = 30$ and $a = 0$.

Market restriction. Imposing market restrictions works via deterrence by denial and therefore the probability that this counter-hybrid measure dissuades the adversary from committing hybrid conduct q_{41} is drawn from $Be(2, 8)$. The probabilities of potential impacts are drawn from the Dirichlet distribution

$$\begin{pmatrix} w_{411} \\ w_{412} \\ w_{413} \end{pmatrix} \sim \text{Dir} \begin{pmatrix} 2 \\ 2 \\ 15 \end{pmatrix}.$$

Finally, the costs of the measure involve excluding certain private organizations from the market and is drawn from truncated normal distribution $f(x, \mu, \sigma, a, b)$ with $\mu = 400, \sigma = 50$ and $a = 0$.

Open deterrence messaging through strategic communications. Assuming that the message involves some deterrence by punishment and there is uncertainty involved in threatening, the probability that this deterrence measure successfully dissuades the adversary from committing a hybrid conduct q_{51} is drawn from $Be(0.4, 2)$. Damage mitigation is not involved and therefore the probabilities for damaging impacts are drawn from the same Dirichlet distribution as no measure was taken:

$$\begin{pmatrix} w_{511} \\ w_{512} \\ w_{513} \end{pmatrix} \sim \text{Dir} \begin{pmatrix} 12 \\ 6 \\ 2 \end{pmatrix}.$$

Finally, the costs of the measure also include costs of a risky escalation that one commits to and is drawn from truncated normal distribution $f(x, \mu, \sigma, a, b)$ with $\mu = 500, \sigma = 250$ and $a = 0$.

No deterrence measure. Assuming no deterrence measure taken d_6, the probability that the adversary conducts a hybrid operation q_{61} is drawn from $Be(5, 5)$. Similarly, in case the defender does not conduct a deterrence effort and the adversary conducts a hybrid operation the probability of each of the three impacts is drawn from the Dirichlet distribution:

$$\begin{pmatrix} w_{611} \\ w_{612} \\ w_{613} \end{pmatrix} \sim \text{Dir} \begin{pmatrix} 12 \\ 6 \\ 2 \end{pmatrix}.$$

In case the adversary does not conduct a hybrid operation, the probability that the damaging impact will be negligible is always 1.

Figure C.1 and C.2 illustrate the distribution of successful deterrence and the distribution of the potential impact of the malicious cyber attack, respectively.



Figure C.1: The probability that each of the counter-hybrid measures succeeds in deterring the adversary sampled from Beta Distribution. While the green indicates the probability that the adversary is successfully dissuaded, the red illustrates the probability that the adversary still conducts a cyber operation.



Figure C.2: The probability that each of the counter-hybrid measures succeeds in mitigating the hybrid operation sampled from Dirichlet distribution. While the red indicates the probability the hybrid operation has a severe impact, the blue indicates the operation has a mediocre impact and the green indicates the hybrid operation has negligible impact.

Bibliography

[1] John T Abatzoglou, Solomon Z Dobrowski, Sean A Parks, and Katherine C Hegewisch. Terraclimate, a high-resolution global dataset of monthly climate and climatic water balance from 1958–2015. *Scientific data*, 5(1):1–12, 2018.

[2] Daron Acemoglu, Leopoldo Fergusson, and Simon Johnson. Population and conflict. *The Review of Economic Studies*, 87(4):1565–1604, 2020.

[3] Wario R Adano, Ton Dietz, Karen Witsenburg, and Fred Zaal. Climate change, violent conflict and local institutions in kenya's drylands. *Journal of peace research*, 49(1):65–80, 2012.

[4] Virginia Aglietti, Xiaoyu Lu, Andrei Paleyes, and Javier González. Causal bayesian optimization. In *AISTATS*, pages 3155–3164. PMLR, 2020.

[5] Ibrahim Alkhairy, Samantha Low-Choy, Justine Murray, Junhu Wang, and Anthony Pettitt. Quantifying conditional probability tables in bayesian networks: Bayesian regression for scenario-based encoding of elicited expert assessments on feral pig habitat. *Journal of Applied Statistics*, 47(10):1848–1884, 2020.

[6] Pierre Allan and Cédric Dupont. International relations theory and game theory: Baroque modeling choices and empirical robustness. *International Political Science Review*, 20(1):23–47, 1999.

[7] Holly Andersen. When to expect violations of causal faithfulness and why it matters. *Philosophy of Science*, 80(5):672–683, 2013.

[8] Steen A Andersson, David Madigan, and Michael D Perlman. Alternative markov properties for chain graphs. *Scandinavian Journal of Statistics*, 28(1):33–85, 2001.

[9] Alex Andrew, Sam Spillard, Joshua Collyer, and Neil Dhir. Developing optimal causal cyber-defence agents via cyber security simulation. *arXiv preprint arXiv:2207.12355*, 2022.

[10] Bryan Andrews, Peter Spirtes, and Gregory F Cooper. On the completeness of causal discovery in the presence of latent confounding with tiered background knowledge. In *International Conference on Artificial Intelligence and Statistics*, pages 4002–4011. PMLR, 2020.

[11] Ankur Ankan and Abinash Panda. pgmpy: Probabilistic graphical models using python. In *Proceedings of the 14th Python in Science Conference (SCIPY 2015)*. Citeseer, 2015.

[12] David Applegate, Tamraparni Dasu, Shankar Krishnan, and Simon Urbanek. Unsupervised clustering of multidimensional distributions using earth mover distance. In *Proceedings of the 17th ACM SIGKDD international conference on Knowledge discovery and data mining*, pages 636–644, 2011.

[13] David Arbour, Dan Garant, and David Jensen. Inferring network effects from observational data. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, KDD '16, page 715–724, New York, NY, USA, 2016. Association for Computing Machinery.

[14] Daniel Arce. Cybersecurity for defense economists. *Defence and Peace Economics*, 34(6):705–725, 2023.

[15] Peter M. Aronow and Cyrus Samii. Estimating average causal effects under general interference, with application to a social network experiment. *Annals of Applied Statistics*, 11(4):1912–1947, December 2017.

[16] Konstantin Ash and Nick Obradovich. Climatic stress, internal migration, and syrian civil war onset. *Journal of Conflict Resolution*, 64(1):3–31, 2020.

[17] Charles K Assaad, Emilie Devijver, and Eric Gaussier. Survey and evaluation of causal discovery methods for time series. *Journal of Artificial Intelligence Research*, 73:767–819, 2022.

[18] Afraa Attiah, Mainak Chatterjee, and Cliff C Zou. A game theoretic approach to model cyber attack and defense strategies. In *2018 IEEE International Conference on Communications (ICC)*, pages 1–7. IEEE, 2018.

[19] Thomas Bäck and et al. Evolutionary algorithms for parameter optimization—thirty years later. *Evolutionary Computation*, 31(2):81–122, 2023.

[20] Günther Baechler. Conclusions: future relevance and priorities of small states. In *Small States Inside and Outside the European Union: Interests and Policies*, pages 267–283. Springer, 1998.

[21] Ying Bai and James Kai-sing Kung. Climate shocks and sino-nomadic conflict. *Review of Economics and Statistics*, 93(3):970–981, 2011.

[22] Elnaz Bajoori, János Flesch, and Dries Vermeulen. Behavioral perfect equilibrium in bayesian games. *Games and Economic Behavior*, 98:78–109, 2016.

[23] Michelle Baker and Terrance E Boult. Pruning bayesian networks for efficient computation. *arXiv preprint arXiv:1304.1112*, 2013.

[24] Mariusz Balaban and Paweł Mielniczek. Hybrid conflict modeling. In *2018 Winter Simulation Conference (WSC)*, pages 3709–3720. IEEE, 2018.

[25] Pieter Balcaen, Cind Du Bois, and Caroline Buts. A game-theoretic analysis of hybrid threats. *Defence and Peace Economics*, 33(1):26–41, 2022.

[26] Elias Bareinboim, Carlos Brito, and Judea Pearl. Local characterizations of causal bayesian networks. In *Graph Structures for Knowledge Representation and Reasoning*, pages 1–17, Berlin, Heidelberg, 2012. Springer Berlin Heidelberg.

[27] Elias Bareinboim, Juan David Correa, Duligur Ibeling, and Thomas F. Icard. On pearl's hierarchy and the foundations of causal inference. *Probabilistic and Causal Inference*, 2022.

[28] Elias Bareinboim and Judea Pearl. Causal inference and the data-fusion problem. *Proceedings of the National Academy of Sciences*, 113(27):7345–7352, 2016.

[29] Martine J Barons, Steven Mascaro, and Anca M Hanea. Balancing the elicitation burden and the richness of expert input when quantifying discrete bayesian networks. *Risk Analysis*, 42(6):1196–1234, 2022.

[30] Jeffrey D Berejikian. A cognitive theory of deterrence. *Journal of Peace Research*, 39(2):165–183, 2002.

[31] Tomas Beuzen, Lucy Marshall, and Kristen D Splinter. A comparison of methods for discretizing continuous variables in bayesian networks. *Environmental modelling & software*, 108:61–66, 2018.

[32] Hans-Georg Beyer and Hans-Paul Schwefel. Evolution strategies–a comprehensive introduction. *Natural computing*, 1:3–52, 2002.

[33] Rohit Bhattacharya, Daniel Malinsky, and Ilya Shpitser. Causal inference under interference and network uncertainty. In *Uncertainty in Artificial Intelligence*, pages 1028–1038. PMLR, 2020.

[34] Rohit Bhattacharya, Razieh Nabi, and Ilya Shpitser. Semiparametric inference for causal effects in graphical models with hidden variables. *Journal of Machine Learning Research*, 23(295):1–76, 2022.

[35] Rohit Bhattacharya, Tushar Nagarajan, Daniel Malinsky, and Ilya Shpitser. Differentiable causal discovery under unmeasured confounding. In *International Conference on Artificial Intelligence and Statistics*, pages 2314–2322. PMLR, 2021.

[36] Stephan Bongers, Patrick Forré, Jonas Peters, and Joris M Mooij. Foundations of structural causal models with cycles and latent variables. *The Annals of Statistics*, 49(5):2885–2915, 2021.

[37] Craig Boutilier, Nir Friedman, Moises Goldszmidt, and Daphne Koller. Context-specific independence in bayesian networks. In *Proceedings of the Twelfth International Conference on Uncertainty in Artificial Intelligence*, UAI'96, page 115–123, San Francisco, CA, USA, 1996. Morgan Kaufmann Publishers Inc.

[38] Aaron F. Brantly. The cyber deterrence problem. In *2018 10th International Conference on Cyber Conflict (CyCon)*, pages 31–54, 2018.

[39] Charles Broyden. The Convergence of a Class of Double-rank Minimization Algorithms: 2. The New Algorithm. *IMA Journal of Applied Mathematics*, 6(3), 09 1970.

[40] Randal E Bryant. Graph-based algorithms for Boolean function manipulation. *Transactions on Computers*, 100(8):677–691, 1986.

[41] Simone Busetti. Causality is good for practice: policy design and reverse engineering. *Policy Sciences*, 56(2):419–438, 2023.

[42] Federico Carli, Manuele Leonelli, Eva Riccomagno, and Gherardo Varando. The r package stagedtrees for structural learning of stratified staged trees. *Journal of Statistical Software*, 102:1–30, 2022.

[43] Nancy Cartwright. Causal diversity and the markov condition. *Synthese*, 121(1/2):3–27, 1999.

[44] Lars-Erik Cederman and Nils B Weidmann. Predicting armed conflict: Time to adjust our expectations? *Science*, 355(6324):474–476, 2017.

[45] R. L. Chambers, Hugh Kennedy, John E. Woods, Majid Khadduri, and Gerald Henry Blake. Iraq. *Encyclopedia Britannica*, 2024.

[46] Mark Chavira and Adnan Darwiche. On probabilistic inference by weighted model counting. *Artificial Intelligence*, 172(6-7):772–799, 2008.

[47] Debo Cheng, Jiuyong Li, Lin Liu, Jixue Liu, and Thuc Duy Le. Data-driven causal effect estimation based on graphical causal modelling: A survey. *ACM Computing Surveys*, 56(5):1–37, 2024.

[48] David Maxwell Chickering. Optimal structure identification with greedy search. *Journal of Machine Learning Research*, 3:507–554, mar 2003.

[49] John Y. Ching, Andrew K. C. Wong, and Keith C. C. Chan. Class-dependent discretization for inductive learning from continuous and mixed-mode data. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17(7):641–651, 1995.

[50] SEDAC CIESIN. Gridded population of the world, version 4 (gpwv4): population density. *Center for International Earth Science Information Network-CIESIN-Columbia University. NASA Socioeconomic Data and Applications Center (SEDAC). https://doi. org/10.7927/H4DZ068D*, 2015.

[51] Stephen R Cole and Constantine E Frangakis. The consistency statement in causal inference: a definition or an assumption? *Epidemiology*, 20(1):3–5, 2009.

[52] Diego Colombo, Marloes H. Maathuis, Markus Kalisch, and Thomas S. Richardson. Learning high-dimensional directed acyclic graphs with latent and selection variables. *The Annals of Statistics*, pages 294–321, 2012.

[53] Juan Correa and Elias Bareinboim. A calculus for stochastic interventions:causal effect identification and surrogate experiments. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(06):10093–10100, Apr. 2020.

[54] David Roxbee Cox. *Planning of experiments.* Wiley, 1958.

[55] Peter M Cox, Richard A Betts, Chris D Jones, Steven A Spall, and Ian J Totterdell. Acceleration of global warming due to carbon-cycle feedbacks in a coupled climate model. *Nature*, 408(6809):184–187, 2000.

[56] Giso H. Dal, Alfons W. Laarman, Arjen Hommersom, and Peter J.F. Lucas. A compositional approach to probabilistic knowledge compilation. *International Journal of Approximate Reasoning*, 138:38–66, 2021.

[57] Giso H Dal and Peter JF Lucas. Weighted positive binary decision diagrams for exact probabilistic inference. *International Journal of Approximate Reasoning*, 90:411–432, 2017.

[58] David Danks. *Unifying the mind: Cognitive representations as graphical models.* Mit Press, 2014.

[59] Adnan Darwiche and Pierre Marquis. A knowledge compilation map. *Journal of Artificial Intelligence Research*, 17:229–264, 2002.

[60] Paul K Davis, Angela O'Mahony, Christian Curriden, and Jonathan Lamb. Influencing adversary states: Quelling perfect storm. Technical report, RAND CORP SANTA MONICA CA, 2021.

[61] A Philip Dawid. Causal inference without counterfactuals. *Journal of the American Statistical Association*, 95(450):407–424, 2000.

[62] A. Philip Dawid. Beware of the dag! In *Proceedings of Workshop on Causality: Objectives and Assessment at NIPS 2008*, volume 6, pages 59–86, Whistler, Canada, 12 Dec 2010. PMLR.

[63] Jacob de Nobel, Furong Ye, Diederick Vermetten, Hao Wang, Carola Doerr, and Thomas Bäck. IOHexperimenter: Benchmarking platform for iterative optimization heuristics. *CoRR*, abs/2111.04077, 2021.

[64] Rajeev H Dehejia and Sadek Wahba. Causal effects in nonexperimental studies: Reevaluating the evaluation of training programs. *Journal of the American statistical Association*, 94(448):1053–1062, 1999.

[65] David-Joaquín Delgado-Hernández, Oswaldo Morales-Nápoles, David De-León-Escobedo, and Juan-Carlos Arteaga-Arcos. A continuous bayesian network for earth dams' risk assessment: an application. *Structure and Infrastructure Engineering*, 10(2):225–238, 2014.

[66] Tom Deligiannis. The evolution of environment-conflict research: Toward a livelihood framework. *Global Environmental Politics*, 12(1):78–100, 2012.

[67] Eliana Duarte and Liam Solus. Representation of context-specific causal models with observational and interventional data. *Journal of the Royal Statistical Society Series B: Statistical Methodology*, page qkaf059, 2025.

[68] Alexander D'Amour, Peng Ding, Avi Feller, Lihua Lei, and Jasjeet Sekhon. Overlap in observational studies with high-dimensional covariates. *Journal of Econometrics*, 221(2):644–654, 2021.

[69] Frederick Eberhardt. Introduction to the epistemology of causation. *Philosophy Compass*, 4(6):913–925, 2009.

[70] Frederick Eberhardt and Richard Scheines. Interventions and causal inference. *Philosophy of Science*, 74(5):981–995, 2007.

[71] Usama M. Fayyad and Keki B. Irani. Multi-interval discretization of continuous-valued attributes for classification learning. In *International Joint Conference on Artificial Intelligence*, 1993.

[72] Hanne Fjelde and Nina Von Uexkull. Climate triggers: Rainfall anomalies, vulnerability and communal conflict in sub-saharan africa. *Political Geography*, 31(7):444–453, 2012.

[73] Roger Fletcher. A new approach to variable metric algorithms. *The Computer Journal*, 13(3):317–322, 01 1970.

[74] Malcolm Forster, Garvesh Raskutti, Reuben Stern, and Naftali Weinberger. The frugal inference of causal relations. *The British Journal for the Philosophy of Science*, 69(3):821–848, 2018.

[75] James Fox, Tom Everitt, Ryan Carey, Eric D Langlois, Alessandro Abate, and Michael J Wooldridge. Pycid: A python library for causal influence diagrams. In *SciPy*, pages 65–73, 2021.

[76] Drew Fudenberg and Jean Tirole. Game theory mit press. *Cambridge, MA*, 86, 1991.

[77] Salvador García, Julián Luengo, José Antonio Sáez, Victoria López, and Francisco Herrera. A survey of discretization techniques: Taxonomy and empirical analysis in supervised learning. *IEEE Transactions on Knowledge and Data Engineering*, 25(4):734–750, 2013.

[78] Sushant S Garud, Iftekhar A Karimi, and Markus Kraft. Design of computer experiments: A review. *Computers & Chemical Engineering*, 106:71–95, 2017.

[79] Tomas Geffner and et al. Deep end-to-end causal inference. *arXiv preprint arXiv:2202.02195*, 2022.

[80] Dan Geiger and David Heckerman. Knowledge representation and inference in similarity networks and bayesian multinets. *Artificial Intelligence*, 82(1):45–74, 1996.

[81] Ramesh Ghimire and Susana Ferreira. Floods and armed conflict. *Environment and Development Economics*, 21(1):23–52, 2016.

[82] Amitai Gilad and Asher Tishler. Mitigating the risk of advanced cyber attacks: The role of quality, covertness and intensity of use of cyber weapons. *Defence and peace economics*, ahead-of-print(ahead-of-print):1–21, 2023.

[83] Herbert Gintis. Beyond homo economicus: evidence from experimental economics. *Ecological Economics*, 35(3):311–322, 2000.

[84] Donald Goldfarb. A family of variable-metric methods derived by variational means. *Mathematics of Computation*, 24(109):23–26, 1970.

[85] Irving John Good. Some history of the hierarchical bayesian methodology. *Trabajos de estadística y de investigación operativa*, 31:489–519, 1980.

[86] Olivier Goudet, Diviyan Kalainathan, Michèle Sebag, and Isabelle Guyon. Learning bivariate functional causal models. In *Cause Effect Pairs in Machine Learning*, pages 101–153. Springer, 2019.

[87] Paula Gradu, Tijana Zrnic, Yixin Wang, and Michael I Jordan. Valid inference after causal discovery. *Journal of the American Statistical Association*, 0(0):1–21, 2024.

[88] Andy Greenberg. *Sandworm: A new era of cyberwar and the hunt for the Kremlin's most dangerous hackers*. Anchor, 2019.

[89] Ruocheng Guo, Jundong Li, and Huan Liu. Learning individual causal effects from networked observational data. In *Proceedings of the 13th International Conference on Web Search and Data Mining*, pages 232–240, 2020.

[90] Lewis Hammond, James Fox, Tom Everitt, Alessandro Abate, and Michael Wooldridge. Equilibrium refinements for multi-agent influence diagrams: theory and practice. *arXiv preprint arXiv:2102.05008*, 2021.

[91] Lewis Hammond, James Fox, Tom Everitt, Ryan Carey, Alessandro Abate, and Michael Wooldridge. Reasoning about causality in games. *Artificial Intelligence*, 320:103919, 2023.

[92] John C Harsanyi. Games with incomplete information played by "bayesian" players, i–iii part i. the basic model. *Management science*, 14(3):159–182, 1967.

[93] Jason Hartford, Greg Lewis, Kevin Leyton-Brown, and Matt Taddy. Deep iv: A flexible approach for counterfactual prediction. In *International Conference on Machine Learning*, Proceedings of Machine Learning Research, pages 1414–1423. PMLR, 2017.

[94] Uzma Hasan and Md Osman Gani. Kcrl: A prior knowledge based causal discovery framework with reinforcement learning. In Zachary Lipton, Rajesh Ranganath, Mark Sendak, Michael Sjoding, and Serena Yeung, editors, *Proceedings of the 7th Machine Learning for Healthcare Conference*, volume 182 of *Proceedings of Machine Learning Research*, pages 691–714. PMLR, 05–06 Aug 2022.

[95] Kirsty L Hassall, Gordon Dailey, Joanna Zawadzka, Alice E Milne, Jim A Harris, Ron Corstanje, and Andrew P Whitmore. Facilitating the elicitation of beliefs for use in bayesian belief modelling. *Environmental Modelling & Software*, 122:104539, 2019.

[96] Alain Hauser and Peter Bühlmann. Jointly interventional and observational data: estimation of interventional markov equivalence classes of directed acyclic graphs. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 77(1):291–318, 2015.

[97] Daniel M Hausman and James Woodward. Independence, invariance and the causal markov condition. *The British Journal for the Philosophy of Science*, 50(4):521–583, 1999.

[98] Cullen S Hendrix and Sarah M Glaser. Trends and triggers: Climate, climate change and civil conflict in sub-saharan africa. *Political geography*, 26(6):695–715, 2007.

[99] Leon Hermans, Scott Cunningham, and Jill Slinger. The usefulness of game theory as a method for policy evaluation. *Evaluation*, 20(1):10–25, 2014.

[100] M.A. Hernan and J.M. Robins. *Causal Inference: What If*. Chapman & Hall/CRC Monographs on Statistics & Applied Probab. CRC Press, 2020.

[101] Edwin Ho, Arvind Rajagopalan, Alex Skvortsov, Sanjeev Arulampalam, and Mahendra Piraveenan. Game theory in defence applications: a review. *Sensors*, 22(3):1032, 2022.

[102] Paul W Holland. Statistics and causal inference. *Journal of the American Statistical Association*, 81(396):945–960, 1986.

[103] Thomas F Homer-Dixon. On the threshold: environmental changes as causes of acute conflict. *International security*, 16(2):76–116, 1991.

[104] Thomas F Homer-Dixon. Environmental scarcities and violent conflict: evidence from cases. *International security*, 19(1):5–40, 1994.

[105] Thomas F Homer-Dixon. *Environment, scarcity, and violence*. Princeton University Press, 2010.

[106] Thomas F Homer-Dixon and Jessica Blitt. *Ecoviolence: Links among environment, population and security*. Rowman & Littlefield, 1998.

[107] Nigel Howard. Paradoxes of rationality. *Cambridge, Mass*, page 48f, 1971.

[108] Ronald A Howard and James E Matheson. Influence diagrams. *Decision Analysis*, 2(3):127–143, 2005.

[109] Patrik Hoyer, Dominik Janzing, Joris M Mooij, Jonas Peters, and Bernhard Schölkopf. Nonlinear causal discovery with additive noise models. *Advances in Neural Information Processing Systems*, 21, 2008.

[110] Patrik O Hoyer, Shohei Shimizu, Antti J Kerminen, and Markus Palviainen. Estimation of causal effects using linear non-gaussian causal models with hidden variables. *International Journal of Approximate Reasoning*, 49(2):362–378, 2008.

[111] Solomon M Hsiang, Marshall Burke, and Edward Miguel. Quantifying the influence of climate on human conflict. *Science*, 341(6151):1235367, 2013.

[112] Solomon M Hsiang, Kyle C Meng, and Mark A Cane. Civil conflicts are associated with the global climate. *Nature*, 476(7361):438–441, 2011.

[113] Michael G Hudgens and M Elizabeth Halloran. Toward causal inference with interference. *Journal of the American Statistical Association*, 103(482):832–842, 2008.

[114] George Huffman. Imerg v06 quality index. *NASA, Available for download from: https://gpm. nasa. gov/sites/default/files/2020-02/IMERGV06_QI_0. pdf*, 2019.

[115] Antti Hyttinen, Johan Pensar, Juha Kontinen, and Jukka Corander. Structure learning for bayesian networks over labeled dags. In *Proceedings of the Ninth International Conference on Probabilistic Graphical Models*, volume 72 of *Proceedings of Machine Learning Research*, pages 133–144. PMLR, 2018.

[116] Tobias Ide, Miguel Rodriguez Lopez, Christiane Fröhlich, and Jürgen Scheffran. Pathways to water conflict during drought in the mena region. *Journal of Peace Research*, 58(3):568–582, 2021.

[117] Guido W. Imbens and Joshua D. Angrist. Identification and estimation of local average treatment effects. *Econometrica*, 62(2):467–475, 1994.

[118] Guido W. Imbens and Donald B. Rubin. *Rubin Causal Model*, pages 229–241. Palgrave Macmillan UK, London, 2010.

[119] Guido W Imbens and Donald B Rubin. *Causal Inference for Statistics, Social, and Biomedical Sciences: An Introduction.* Cambridge University Press, 2015.

[120] James Fox, Tom Everitt, Ryan Carey, Eric Langlois, Alessandro Abate, and Michael Wooldridge. PyCID: A Python Library for Causal Influence Diagrams. In Meghann Agarwal, Chris Calloway, Dillon Niederhut, and David Shupe, editors, *Proceedings of the 20th Python in Science Conference*, pages 43 – 51, 2021.

[121] Zhiwei Ji, Qibiao Xia, and Guanmin Meng. A review of parameter learning methods in bayesian network. In *Advanced Intelligent Computing Theories and Applications: 11th International Conference, ICIC 2015, Fuzhou, China, August 20-23, 2015. Proceedings, Part III 11*, pages 3–12. Springer, 2015.

[122] Menglin Jin and Robert E Dickinson. Land surface skin temperature climatology: Benefitting from the strengths of satellite observations. *Environmental research letters*, 5(4):044004, 2010.

[123] Fredrik Johansson and Goran Falkman. A bayesian network approach to threat evaluation with application to an air defense scenario. In *2008 11th International conference on information fusion*, pages 1–7. IEEE, 2008.

[124] Randy Kerber. Chimerge: Discretization of numeric attributes. In *Proceedings of the tenth national conference on Artificial intelligence*, pages 123–128, 1992.

[125] David Kilcullen. The evolution of unconventional warfare. *Scandinavian Journal of Military Studies*, 2(1), 2019.

[126] Neville K Kitson and Anthony C Constantinou. The impact of variable ordering on bayesian network structure learning. *Data Mining and Knowledge Discovery*, pages 1–25, 2024.

[127] Daphne Koller and Nir Friedman. *Probabilistic graphical models: principles and techniques*. MIT press, 2009.

[128] Daphne Koller and Brian Milch. Multi-agent influence diagrams for representing and solving games. *Games and Economic Behavior*, 45(1):181–221, 2003. First World Congress of the Game Theory Society.

[129] Ore Koren. Food resources and strategic conflict. *Journal of Conflict Resolution*, 63(10):2236–2261, 2019.

[130] Nadiya Kostyuk. Deterrence in the cyber realm: Public versus private cyber capacity. *International Studies Quarterly*, 65(4):1151–1162, 2021.

[131] Vally Koubi, Thomas Bernauer, Anna Kalbhenn, and Gabriele Spilker. Climate variability, economic growth, and civil conflict. *Journal of peace research*, 49(1):113–127, 2012.

[132] Rainer Kress. *Numerical analysis*, volume 181. Springer Science & Business Media, 2012.

[133] L.A. Kurgan and K.J. Cios. Caim discretization algorithm. *IEEE transactions on knowledge and data engineering*, 16(2):145–153, 2004.

[134] Gustavo Lacerda, Peter L Spirtes, Joseph Ramsey, and Patrik O Hoyer. Discovering cyclic causal models by independent components analysis. *arXiv preprint arXiv:1206.3273*, 2012.

[135] Robert J LaLonde. Evaluating the econometric evaluations of training programs with experimental data. *The American economic review*, pages 604–620, 1986.

[136] Eric Lamb, Steven Shirtliffe, and William May. Structural equation modeling in the plant sciences: An example using yield components in oat. *Canadian Journal of Plant Science*, 91(4):603–619, 2011.

[137] Eric G Lamb, Kerrie L Mengersen, Katherine J Stewart, Udayanga Attanayake, and Steven D Siciliano. Spatially explicit structural equation modeling. *Ecology*, 95(9):2434–2442, 2014.

[138] Steffen L. Lauritzen. *Graphical Models*. Oxford University Press, 1996.

[139] Steffen L Lauritzen and Thomas S Richardson. Chain graph models and their causal interpretations. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 64(3):321–348, 2002.

[140] Jaron JR Lee, Rohit Bhattacharya, Razieh Nabi, and Ilya Shpitser. Ananke: A python package for causal inference using graphical models. *arXiv preprint arXiv:2301.11477*, 2023.

[141] Sanghack Lee and Elias Bareinboim. Structural causal bandits with non-manipulable variables. *Proceedings of the AAAI Conference on Artificial Intelligence*, 33(01):4164–4172, Jul. 2019.

[142] Manuele Leonelli and Gherardo Varando. Context-specific causal discovery for categorical data using staged trees. In *International conference on artificial intelligence and statistics*, pages 8871–8888. PMLR, 2023.

[143] Kevin W Li, Keith W Hipel, D Marc Kilgour, and Liping Fang. Preference uncertainty in the graph model for conflict resolution. *IEEE Transactions on Systems, Man, and Cybernetics-Part A: Systems and Humans*, 34(4):507–520, 2004.

[144] R.H.A. Lindelauf, H.J.M. Hamers, and B.G.M. Husslage. Cooperative game theoretic centrality analysis of terrorist networks: The cases of jemaah islamiyah and al qaeda. *European Journal of Operational Research*, 229(1):230–238, 2013.

[145] Andrew M Linke and Brett Ruether. Weather, wheat, and war: Security implications of climate variability for conflict in syria. *Journal of Peace Research*, 58(1):114–131, 2021.

[146] Piotr Lis and Jacob Mendel. Cyberattacks on critical infrastructure: an economic perspective 1. *Economics and Business Review*, 5(2):24–47, 2019.

[147] Christos Louizos, Uri Shalit, Joris M Mooij, David Sontag, Richard Zemel, and Max Welling. Causal effect inference with deep latent-variable models. *Advances in Neural Information Processing Systems*, 30, 2017.

[148] Yu Luo, Daniel J Graham, and Emma J McCoy. Semiparametric bayesian doubly robust causal estimation. *Journal of Statistical Planning and Inference*, 225:171–187, 2023.

[149] Ashique Mahmood. Structure learning of causal bayesian networks: A survey, 2011.

[150] Marc Maier, Katerina Marazopoulou, David Arbour, and David Jensen. A sound and complete algorithm for learning causal models from relational data. *arXiv preprint arXiv:1309.6843*, 2013.

[151] Marc Maier, Katerina Marazopoulou, and David Jensen. Reasoning about independence in probabilistic models of relational data. *arXiv preprint arXiv:1302.4381*, 2013.

[152] J. Mäkelä, L. Melkas, I. Mammarella, T. Nieminen, S. Chandramouli, R. Savvides, and K. Puolamäki. Technical note: Incorporating expert domain knowledge into causal structure discovery workflows. *Biogeosciences*, 19(8):2095–2099, 2022.

[153] Ninoslav Malekovic, Maarten Vonk, Laura Birkman, Tim Sweijs, Anna Kononova, and Thomas Bäck. Angling for causality behind security: Natural causes of armed conflict in iraq. *Preprints*, February 2024.

[154] Ninoslav Malekovic, Maarten C Vonk, Laura Birkman, Tim Sweijs, Anna V Kononova, and Thomas Bäck. Applying causality to environmental security in Iraq. *Scientific Reports*, 15(1):16198, 2025.

[155] Daniel Malinsky and David Danks. Causal discovery algorithms: A practical guide. *Philosophy Compass*, 13(1):e12470, 2018.

[156] Daniel Malinsky, Ilya Shpitser, and Thomas Richardson. A potential outcomes calculus for identifying conditional path-specific effects. In *Proceedings of the Twenty-Second International Conference on Artificial Intelligence and Statistics*, volume 89 of *Proceedings of Machine Learning Research*, pages 3080–3088. PMLR, 2019.

[157] Alexander Marx, Arthur Gretton, and Joris M Mooij. A weaker faithfulness assumption based on triple interactions. In *Proceedings of the Thirty-Seventh Conference on Uncertainty in Artificial Intelligence*, Proceedings of Machine Learning Research, pages 451–460. PMLR, 2021.

[158] Michael J. Mazarr, Arthur Chan, Alyssa Demus, Bryan Frederick, Alireza Nader, Stephanie Pezard, Julia A. Thompson, and Elina Treyger. *What Deters and Why: Exploring Requirements for Effective Deterrence of Interstate Aggression.* RAND Corporation, Santa Monica, CA, 2018.

[159] Amy McNally, Kristi Arsenault, Sujay Kumar, Shraddhanand Shukla, Pete Peterson, Shugong Wang, Chris Funk, Christa D Peters-Lidard, and James P Verdin. A land data assimilation system for sub-saharan africa food and water security applications. *Scientific data*, 4(1):1–19, 2017.

[160] Laurent Meunier and et al. Black-box optimization revisited: Improving algorithm selection wizards through massive benchmarking. *IEEE Trans. Evol. Comput.*, 26(3), 2022.

[161] Petrus Mikkola, Osvaldo A. Martin, Suyog Chandramouli, Marcelo Hartmann, Oriol Abril Pla, Owen Thomas, Henri Pesonen, Jukka Corander, Aki Vehtari, Samuel Kaski, Paul-Christian Bürkner, and Arto Klami. Prior Knowledge Elicitation: The Past, Present, and Future. *Bayesian Analysis*, pages 1 – 33, 2023.

[162] Oswaldo Morales-Nápoles and Raphaël DJM Steenbergen. Large-scale hybrid bayesian network for traffic load modeling from weigh-in-motion system data. *Journal of Bridge Engineering*, 20(1):04014059, 2015.

[163] Daniel Morato, Eduardo Berrueta, Eduardo Magaña, and Mikel Izal. Ransomware early detection by the analysis of file sharing traffic. *Journal of Network and Computer Applications*, 124:14–32, 2018.

[164] Joaquín Muñoz-Sabater, Emanuel Dutra, Anna Agustí-Panareda, Clément Albergel, Gabriele Arduini, Gianpaolo Balsamo, Souhail Boussetta, Margarita Choulga, Shaun Harrigan, Hans Hersbach, et al. Era5-land: A state-of-the-art global reanalysis dataset for land applications. *Earth system science data*, 13(9):4349–4383, 2021.

[165] Rashelle J Musci and Elizabeth Stuart. Ensuring causal, not casual, inference. *Prevention Science*, 20:452–456, 2019.

[166] Ashley I Naimi, Stephen R Cole, and Edward H Kennedy. An introduction to g methods. *International Journal of Epidemiology*, 46(2):756–762, 12 2016.

[167] John F Nash Jr. Equilibrium points in n-person games. *Proceedings of the national academy of sciences*, 36(1):48–49, 1950.

[168] Martin Neil, Manesh Tailor, and David Marquez. Inference in hybrid bayesian networks using dynamic discretization. *Statistics and Computing*, 17(3):219–233, 2007.

[169] Farnaz Nojavan, Song S Qian, and Craig A Stow. Comparative analysis of discretization methods in bayesian networks. *Environmental Modelling & Software*, 87:64–71, 2017.

[170] R Norgaard and T Killeen. Expected utility and the truncated normal distribution. *Management Science*, 26(9):901–909, 1980.

[171] Juan Miguel Ogarrio, Peter Spirtes, and Joe Ramsey. A hybrid causal search algorithm for latent variable models. In *Proceedings of the Eighth International Conference on Probabilistic Graphical Models*, pages 368–379. PMLR, 2016.

[172] Elizabeth L Ogburn and Tyler J VanderWeele. Causal diagrams for interference. *Statistical Science*, 29(4):559–578, 2014.

[173] Rainer Opgen-Rhein and Korbinian Strimmer. From correlation to causation networks: a simple approximate learning algorithm and its application to high-dimensional plant gene expression data. *BMC systems biology*, 1(1):1–10, 2007.

[174] Martin J. Osborne and Ariel Rubinstein. *A course in game theory*. The MIT Press, Cambridge, USA, 1994. electronic edition.

[175] Prasad Ostwal. ostwalprasad/lgnpy: v1.0.0, 2020.

[176] Harsh Parikh, Carlos Varjao, Louise Xu, and Eric Tchetgen Tchetgen. Validating causal inference methods. In *International Conference on Machine Learning*, pages 17346–17358. PMLR, 2022.

[177] Judea Pearl. On the identification of nonparametric structural models. In Maia Berkane, editor, *Latent Variable Modeling and Applications to Causality*, pages 29–68, New York, NY, 1997. Springer New York.

[178] Judea Pearl. *Causality*. Cambridge university press, 2009.

[179] Judea Pearl and Dana Mackenzie. *The book of why: the new science of cause and effect*. Basic books, 2018.

[180] Jose M Peña. Learning acyclic directed mixed graphs from observations and interventions. In *Conference on Probabilistic Graphical Models*, volume 52, pages 392–402. PMLR, 2016.

[181] Johan Pensar, Henrik Nyman, Timo Koski, and Jukka Corander. Labeled directed acyclic graphs: a generalization of context-specific independence in directed graphical models. *Data mining and knowledge discovery*, 29(2):503–533, 2015.

[182] Emilija Perkovic. Identifying causal effects in maximally oriented partially directed acyclic graphs. In *Proceedings of the 36th Conference on Uncertainty in Artificial Intelligence (UAI)*, volume 124 of *Proceedings of Machine Learning Research*, pages 530–539. PMLR, 03–06 Aug 2020.

[183] Franz Pernkopf, Robert Peharz, and Sebastian Tschiatschek. Introduction to probabilistic graphical models. In *Academic Press Library in Signal Processing*, volume 1, pages 989–1064. Elsevier, 2014.

[184] Jonas Peters, Dominik Janzing, and Bernhard Schölkopf. *Elements of causal inference: foundations and learning algorithms*. The MIT Press, 2017.

[185] Jonas Peters, Joris M. Mooij, Dominik Janzing, and Bernhard Schölkopf. Causal discovery with continuous additive noise models. *Journal of Machine Learning Research*, 15(58):2009–2053, 2014.

[186] M. Powell. An efficient method for finding the minimum of a function of several variables without calculating derivatives. *The Computer Journal*, 7(2), 01 1964.

[187] Clionadh Raleigh and Håvard Hegre. Population size, concentration, and civil war. a geographically disaggregated analysis. *Political geography*, 28(4):224–238, 2009.

[188] Clionadh Raleigh, Rew Linke, Håvard Hegre, and Joakim Karlsen. Introducing acled: An armed conflict location and event dataset. *Journal of peace research*, 47(5):651–660, 2010.

[189] Joseph Ramsey, Madelyn Glymour, Ruben Sanchez-Romero, and Clark Glymour. A million variables and more: the fast greedy equivalence search algorithm for learning high-dimensional graphical causal models, with an application to functional magnetic resonance images. *International Journal of Data Science and Analytics*, 3(2):121–129, 2017.

[190] J. Rapin and O. Teytaud. Nevergrad - A gradient-free optimization platform. `https://GitHub.com/FacebookResearch/Nevergrad`, 2018.

[191] Anatol Rapoport and Carol Orwant. Experimental games: A review. *Behavioral Science*, 7(1):1–37, 1962.

[192] Rafael Reuveny. Climate change-induced migration and violent conflict. *Political geography*, 26(6):656–673, 2007.

[193] Thomas Richardson and Peter Spirtes. Ancestral graph markov models. *The Annals of Statistics*, 30(4):962–1030, 2002.

[194] Thomas S Richardson. A factorization criterion for acyclic directed mixed graphs. *arXiv preprint arXiv:1406.6764*, 2014.

[195] Thomas S Richardson and James M Robins. Single world intervention graphs (swigs): A unification of the counterfactual and graphical approaches to causality. *Center for the Statistics and the Social Sciences, University of Washington Series. Working Paper*, 128(30):2013, 2013.

[196] James M Robins and Thomas S Richardson. Alternative graphical causal models and the identification of direct effects. In *Causality and Psychopathology: Finding the Determinants of Disorders and their Cures*, volume 84, pages 103–158. Oxford University Press, 2011.

[197] James M Robins, Thomas S Richardson, and Ilya Shpitser. An interventionist approach to mediation analysis. In *Probabilistic and Causal Inference: The Works of Judea Pearl*, pages 713–764, 2022.

[198] JM Robins, MA Hernán, and U Siebert. Effects of multiple interventions. *Comparative quantification of health risks: global and regional burden of disease attributable to selected major risk factors*, 1:2191–2230, 2004.

[199] Beatriz Rodríguez-Labajos and Joan Martínez-Alier. Political ecology of water conflicts. *Wiley Interdisciplinary Reviews: Water*, 2(5):537–558, 2015.

[200] Paul R Rosenbaum and Donald B Rubin. The central role of the propensity score in observational studies for causal effects. *Biometrika*, 70(1):41–55, 1983.

[201] Paul K Rubenstein, Sebastian Weichwald, Stephan Bongers, Joris M Mooij, Dominik Janzing, Moritz Grosse-Wentrup, and Bernhard Schölkopf. Causal consistency of structural equation models. *arXiv preprint arXiv:1707.00819*, 2017.

[202] Donald B Rubin. Estimating causal effects of treatments in randomized and nonrandomized studies. *Journal of Eucational Psychology*, 66(5):688–701, 1974.

[203] Donald B Rubin. Randomization analysis of experimental data: The fisher randomization test comment. *Journal of the American statistical Sssociation*, 75(371):591–593, 1980.

[204] Ariel Rubinstein. *Economic Fables*. Open Book Publishers, 1 edition, 2012.

[205] Yossi Rubner, Carlo Tomasi, and Leonidas J Guibas. The earth mover's distance as a metric for image retrieval. *International journal of computer vision*, 40(2):99, 2000.

[206] Rafael Rumí and Antonio Salmerón. Approximate probability propagation with mixtures of truncated exponentials. *International Journal of Approximate Reasoning*, 45(2):191–210, 2007.

[207] Jakob Runge. Causal network reconstruction from time series: From theoretical assumptions to practical estimation. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 28(7):075310, 2018.

[208] Steve Running and Q Mu. Mod16a2 modis/terra evapotranspiration 8-day l4 global 500m sin grid. *NASA LP DAAC*, 2015.

[209] Kendra Sakaguchi, Anil Varughese, and Graeme Auld. Climate wars? a systematic review of empirical analyses on the links between climate change and violent conflict. *International Studies Review*, 19(4):622–645, 2017.

[210] Igal Sason. On f-divergences: Integral representations, local behavior, and inequalities. *Entropy*, 20(5):383, 2018.

[211] Karin Schermelleh-Engel, Helfried Moosbrugger, Hans Müller, et al. Evaluating the fit of structural equation models: Tests of significance and descriptive goodness-of-fit measures. *Methods of psychological research online*, 8(2):23–74, 2003.

[212] Jacquelyn Schneider. Deterrence in and through cyberspace. *Cross-Domain Deterrence: Strategy in an Era of Complexity. Oxford University Press, Oxford*, pages 95–120, 2019.

[213] Marco Scutari. Learning bayesian networks with the bnlearn R package. *Journal of Statistical Software*, 35(3):1–22, 2010.

[214] Amartya K Sen. Rational fools: A critique of the behavioral foundations of economic theory. *Philosophy & public affairs*, pages 317–344, 1977.

[215] David F. Shanno. Conditioning of quasi-newton methods for function minimization. *Mathematics of Computation*, 24(111):647–656, 1970.

[216] Prakash P Shenoy and James C West. Inference in hybrid bayesian networks using mixtures of polynomials. *International Journal of Approximate Reasoning*, 52(5):641–657, 2011.

[217] Eli Sherman and Ilya Shpitser. Identification and estimation of causal effects from dependent data. *Advances in Neural Information Processing Systems*, 31, 2018.

[218] Shohei Shimizu, Patrik O Hoyer, Aapo Hyvärinen, Antti Kerminen, and Michael Jordan. A linear non-gaussian acyclic model for causal discovery. *Journal of Machine Learning Research*, 7(72):2003–2030, 2006.

[219] Ilya Shpitser. Segregated graphs and marginals of chain graph models. *Advances in Neural Information Processing Systems*, 28, 2015.

[220] Ilya Shpitser and Judea Pearl. Identification of joint interventional distributions in recursive semi-markovian causal models. In *Proceedings of the 21st National Conference on Artificial Intelligence - Volume 2*, AAAI'06, page 1219–1226. AAAI Press, 2006.

[221] Ilya Shpitser, Thomas S. Richardson, and James M. Robins. *Multivariate Counterfactual Systems and Causal Graphical Models*, page 813–852. Association for Computing Machinery, New York, NY, USA, 1 edition, 2022.

[222] Ilya Shpitser and Eric Tchetgen Tchetgen. Causal inference with a graphical hierarchy of interventions. *Annals of Statistics*, 44(6):2433–2466, 2016.

[223] Martin Shubik. Eminent paper series the present and future of game theory. *The Singapore Economic Review*, 57(01):1250001, 2012.

[224] Ricardo Silva. Observational-interventional priors for dose-response learning. *Advances in Neural Information Processing Systems*, 29, 2016.

[225] Rune T Slettebak. Don't blame the weather! climate-related natural disasters and civil conflict. *Journal of Peace Research*, 49(1):163–176, 2012.

[226] Jim Q Smith and Paul E Anderson. Conditional independence and chain event graphs. *Artificial Intelligence*, 172(1):42–68, 2008.

[227] Mauricio Gonzalez Soto, David Danks, Hugo J Escalante Balderas, and L Enrique Sucar. Choosing with unknown causal information: Action-outcome probabilities for decision making can be grounded in causal models. *arXiv preprint arXiv:1907.11752*, 2019.

[228] David J Spiegelhalter and Steffen L Lauritzen. Sequential updating of conditional probabilities on directed graphical structures. *Networks*, 20(5):579–605, 1990.

[229] Peter Spirtes and Clark Glymour. An algorithm for fast recovery of sparse causal graphs. *Social Science Computer Review*, 9(1):62–72, 1991.

[230] Peter Spirtes, Clark N. Glymour, and Richard Scheines. Causality from probability. In *Conference Proceedings: Advanced Computing for the Social Sciences*, 1990.

[231] Peter Spirtes, Clark N Glymour, Richard Scheines, and David Heckerman. *Causation, prediction, and search*. MIT press, 2nd edition, 2000.

[232] Global Spatially-Disaggregated Crop Production Statistics. Data for 2010 version 2.0. *IFPRI: Washington, DC, USA*, 2019.

[233] Niki van Stein, Elena Raponi, Zahra Sadeghi, Niek Bouman, Roeland C. H. J. Van Ham, and Thomas Bäck. A comparison of global sensitivity analysis methods for explainable ai with an application in genomic prediction. *IEEE Access*, 10:103364–103381, 2022.

[234] Pasquale Stirparo, David Bizeul, Brian Bell, Ziv Chang, Joel Esler, Kristopher Bleich, Maite Moreno, J Monnappa KA, Paul Hutchinson Capmany, Boris Ivanov, et al. Apt groups and operations, 2019.

[235] R. Storn and K. Price. Differential evolution – a simple and efficient heuristic for global optimization over continuous spaces. *Journal of Global Optimization*, 11(4):341–359, 1997.

[236] Luis Enrique Sucar. *Probabilistic Graphical Models: Principles and Applications*. Springer Nature, 2020.

[237] Julia E Sullivan and Dmitriy Kamensky. How cyber-attacks in ukraine show the vulnerability of the u.s. power grid. *The Electricity Journal*, 30(3):30–35, 2017.

[238] Ralph Sundberg and Erik Melander. Introducing the ucdp georeferenced event dataset. *Journal of peace research*, 50(4):523–532, 2013.

[239] Eric J Tchetgen Tchetgen and Tyler J VanderWeele. On causal inference in the presence of interference. *Statistical Methods in Medical Research*, 21(1):55–75, 2012.

[240] Santtu Tikka, Antti Hyttinen, and Juha Karvanen. Identifying causal effects via context-specific independence relations. *Advances in Neural Information Processing Systems*, 32, 2019.

[241] Jaroslav Tir and Paul F Diehl. Demographic pressure and interstate conflict: linking population growth and density to militarized disputes and wars, 1930-89. *Journal of Peace Research*, 35(3):319–339, 1998.

[242] Gregory F Treverton, Andrew Thvedt, Alicia R Chen, Kathy Lee, and Madeline McCue. Addressing hybrid threats, 2018.

[243] Brandon Valeriano and Ryan C Maness. The dynamics of cyber conflict between rival antagonists, 2001–11 (dataset updated 2022). *Journal of Peace Research*, 51(3):347–360, 2022.

[244] Benito van der Zander, Maciej Liśkiewicz, and Johannes Textor. Separators and adjustment sets in causal graphs: Complete criteria and an algorithmic framework. *Artificial Intelligence*, 270:1–40, 2019.

[245] Tyler J VanderWeele and Miguel A Hernan. Causal inference under multiple versions of treatment. *Journal of Causal Inference*, 1(1):1–20, 2013.

[246] Diederick Vermetten, Jacob de Nobel, Furong Ye, Hao Wang, Carola Doerr, and Thomas Bäck. IOHprofiler: Iterative Optimization Heuristics Profiler. `https://github.com/IOHprofiler`, 2018. wiki available at `https://iohprofiler.github.io/`.

[247] Claudia Vitolo, Marco Scutari, Mohamed Ghalaieny, Allan Tucker, and Andrew Russell. Modeling air pollution, climate, and health data using bayesian networks: A case study of the english regions. *Earth and Space Science*, 5(4):76–88, 2018.

[248] John von Neumann and Oskar Morgenstern. *Theory of Games and Economic Behavior*. Princeton University Press, Princeton, 2004.

[249] Maarten C Vonk, Sebastiaan Brand, Ninoslav Malekovic, Thomas Bäck, Alfons Laarman, and Anna V Kononova. Balancing computational cost and accuracy in inference of continuous bayesian networks. In *International Conference on Probabilistic Graphical Models*, pages 361–381. PMLR, 2024.

[250] Maarten C Vonk, Anna V Kononova, Thomas Bäck, and Tim Sweijs. Multi-agent influence diagrams to hybrid threat modeling. *The Journal of Defense Modeling and Simulation*, 0(0), 2025.

[251] Maarten C Vonk, Ninoslav Malekovic, Thomas Bäck, and Anna V Kononova. Disentangling causality: assumptions in causal discovery and inference. *Artificial Intelligence Review*, 56(9):10613–10649, 2023.

[252] Maarten C Vonk, Mauricio Gonzalez Soto, and Anna V Kononova. Graphical models for decision-making: Integrating causality and game theory. *arXiv preprint arXiv:2504.13210*, 2025.

[253] Maarten C Vonk, Diederick Vermetten, Jacob de Nobel, Sebastiaan Brand, Ninoslav Malekovic, Thomas Bäck, Alfons Laarman, and Anna V Kononova. Optimizing causal interventions in hybrid bayesian networks. In *International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems*, pages 245–256. Springer, 2024.

[254] Peter Wakker and Daniel Deneffe. Eliciting von neumann-morgenstern utilities when probabilities are distorted or unknown. *Management science*, 42(8):1131–1150, 1996.

[255] Junqi Wang, Pei Wang, and Patrick Shafto. Efficient discretizations of optimal transport. *arXiv preprint arXiv:2102.07956*, 2021.

[256] Yi Wang, Yuan Sun, Ji-Ying Li, and Sun-Tao Xia. Air defense threat assessment based on dynamic bayesian network. In *2012 International Conference on Systems and Informatics (ICSAI2012)*, pages 721–724. IEEE, 2012.

[257] Michael P Wellman, Karl Tuyls, and Amy Greenwald. Empirical game-theoretic analysis: A survey. *arXiv preprint arXiv:2403.04018*, 2024.

[258] Mikael Wigell. Democratic deterrence: How to dissuade hybrid interference. *The Washington Quarterly*, 44(1):49–67, 2021.

[259] Lingbo B Xiao, Xiuqi Q Fang, and Yu Ye. Reclamation and revolt: Social responses in eastern inner mongolia to flood/drought-induced refugees from the north china plain 1644–1911. *Journal of Arid Environments*, 88:9–16, 2013.

[260] Guanhua Yan, Ritchie Lee, Alex Kent, and David Wolpert. Towards a bayesian network game framework for evaluating ddos attacks and defense. In *Proceedings of the 2012 ACM conference on Computer and communications security*, pages 553–566, 2012.

[261] Weiwen Yin. Climate shocks, political institutions, and nomadic invasions in early modern east asia. *Journal of Conflict Resolution*, 64(6):1043–1069, 2020.

[262] Jessica G Young, Miguel A Hernán, and James M Robins. Identification, estimation and approximation of risk under interventions that depend on the natural value of treatment using observational data. *Epidemiologic Methods*, 3(1):1–19, 2014.

[263] Jiji Zhang. A comparison of three occam's razors for markovian causal models. *The British Journal for the Philosophy of Science*, 64:423–448, 2013.

[264] Jiji Zhang and Peter Spirtes. Intervention, determinism, and the causal minimality condition. *Synthese*, 182(3):335–347, 2011.

[265] Jiji Zhang and Peter Spirtes. The three faces of faithfulness. *Synthese*, 193(4):1011–1027, 2015.

[266] Kun Zhang and Aapo Hyvärinen. On the identifiability of the post-nonlinear causal model. In *Proceedings of the Twenty-Fifth Conference on Uncertainty in Artificial Intelligence*, page 647–655, 2009.

[267] Angela Yaqian Zhu, Nandita Mitra, and Jason Roy. Addressing positivity violations in causal effect estimation using gaussian process priors. *Statistics in Medicine*, 42(1):33–51, 2023.

[268] Jinlin Zhu, Guohao Peng, and Danwei Wang. Dual-domain-based adversarial defense with conditional vae and bayesian network. *IEEE Transactions on Industrial Informatics*, 17(1):596–605, 2020.