



Universiteit
Leiden
The Netherlands

Exploring seropositive rheumatoid arthritis: from immunological depths to clinical course

Derksen, V.F.A.M.

Citation

Derksen, V. F. A. M. (2026, May 26). *Exploring seropositive rheumatoid arthritis: from immunological depths to clinical course*. Retrieved from <https://hdl.handle.net/1887/4304617>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4304617>

Note: To cite this publication please use the final published version (if applicable).

EXPLORING SEROPOSITIVE RHEUMATOID ARTHRITIS

From immunological depths to clinical course

Veerle Franca Anne Marie Derksen

Exploring seropositive rheumatoid arthritis:
From immunological depths to clinical course

Veerle Derksen

ISBN: 978-94-6537-184-9

Copyright © 2025 by V.F.A.M. Derksen, Leiden, The Netherlands. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without written permission of the author or, when appropriate, of the publishers of the publications.

Cover design and lay-out: © evelienjagtman.com

Printing: Ridderprint | www.ridderprint.nl

EXPLORING SEROPOSITIVE RHEUMATOID ARTHRITIS

From immunological depths to clinical course

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr. S. de Rijcke,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 26 mei 2026
klokke 14:30 uur

door

Veerle Franca Anne Marie Derksen

Promotores

Prof. dr. D. van der Woude

Prof. dr. R.E.M. Toes

Leden promotiecommissie

prof. dr. H. U. Scherer

dr. L. Hafkenscheid

prof. dr. J.N. Samsom, Erasmus universiteit

prof. dr. G.J. Wolbink, Amsterdam Universitair Medisch Centrum

Table of contents

1.	General introduction	7
The effect of Fc glycosylation on ACPA IgG-B-cell receptor function		
2.	N-linked Fc glycosylation is not required for IgG-B-cell receptor function in a GC-derived B-cell line	37
The role of mucosal immunity in the development of the AMPA response in RA		
3.	In rheumatoid arthritis patients, total IgA1 and IgA2 levels are elevated: implications for the mucosal origin hypothesis	71
4.	Evidence of site-specific mucosal autoantibody secretion in rheumatoid arthritis	99
5.	Onset of rheumatoid arthritis after COVID-19: coincidence or connected?	131
The AMPA profile in relation to clinical phenotype and disease outcomes in RA patients		
6.	Rheumatoid arthritis phenotype at presentation differs depending on the number of autoantibodies present	143
7.	Baseline autoantibody profile in rheumatoid arthritis is associated with early treatment response but not long-term outcomes	163
8.	Inflammation rather than anti-citrullinated protein antibodies is associated with cardiovascular mortality in RA: Insights from rheumatoid arthritis and coronary artery disease cohorts	193
9.	General discussion	219
Addendum		
	Nederlandse samenvatting	241
	Curriculum vitae	247
	List of publications	248
	Acknowledgements	250