



Universiteit  
Leiden  
The Netherlands

## The chemistry of planet-forming disks: a story from inner to outer disk

Temmink, M.

### Citation

Temmink, M. (2026, June 5). *The chemistry of planet-forming disks: a story from inner to outer disk*. Retrieved from <https://hdl.handle.net/1887/4304669>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4304669>

**Note:** To cite this publication please use the final published version (if applicable).

# The chemistry of planet-forming disks

A story from inner to outer disk

Proefschrift

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van rector magnificus prof. dr. S. de Rijcke,  
volgens besluit van het college voor promoties  
te verdedigen op vrijdag 5 juni 2026  
klokke 10:00 uur  
door

Milou Temmink

geboren te Olst, Nederland  
in 1999



It will (get worse), but then it will get better.  
Then it will get worse again. Then better.  
This is life, and I will not lie by saying every day will be sunshine.  
But there will be sunshine again, and that is a very different thing to say.  
That is truth.

- *Wit (Rhythm of War)*



---

# Table of contents

---

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Star- and planet-formation . . . . .	1
1.2	Planet-forming disks . . . . .	3
1.2.1	Disk constituents . . . . .	3
1.2.1.1	Dust and ice . . . . .	3
1.2.1.2	Gas . . . . .	5
1.2.2	Disk evolution . . . . .	7
1.2.2.1	Viscous evolution . . . . .	8
1.2.2.2	MHD disk wind . . . . .	8
1.2.2.3	Accretion, accretion outbursts, and (late) infall . . . . .	9
1.2.2.4	(Photoevaporative) disk winds . . . . .	10
1.2.2.5	Planet formation and radial drift . . . . .	10
1.2.3	Disk observations . . . . .	12
1.2.3.1	Near-infrared . . . . .	12
1.2.3.2	Mid-infrared . . . . .	13
1.2.3.3	Far-infrared and (sub-)millimetre . . . . .	13
1.2.4	Disk substructures . . . . .	14
1.2.4.1	Rings and gaps . . . . .	15
1.2.4.2	Rings and cavities . . . . .	15
1.2.4.3	Asymmetries . . . . .	16
1.2.4.4	Spiral arms . . . . .	17
1.2.4.5	Shadows and misalignments . . . . .	18
1.2.4.6	Substructures and radial drift . . . . .	19
1.3	Astrochemistry . . . . .	20
1.3.1	Energy levels and transitions . . . . .	20
1.3.1.1	Ro-vibrational transitions . . . . .	21
1.3.2	Excitation analysis . . . . .	22
1.3.3	Chemical processes . . . . .	24
1.3.3.1	Gas-phase chemistry . . . . .	24
1.3.3.2	Grain-surface chemistry . . . . .	26
1.4	This thesis . . . . .	26
1.4.1	Future prospects . . . . .	30

<b>PART I</b>	<b>Chemical and physical structure of the inner disk</b>	<b>31</b>
<b>2</b>	<b>MINDS: The DR Tau disk I. Combining JWST-MIRI data with high-resolution CO spectra to characterise the hot gas</b>	<b>33</b>
2.1	Introduction . . . . .	36
2.2	Observations . . . . .	38
2.2.1	JWST-MIRI observations . . . . .	38
2.2.2	Continuum subtraction . . . . .	39
2.2.3	High-resolution CO observations . . . . .	40
2.3	Analysis . . . . .	41
2.3.1	LTE slab models . . . . .	41
2.3.2	CO line profiles and rotational diagrams . . . . .	42
2.4	Results . . . . .	44
2.4.1	JWST spectrum and detected molecules . . . . .	44
2.4.1.1	$^{12}\text{CO}_2$ . . . . .	45
2.4.1.2	HCN & $\text{C}_2\text{H}_2$ . . . . .	45
2.4.2	CO analysis . . . . .	46
2.4.2.1	$^{12}\text{CO}$ as seen by JWST-MIRI . . . . .	46
2.4.2.2	iSHELL CO line profiles and rotational diagrams . . . . .	48
2.4.2.3	Optical depth: $^{12}\text{CO}$ and $^{13}\text{CO}$ . . . . .	51
2.4.2.4	Estimated emitting radii of CO . . . . .	52
2.4.2.5	LTE versus non-LTE . . . . .	53
2.4.2.6	Implication for JWST-MIRI analysis . . . . .	54
2.4.2.7	JWST-MIRI line profile: Pseudo-Voigt versus Gaussian . . . . .	56
2.5	Discussion . . . . .	57
2.5.1	CO excitation temperature as probed by JWST-MIRI . . . . .	57
2.5.2	Emitting region of CO . . . . .	57
2.5.3	Comparing the emitting properties of CO with the other molecules . . . . .	58
2.6	Conclusions & summary . . . . .	59
	Appendices . . . . .	61
2.A	Continuum subtraction . . . . .	61
2.B	Uncertainties for the JWST-MIRI subbands . . . . .	61
2.C	$\chi^2$ -maps of $\text{CO}_2$ , HCN, and $\text{C}_2\text{H}_2$ . . . . .	64
2.D	Complementary CO ro-vibrational observations . . . . .	65
2.D.1	Line information and integrated fluxes . . . . .	65
2.D.2	Full iSHELL model . . . . .	68
2.D.3	$\chi^2$ -maps of the CO rotational diagrams . . . . .	69
2.D.4	Optical depth of $^{12}\text{CO}$ . . . . .	70
2.D.5	LTE versus non-LTE . . . . .	70
2.D.6	Convolution iSHELL to JWST-MIRI resolution . . . . .	71
2.D.6.1	Gaussian line profile . . . . .	72
<b>3</b>	<b>MINDS: The DR Tau disk II. Probing the hot and cold H<sub>2</sub>O reservoirs in the JWST-MIRI spectrum</b>	<b>73</b>

3.1	Introduction . . . . .	75
3.2	Observations . . . . .	76
3.3	Analysis and results . . . . .	78
3.3.1	Single H <sub>2</sub> O LTE slab models . . . . .	79
3.3.2	Cold and warm H <sub>2</sub> O reservoirs: large disk template . . . . .	82
3.3.2.1	Identifying unblended lines . . . . .	82
3.3.2.2	Large disk template: CI Tau . . . . .	83
3.3.3	Cold and warm H <sub>2</sub> O reservoirs: multi-component slab models . . . . .	84
3.3.3.1	Radial temperature gradient . . . . .	86
3.3.3.2	Radial and vertical temperature gradient: no shielding . . . . .	86
3.3.3.3	Radial and vertical temperature gradient: accounting for spatial shielding . . . . .	88
3.3.4	Line pair ratios . . . . .	88
3.3.5	Searching for H <sub>2</sub> <sup>18</sup> O . . . . .	91
3.3.6	Other emission features . . . . .	92
3.3.6.1	OH . . . . .	93
3.3.6.2	Atomic and molecular hydrogen . . . . .	93
3.3.6.3	Non-detections . . . . .	94
3.4	Discussion . . . . .	96
3.4.1	The need for H <sub>2</sub> O line overlap . . . . .	96
3.4.2	The need for a radial temperature gradient . . . . .	96
3.4.3	The importance of radial drift . . . . .	98
3.4.4	CO versus H <sub>2</sub> O . . . . .	98
3.5	Conclusions and summary . . . . .	99
	Appendices . . . . .	102
3.A	Uncertainties for the JWST-MIRI subbands . . . . .	102
3.B	H <sub>2</sub> O slab models across the wavelength regions . . . . .	103
3.B.1	Without line overlap . . . . .	103
3.B.2	With line overlap . . . . .	105
3.C	Selected, isolated H <sub>2</sub> O transitions . . . . .	107
3.D	Two versus three component fits . . . . .	108
3.E	Multi-component corner plots . . . . .	109
3.F	H <sub>2</sub> <sup>18</sup> O over 17.0-27.5 μm . . . . .	113
3.G	Searching for other molecular species . . . . .	113
3.G.1	Atomic and molecular hydrogen . . . . .	113
3.G.2	Simple molecules . . . . .	115
3.G.3	Hydrocarbons . . . . .	117
<b>4</b>	<b>MINDS: Water reservoirs of compact planet-forming dust disks A diversity of H<sub>2</sub>O distribution</b> . . . . .	<b>119</b>
4.1	Introduction . . . . .	121
4.2	Sample and observations . . . . .	123
4.2.1	Sample . . . . .	123
4.2.2	Observations and data reduction . . . . .	124
4.3	Methodology . . . . .	126

4.3.1	Rotational H <sub>2</sub> O spectrum: Parametric analysis . . . . .	127
4.3.2	Rotational H <sub>2</sub> O spectrum: Multiple components . . . . .	130
4.3.3	Line flux ratios . . . . .	130
4.4	Results . . . . .	131
4.4.1	Parametric analysis . . . . .	131
4.4.2	Multiple component analysis . . . . .	133
4.4.3	Line flux ratios . . . . .	134
4.5	Discussion . . . . .	134
4.5.1	Profile types and H <sub>2</sub> O reservoirs . . . . .	135
4.5.2	Role of sub-structures . . . . .	137
4.5.3	Profile implications . . . . .	138
4.5.4	Line width comparison . . . . .	140
4.5.5	Comparisons with previous analyses . . . . .	140
4.5.6	Other molecular species . . . . .	143
4.6	Conclusions and summary . . . . .	144
	Appendices . . . . .	146
4.A	Velocity shifted slab models . . . . .	146
4.B	S/N on the continuum and uncertainties for the observations . . .	147
4.C	Slab model fit regions . . . . .	147
4.D	Fit results . . . . .	148
4.E	Other molecular species . . . . .	159
4.E.1	Molecules per source . . . . .	159
4.E.2	Tentative detection of CH <sub>4</sub> in CY Tau . . . . .	160
4.F	Integrated line fluxes . . . . .	161
4.G	Profile comparison . . . . .	161
 <b>PART II Substructures in the outer disk</b>		<b>167</b>
<b>5</b>	<b>MINDS: The influence of outer dust disk structure on the volatile delivery to the inner disk</b>	<b>169</b>
5.1	Introduction . . . . .	171
5.2	ALMA observations . . . . .	171
5.3	Visibility fitting . . . . .	172
5.4	Characterising the millimetre continuum emission . . . . .	176
5.5	Comparison with previous works . . . . .	178
5.6	Identified structures, snowlines, and proposed scenarios . . . . .	181
5.7	Concluding remarks . . . . .	182
 <b>PART III Outer disk chemistry</b>		<b>183</b>
<b>6</b>	<b>Characterising the molecular line emission in the asymmetric Oph-IRS 48 Temperatures, timescales, and sub-thermal excitation</b>	<b>185</b>
6.1	Introduction . . . . .	188

6.2	Data . . . . .	189
6.3	Methods . . . . .	191
6.3.1	Identifying detected transitions . . . . .	191
6.3.2	Integrated intensity and rotational diagram analysis . . . . .	192
6.4	Results . . . . .	192
6.4.1	SO <sub>2</sub> . . . . .	193
6.4.2	CH <sub>3</sub> OH . . . . .	194
6.4.3	H <sub>2</sub> CO . . . . .	194
6.5	Discussion . . . . .	196
6.5.1	Sub-thermal excitation . . . . .	196
6.5.2	Temperature and vertical structure . . . . .	199
6.5.2.1	Temperature structure . . . . .	199
6.5.2.2	Vertical structure . . . . .	200
6.5.3	Optical depth and emission structure . . . . .	202
6.5.3.1	Optical depth . . . . .	202
6.5.3.2	Continuum affecting the line emission . . . . .	205
6.5.4	Future observations . . . . .	206
6.6	Timescales: Vertical mixing, desorption, and photodissociation . . . . .	206
6.6.1	Methodology . . . . .	206
6.6.2	Timescale comparisons . . . . .	209
6.7	Conclusions and summary . . . . .	210
	Appendices . . . . .	214
6.A	SO <sub>2</sub> , CH <sub>3</sub> OH, and H <sub>2</sub> CO transitions . . . . .	214
6.B	Line profiles . . . . .	216
6.C	H <sub>2</sub> CO line ratios . . . . .	218
6.D	Observations-to-model ratios and uncertainty maps . . . . .	219
6.E	H <sub>2</sub> CO moment-0 maps . . . . .	220
6.F	Observed transitions per pixel . . . . .	221
6.G	Channel maps . . . . .	222
6.H	Timescale figures . . . . .	223
<b>7</b>	<b>The asymmetric carbon-rich chemistry of the planet-forming disk of HD 142527 triggered by late infall</b>	<b>225</b>
7.1	Introduction . . . . .	227
7.2	Observations and self-calibration . . . . .	229
7.3	Molecular emission . . . . .	231
7.3.1	Detected molecular species and azimuthal distributions . . . . .	231
7.4	Analysis and discussion . . . . .	232
7.4.1	Inclination and position angle . . . . .	232
7.4.2	Brightness temperature . . . . .	232
7.4.3	Molecular asymmetries and structures . . . . .	233
7.4.3.1	Enhanced surface density: C <sup>17</sup> O and HCO <sup>+</sup> . . . . .	233
7.4.3.2	Spirals or late infall: H <sub>2</sub> CO, C <sub>2</sub> H, and CN . . . . .	235
7.4.3.3	H <sub>2</sub> CO formation timescale delay . . . . .	238
7.4.3.4	Azimuthal or vertical variations: CS . . . . .	239
7.4.3.5	A potential shock: SO . . . . .	240

---

7.4.4	Origins of the spirals and dust trap . . . . .	241
7.4.5	Future work and studies . . . . .	241
7.5	Summary . . . . .	242
	Appendices . . . . .	245
7.A	Observational details . . . . .	245
7.B	Self-calibration: $S/N$ -ratios . . . . .	245
7.C	Molecular species: detections and non-detections . . . . .	246
7.C.1	Weak and/or tentative detections . . . . .	247
7.C.2	Non-detections . . . . .	247
7.D	Continuum brightness temperature . . . . .	251
7.E	$H_2CO$ channel maps . . . . .	251
7.F	Tracing the $^{12}CO$ spiral arms . . . . .	251
7.G	Deprojected maps: $C_2H$ and $H_2CO$ . . . . .	254
	<b>Bibliography</b>	<b>254</b>
	<b>Nederlandse samenvatting</b>	<b>279</b>
	<b>Publications</b>	<b>287</b>
	<b>Curriculum Vitae</b>	<b>295</b>
	<b>Acknowledgements</b>	<b>297</b>