



**Universiteit
Leiden**
The Netherlands

Sampling strategies in automated algorithm configuration

Anastacio, M.I.A.

Citation

Anastacio, M. I. A. (2026, June 23). *Sampling strategies in automated algorithm configuration*. Retrieved from <https://hdl.handle.net/1887/4307419>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4307419>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- Adriaensen, S. and Nowé, A. (2016). Towards a white box approach to automated algorithm design. In *Proceedings of the International Joint Conference on Artificial Intelligence, IJCAI*, pages 554–560. IJCAI/AAAI Press.
- Ahmadzadeh, K., Dilkina, B., Gomes, C. P., and Sabharwal, A. (2010). An empirical study of optimization for maximizing diffusion in networks. In *Proceedings of Principles and Practice of Constraint Programming, CP*, volume 6308 of *Lecture Notes in Computer Science*, pages 514–521. Springer.
- Akiba, T., Sano, S., Yanase, T., Ohta, T., and Koyama, M. (2019). Optuna: A next-generation hyperparameter optimization framework. In *Proceedings of the Association for Computing Machinery ACM SIGKDD International Conference on Knowledge Discovery & Data Mining, KDD*, pages 2623–2631. Association for Computing Machinery ACM.
- Anastacio, M. (2021). Greybox algorithm configuration. In *Proceedings of the International Joint Conference on Artificial Intelligence, IJCAI*, pages 4875–4876.
- Anastacio, M. and Hoos, H. H. (2020a). Combining sequential model-based algorithm configuration with default-guided probabilistic sampling. In *GECCO 2020: Genetic and Evolutionary Computation Conference 2020, Companion Volume*, pages 301–302. ACM.
- Anastacio, M. and Hoos, H. H. (2020b). Model-based algorithm configuration with default-guided probabilistic sampling. In *Proceedings of Parallel Problem Solving from Nature - PPSN XVI, Part I*, volume 12269 of *Lecture Notes in Computer Science*, pages 95–110. Springer.
- Anastacio, M., Luo, C., and Hoos, H. (2019). Exploitation of default parameter values in automated algorithm configuration. In *Workshop Data Science meets Optimisation, DSO, in conjunction with IJCAI*.

Bibliography

- Anastacio, M., Matricon, T., and Hoos, H. H. (2022). Instance selection for configuration performance comparison. In *Meta-knowledge transfer workshop, in conjunction with ECML-PKDD*.
- Ansótegui, C., Malitsky, Y., Samulowitz, H., Sellmann, M., and Tierney, K. (2015). Model-based genetic algorithms for algorithm configuration. In *Proceedings of the International Joint Conference on Artificial Intelligence, IJCAI*, pages 733–739. AAAI Press.
- Ansótegui, C., Sellmann, M., and Tierney, K. (2009). A gender-based genetic algorithm for the automatic configuration of algorithms. In *Proceedings of the International Conference on Principles and Practice of Constraint Programming, CP*, volume 5732 of *Lecture Notes in Computer Science*, pages 142–157. Springer.
- Atamtürk, A. and Muñoz, J. C. (2004). A study of the lot-sizing polytope. *Mathematical Programming*, 99(3):443–465.
- Ayerdi, B. and Graña, M. (2015). Random forest active learning for retinal image segmentation. In *Proceedings of the International Conference on Computer Recognition Systems, CORES*, volume 403 of *Advances in Intelligent Systems and Computing*, pages 213–221. Springer.
- Balcan, M.-F., Sandholm, T., and Vitercik, E. (2018). A general theory of sample complexity for multi-item profit maximization. In *Proceedings of the ACM Conference on Economics and Computation*, pages 173–174.
- Balint, A. and Manthey, N. (2014). Sparrowtoriss. In *Proceedings of SAT Competition 2014*, volume B-2014-2 of *Department of Computer Science Series of Publications B*, page 77. University of Helsinki, Helsinki, Finland.
- Balyo, T., Froleys, N., Heule, M., Iser, M., Järvisalo, M., and Suda, M., editors (2020). *Proceedings of SAT Competition 2020: Solver and Benchmark Descriptions*. Department of Computer Science Report Series B. Department of Computer Science, University of Helsinki.
- Bergstra, J. and Bengio, Y. (2012). Random search for hyper-parameter optimization. *Journal of Machine Learning Research*, 13(1):281–305.
- Bhosle, N. P. and Kokare, M. (2020). Random forest-based active learning for content-based image retrieval. *International Journal of Intelligent Information and Database Systems*, 13(1):72–88.
- Biere, A. (2014). Yet another local search solver and lingeling and friends entering the sat competition 2014. In *Proceedings of SAT Competition 2014: Solver and Benchmark Descriptions*, volume B-2014-2 of *Department of Computer Science Series of Publications B*. University of Helsinki 2014.

- Biere, A., Cimatti, A., Clarke, E. M., and Zhu, Y. (1999). Symbolic model checking without bdds. In *Proceedings of Tools and Algorithms for Construction and Analysis of Systems, 5th International Conference, TACAS '99, Held as Part of the European Joint Conferences on the Theory and Practice of Software, ETAPS*, volume 1579 of *Lecture Notes in Computer Science*, pages 193–207. Springer.
- Biere, A., Fazekas, K., Fleury, M., and Heisinger, M. (2020). CaDiCaL, Kissat, ParaCooba, Plingeling and Treengeling entering the SAT Competition 2020. In *Proceedings of SAT Competition 2020 – Solver and Benchmark Descriptions*, volume B-2020-1 of *Department of Computer Science Report Series B*, pages 51–53. University of Helsinki.
- Birattari, M. (2009). *Tuning Metaheuristics - A Machine Learning Perspective*, volume 197 of *Studies in Computational Intelligence*. Springer.
- Birattari, M., Stützle, T., Paquete, L., and Varrentrapp, K. (2002). A racing algorithm for configuring metaheuristics. In *GECCO 2002: Proceedings of the Genetic and Evolutionary Computation Conference 2002*, pages 11–18. Morgan Kaufmann.
- Birattari, M., Yuan, Z., Balaprakash, P., and Stützle, T. (2010). F-Race and iterated F-Race: An overview. In *Experimental Methods for the Analysis of Optimization Algorithms*, pages 311–336. Springer.
- Bischl, B., Kerschke, P., Kotthoff, L., Lindauer, M., Malitsky, Y., Fréchette, A., Hoos, H. H., Hutter, F., Leyton-Brown, K., Tierney, K., and Vanschoren, J. (2016). Aslib: A benchmark library for algorithm selection. *Artificial Intelligence*, 237:41–58.
- Blot, A., Hoos, H. H., Jourdan, L., Kessaci-Marmion, M., and Trautmann, H. (2016). Mo-paramils: A multi-objective automatic algorithm configuration framework. In *Learning and Intelligent Optimization - 10th International Conference, LION 10, Revised Selected Papers*, volume 10079 of *Lecture Notes in Computer Science*, pages 32–47. Springer.
- Boddy, M. S., Gohde, J., Haigh, T., and Harp, S. A. (2005). Course of action generation for cyber security using classical planning. In *Proceedings of the International Conference on Automated Planning and Scheduling, ICAPS*, pages 12–21. AAAI.
- Bossek, J. and Wagner, M. (2021). Generating instances with performance differences for more than just two algorithms. In *GECCO 2021: Genetic and Evolutionary Computation Conference 2021, Companion Volume*, page 1423–1432. Association for Computing Machinery ACM.
- Brown, C. E. (2013). Reducing higher-order theorem proving to a sequence of SAT problems. *Journal of Automated Reasoning*, 51(1):57–77.
- Brummayer, R., Lonsing, F., and Biere, A. (2010). Automated testing and debugging of SAT and QBF solvers. In *Proceedings of Theory and Applications of Satisfiability Testing, SAT*, volume 6175 of *Lecture Notes in Computer Science*, pages 44–57. Springer.

Bibliography

- Burch, J. R., Clarke, E. M., Long, D. E., McMillan, K. L., and Dill, D. L. (1994). Symbolic model checking for sequential circuit verification. *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, 13(4):401–424.
- Cáceres, L. P., López-Ibáñez, M., Hoos, H., and Stützle, T. (2017). An experimental study of adaptive capping in irace. In *Proceedings of the International Conference on Learning and Intelligent Optimization, LION*, volume 10556 of *Lecture Notes in Computer Science*, pages 235–250. Springer.
- Comaniciu, D. and Meer, P. (2002). Mean shift: A robust approach toward feature space analysis. *IEEE Transactions on Pattern Analysis and Machine Intelligence TPAMI*, 24(5):603–619.
- Conover, W. (1998). *Practical nonparametric statistics*, volume 350 of *Wiley series in probability and statistics*. John Wiley & Sons.
- Cook, S. A. (1971). The complexity of theorem-proving procedures. In *Proceedings of the Annual Association for Computing Machinery ACM Symposium on Theory of Computing*, pages 151–158. Association for Computing Machinery ACM.
- Davis, M. and Putnam, H. (1960). A computing procedure for quantification theory. *Journal of the Association for Computing Machinery ACM*, 7(3):201–215.
- Demšar, J. (2006). Statistical comparisons of classifiers over multiple data sets. *Journal of Machine Learning Research*, 7(1):1–30.
- Domhan, T., Springenberg, J. T., and Hutter, F. (2015). Speeding up automatic hyperparameter optimization of deep neural networks by extrapolation of learning curves. In *Proceedings of the International Joint Conference on Artificial Intelligence, IJCAI*, pages 3460–3468. AAAI Press.
- Dua, D. and Karra Taniskidou, E. (2017). UCI machine learning repository.
- Dunn, O. J. (1961). Multiple comparisons among means. *Journal of the American Statistical Association*, 56(293):52–64.
- Eggenesperger, K., Lindauer, M., and Hutter, F. (2019). Pitfalls and best practices in algorithm configuration. *Journal of Artificial Intelligence Research JAIR*, 64(1):861–893.
- Falkner, S., Klein, A., and Hutter, F. (2018). BOHB: robust and efficient hyperparameter optimization at scale. In *Proceedings of the International Conference on Machine Learning, ICML 2018*, volume 80 of *Proceedings of Machine Learning Research*, pages 1436–1445. PMLR.
- Fawcett, C. and Hoos, H. H. (2016). Analysing differences between algorithm configurations through ablation. *Journal of Heuristics*, 22(4):431–458.

- Fokkinga, D., Latour, A. L. D., Anastacio, M., Nijssen, S., and Hoos, H. (2019). Programming a stochastic constraint optimisation algorithm, by optimisation. In *Workshop Data Science meets Optimisation, DSO, in conjunction with IJCAI*.
- Franzin, A., Cáceres, L. P., and Stützle, T. (2018). Effect of transformations of numerical parameters in automatic algorithm configuration. *Optimization Letters*, 12(8):1741–1753.
- Fréchette, A., Kotthoff, L., Michalak, T., Rahwan, T., Hoos, H., and Leyton-Brown, K. (2016). Using the shapley value to analyze algorithm portfolios. *Proceedings of the AAAI Conference on Artificial Intelligence*, 30(1).
- Gallagher, K. B. and Kozaitis, S. J. (2025). Program slicing: A brief retrospective. *IEEE Transactions on Software Engineering*, 51(3):720–724.
- Gebser, M., Kaufmann, B., and Schaub, T. (2012). Conflict-driven answer set solving: From theory to practice. *Artificial Intelligence*, 187:52–89.
- Gent, I. P., Hussain, B. S., Jefferson, C., Kotthoff, L., Miguel, I., Nightingale, G. F., and Nightingale, P. (2014). Discriminating instance generation for automated constraint model selection. In *Proceedings of the International Conference on Principles and Practice of Constraint Programming, CP*, volume 8656 of *Lecture Notes in Computer Science*, pages 356–365. Springer.
- Gerevini, A., Saetti, A., and Serina, I. (2003). Planning through stochastic local search and temporal action graphs in LPG. *Journal of Artificial Intelligence Research*, 20:239–290.
- Gerevini, A., Saetti, A., and Serina, I. (2008). An approach to efficient planning with numerical fluents and multi-criteria plan quality. *Artificial Intelligence*, 172(8-9):899–944.
- Gerevini, A., Saetti, A., and Serina, I. (2011). An empirical analysis of some heuristic features for planning through local search and action graphs. *Fundamenta Informaticae*, 107(2-3):167–197.
- Gerevini, A. and Serina, I. (2002). Lpg: a planner based on local search for planning graphs with action costs. In *Proceedings of the International Conference on Artificial Intelligence Planning Systems AIPS*, AIPS, page 13–22. AAAI Press.
- Gerlach, B., Anastacio, M., and Hoos, H. H. (2025). On the efficiency of training robust decision trees. In *Poster at the Symposium on AI Verification SAIV, adjunct to the International Conference on Computer-Aided Verification CAV*.
- Gomes, C., Selman, B., Crato, N., and Kautz, H. (2000). Heavy-tailed phenomena in satisfiability and constraint satisfaction problems. *Journal of Automated Reasoning*, 24(1/2):67–100.

Bibliography

- Gomes, C. P., van Hoeve, W. J., and Sabharwal, A. (2008). Connections in networks: A hybrid approach. In *Proceedings of Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems, 5th International Conference, CPAIOR*, volume 5015 of *Lecture Notes in Computer Science*, pages 303–307. Springer.
- Gu, Y., Zydek, D., and Jin, Z. (2014). Active learning based on random forest and its application to terrain classification. In *Progress in Systems Engineering - Proceedings of the International Conference on Systems Engineering, ICSEng*, volume 366 of *Advances in Intelligent Systems and Computing*, pages 273–278. Springer.
- Guillory, A. and Bilmes, J. A. (2009). Average-case active learning with costs. In Gavaldà, R., Lugosi, G., Zeugmann, T., and Zilles, S., editors, *Proceedings of the International Conference on Algorithmic Learning Theory, ALT*, volume 5809 of *Lecture Notes in Computer Science*, pages 141–155. Springer.
- Hauschild, M. and Pelikan, M. (2011). An introduction and survey of estimation of distribution algorithms. *Swarm and Evolutionary Computation*, 1(3):111–128.
- Heins, J., Schäpermeier, L., Kerschke, P., and Whitley, D. (2024). Dancing to the state of the art? how candidate lists influence lkh for solving the traveling salesperson problem. In *Proceedings of Parallel Problem Solving from Nature, PPSN XVIII, Part I*, page 100–115. Springer-Verlag.
- Helsgaun, K. (2000). An effective implementation of the lin-kernighan traveling salesman heuristic. *European Journal of Operational Research*, 126(1):106–130.
- Heule, M., Iser, M., Järvisalo, M., and Suda, M., editors (2024). *Proceedings of SAT Competition 2024: Solver, Benchmark and Proof Checker Descriptions*. Department of Computer Science Report Series B. Department of Computer Science, University of Helsinki.
- Heule, M., Järvisalo, M., and Suda, M. (2019). Sat competition 2018. *Journal on Satisfiability, Boolean Modeling and Computation*, 11:133–154.
- Hoos, H. H. (2012a). Automated algorithm configuration and parameter tuning. In *Autonomous Search*, pages 37–71. Springer.
- Hoos, H. H. (2012b). Programming by optimization. *Communication of the Association for Computing Machinery ACM*, 55(2):70–80.
- Hurley, B. and O’Sullivan, B. (2015). Statistical regimes and runtime prediction. In *Proceedings of the International Conference on Artificial Intelligence, IJCAI*, page 318–324. AAAI Press.
- Hutter, F., Hoos, H., and Leyton-brown, K. (2011a). Bayesian optimization with censored response data. In *workshop on Bayesian Optimization, Sequential Experimental Design, and Bandits, in conjunction with NIPS*.

- Hutter, F., Hoos, H. H., and Leyton-Brown, K. (2010a). Automated configuration of mixed integer programming solvers. In *Proceedings of Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems, 7th International Conference, CPAIOR*, volume 6140 of *Lecture Notes in Computer Science*, pages 186–202. Springer.
- Hutter, F., Hoos, H. H., and Leyton-Brown, K. (2010b). Automated configuration of mixed integer programming solvers. In *Proceedings of Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems, 7th International Conference, CPAIOR 2010*, volume 6140 of *Lecture Notes in Computer Science*, pages 186–202. Springer.
- Hutter, F., Hoos, H. H., and Leyton-Brown, K. (2011b). Sequential model-based optimization for general algorithm configuration. In *Learning and Intelligent Optimization - 5th International Conference, LION 5, Selected Papers*, volume 6683 of *Lecture Notes in Computer Science*, pages 507–523. Springer.
- Hutter, F., Hoos, H. H., Leyton-Brown, K., and Stützle, T. (2009). ParamILS: An automatic algorithm configuration framework. *Journal of Artificial Intelligence Research JAIR*, 36:267–306.
- Hutter, F., Hoos, H. H., and Stützle, T. (2007). Automatic algorithm configuration based on local search. In *Proceedings of the AAAI Conference on Artificial Intelligence*, pages 1152–1157. AAAI Press.
- Hutter, F., Kotthoff, L., and Vanschoren, J., editors (2019). *Automated Machine Learning - Methods, Systems, Challenges*. The Springer Series on Challenges in Machine Learning. Springer.
- Hutter, F., Lindauer, M., Balint, A., Bayless, S., Hoos, H. H., and Leyton-Brown, K. (2017). The configurable SAT solver challenge (CSSC). *Artificial Intelligence*, 243:1–25.
- Hutter, F., López-Ibáñez, M., Fawcett, C., Lindauer, M., Hoos, H. H., Leyton-Brown, K., and Stützle, T. (2014a). Aclib: A benchmark library for algorithm configuration. In *Learning and Intelligent Optimization - 8th International Conference, Lion 8, Revised Selected Papers*, volume 8426 of *Lecture Notes in Computer Science*, pages 36–40. Springer.
- Hutter, F., Xu, L., Hoos, H. H., and Leyton-Brown, K. (2014b). Algorithm runtime prediction: Methods & evaluation. *Artificial Intelligence*, 206:79–111.
- Hvarfner, C., Stoll, D., Souza, A. L. F., Lindauer, M., Hutter, F., and Nardi, L. (2022). π BO: Augmenting acquisition functions with user beliefs for bayesian optimization. In *Proceedings of the International Conference on Learning Representations ICLR*. OpenReview.net.

Bibliography

- Jamieson, K. and Talwalkar, A. (2016). Non-stochastic best arm identification and hyperparameter optimization. In *Proceedings of the International Conference on Artificial Intelligence and Statistics*, volume 51 of *Proceedings of Machine Learning Research*, pages 240–248. Proceedings of Machine Learning Research PMLR.
- Kalkreuth, R., de França, F. O., Dierkes, J., Anastacio, M., Jankovic, A., Vasicek, Z., and Hoos, H. (2025). Tinyversegp: Towards a modular cross-domain benchmarking framework for genetic programming. In *GECCO 2025: Genetic and Evolutionary Computation Conference, Companion Volume*. ACM.
- Kerschke, P., Hoos, H. H., Neumann, F., and Trautmann, H. (2019). Automated algorithm selection: Survey and perspectives. *Evolutionary Computation*, 27(1):3–45.
- Kiefer, J. (1953). Sequential minimax search for a maximum. *Proceedings of the American mathematical society*, 4(3):502–506.
- König, M., Hoos, H. H., and van Rijn, J. N. (2021). Speeding up neural network verification via automated algorithm configuration. In *Workshop on Security and Safety in Machine Learning Systems, in conjunction with ICLR*.
- Kotthoff, L., Thornton, C., Hoos, H. H., Hutter, F., and Leyton-Brown, K. (2017). Auto-weka 2.0: Automatic model selection and hyperparameter optimization in WEKA. *Journal of Machine Learning Research*, 18:25:1–25:5.
- Kuş, E., Akgün, O., Dang, N., and Miguel, I. (2024). Frugal Algorithm Selection. In Shaw, P., editor, *30th International Conference on Principles and Practice of Constraint Programming, CP*, volume 307 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 38:1–38:16, Dagstuhl, Germany. Schloss Dagstuhl – Leibniz-Zentrum für Informatik.
- Latour, A. L., Babaki, B., Fokkinga, D., Anastacio, M., Hoos, H. H., and Nijssen, S. (2022a). Exact stochastic constraint optimisation with applications in network analysis. *Artificial Intelligence*, 304:103650.
- Latour, A. L. D., Babaki, B., Fokkinga, D., Anastacio, M., Hoos, H. H., and Nijssen, S. (2020). Stochastic constraint optimisation with applications in network analysis (extended abstract). In *International Workshop on Model Counting, MCW, in conjunction with SAT*.
- Latour, A. L. D., Babaki, B., Fokkinga, D., Anastacio, M., Hoos, H. H., and Nijssen, S. (2022b). Stochastic constraint optimisation with applications in network analysis (extended abstract). In *Workshop on Counting and Sampling 2022, in conjunction with FLoC 2022 and SAT 2022*.
- Lawson, C. L. and Hanson, R. J. (1995). *Solving least squares problems*, volume 15 of *Classics in applied mathematics*. Society for Industrial and Applied Mathematics SIAM.

- Leyton-Brown, K., Pearson, M., and Shoham, Y. (2000). Towards a universal test suite for combinatorial auction algorithms. In *Proceedings of the Association for Computing Machinery ACM Conference on Electronic Commerce, EC*, page 66–76. Association for Computing Machinery ACM.
- Li, H., Liang, Q., Chen, M., Dai, Z., Li, H., and Zhu, M. (2022). Pruning smac search space based on key hyperparameters. *Concurrency and Computation: Practice and Experience*, 34(9):e5805.
- Li, L., Jamieson, K., DeSalvo, G., Rostamizadeh, A., and Talwalkar, A. (2018). Hyperband: A novel bandit-based approach to hyperparameter optimization. *Journal of Machine Learning Research*, 18(185):1–52.
- Lindauer, M., Eggenesperger, K., Feurer, M., Biedenkapp, A., Deng, D., Benjamins, C., Ruhkopf, T., Sass, R., and Hutter, F. (2022). Smac3: a versatile bayesian optimization package for hyperparameter optimization. *Journal of Machine Learning Research*, 23(1).
- Lindauer, M., Hoos, H. H., Hutter, F., and Schaub, T. (2015). Autofolio: An automatically configured algorithm selector. *Journal of Artificial Intelligence Research JAIR*, 53:745–778.
- Lindauer, M. and Hutter, F. (2018). Warmstarting of model-based algorithm configuration. In *Proceedings of the AAAI Conference on Artificial Intelligence, AAAI, the innovative Applications of Artificial Intelligence IAAI, and the AAAI Symposium on Educational Advances in Artificial Intelligence EAAI*, pages 1355–1362. AAAI Press.
- Lindauer, M., van Rijn, J. N., and Kotthoff, L. (2017). Open algorithm selection challenge 2017: Setup and scenarios. In *Proceedings of the Open Algorithm Selection Challenge*, volume 79. Proceedings of Machine Learning Research PMLR.
- Lis, J. and Eiben, A. E. (1997). A multi-sexual genetic algorithm for multiobjective optimization. In *Proceedings of 1997 IEEE International Conference on Evolutionary Computation, ICEC 1997*, pages 59–64. IEEE.
- Long, D. and Fox, M. (2003). The 3rd international planning competition: Results and analysis. *Journal of Artificial Intelligence Research JAIR*, 20:1–59.
- Lourenço, H. R., Martin, O. C., and Stützle, T. (2003). *Iterated Local Search*, pages 320–353. Springer US.
- Luo, C., Hoos, H. H., Cai, S., Lin, Q., Zhang, H., and Zhang, D. (2019). Local search with efficient automatic configuration for minimum vertex cover. In *Proceedings of the International Joint Conference on Artificial Intelligence, IJCAI*, pages 1297–1304. International Joint Conferences on Artificial Intelligence Organization.
- López-Ibáñez, M., Dubois-Lacoste, J., Pérez Cáceres, L., Birattari, M., and Stützle, T. (2016). The irace package: Iterated racing for automatic algorithm configuration. *Operations Research Perspectives*, 3:43–58.

Bibliography

- Malone, B., Kangas, K., Jarvisalo, M., Koivisto, M., and Myllymäki, P. (2018). Empirical hardness of finding optimal bayesian network structures: algorithm selection and runtime prediction. *Machine Learning*, 107:247–283.
- Maron, O. and Moore, A. W. (1997). The racing algorithm: Model selection for lazy learners. *Artificial Intelligence Review*, 11(1-5):193–225.
- Matai, R., Singh, S. P., and Mittal, M. L. (2010). Traveling salesman problem: an overview of applications, formulations, and solution approaches. *Traveling salesman problem, theory and applications*, 1(1):1–25.
- Matricon, T., Anastacio, M., Fijalkow, N., Simon, L., and Hoos, H. H. (2021). Statistical comparison of algorithm performance through instance selection. In *Proceedings of the International Conference on Principles and Practice of Constraint Programming, CP*, volume 210 of *LIPICs*, pages 43:1–43:21. Schloss Dagstuhl - Leibniz-Zentrum für Informatik.
- Megiddo, N. (1983). Linear-time algorithms for linear programming in r^3 and related problems. *SIAM Journal on Computing*, 12(4):759–776.
- Mersmann, O., Bischl, B., Trautmann, H., Wagner, M., Bossek, J., and Neumann, F. (2013). A novel feature-based approach to characterize algorithm performance for the traveling salesperson problem. *Annals of Mathematics and Artificial Intelligence*, 69(2):151–182.
- Minton, S. (1993). An analytic learning system for specializing heuristics. In *Proceedings of the international joint conference on Artificial intelligence , IJCAI 1993*, volume 2 of *IJCAI*, pages 922–928, San Francisco, CA, USA. Morgan Kaufmann Publishers Inc.
- Mockus, J. (1989). *Bayesian Approach to Global Optimization: Theory and Applications*, volume 37 of *Mathematics and Its Applications*. Springer Netherlands.
- Moeini, E., Vox, C., Anastacio, M., Skaf, W., Barachi, M., and Hoos, H. H. (2026). Neural architecture and hyperparameter selection through meta-learning on time series. In *Proceedings of the AAAI Conference on Artificial Intelligence*. AAAI Press.
- Mugrauer, F. and Balin, A. (2013). Sat encoded low autocorrelation binary sequence (labs) benchmark description. In *Proceedings of SAT Competition 2013: Solver and Benchmark Descriptions*, volume B-2013-1 of *Department of Computer Science Series of Publications B*, page 117–118. University of Helsinki.
- Nagata, Y. and Kobayashi, S. (2013). A powerful genetic algorithm using edge assembly crossover for the traveling salesman problem. *INFORMS Journal on Computing*, 25(2):346–363.

- Nannen, V. and Eiben, A. E. (2007). Relevance estimation and value calibration of evolutionary algorithm parameters. In *Proceedings of the International Joint Conference on Artificial Intelligence, IJCAI*, page 975–980. Morgan Kaufmann Publishers Inc.
- Nejati, S. and Ganesh, V. (2019). Cdcl(crypto) SAT solvers for cryptanalysis. In *Proceedings of the Annual International Conference on Computer Science and Software Engineering, CASCON*, pages 311–316. Association for Computing Machinery ACM.
- Packwood, D. et al. (2017). *Bayesian optimization for materials science*, volume 3. Springer.
- Penberthy, J. S. and Weld, D. S. (1994). Temporal planning with continuous change. In *Proceedings of the 12th National Conference on Artificial Intelligence*, volume 2, pages 1010–1015. AAAI Press / The MIT Press.
- Pratt, J. W. (1959). Remarks on zeros and ties in the wilcoxon signed rank procedures. *Journal of the American Statistical Association*, 54:655–667.
- Pulatov, D., Anastacio, M., Kotthoff, L., and Hoos, H. H. (2022). Opening the black box: Automated software analysis for algorithm selection. In *International Conference on Automated Machine Learning, AutoML*, volume 188 of *Proceedings of Machine Learning Research*, pages 6/1–18. Proceedings of Machine Learning Research PMLR.
- Pulina, L. and Seidl, M. (2019). The 2016 and 2017 qbf solvers evaluations (qbfeval’16 and qbfeval’17). *Artificial Intelligence*, 274:224–248.
- Purucker, L. O., Schneider, L., Anastacio, M., Beel, J., Bischl, B., and Hoos, H. H. (2023). Q(D)O-ES: population-based quality (diversity) optimisation for post hoc ensemble selection in automl. In *International Conference on Automated Machine Learning, AutoML*, volume 224 of *Proceedings of Machine Learning Research*, pages 10/1–34. Proceedings of Machine Learning Research PMLR.
- Pushak, Y. and Hoos, H. H. (2018). Algorithm configuration landscapes: - more benign than expected? In *Proceedings of Parallel Problem Solving from Nature - PPSN XV, Part II*, volume 11102 of *Lecture Notes in Computer Science*, pages 271–283. Springer.
- Pushak, Y. and Hoos, H. H. (2020). Golden parameter search: exploiting structure to quickly configure parameters in parallel. In *GECCO 2020: Genetic and Evolutionary Computation Conference 2020*, pages 245–253. ACM.
- Ramos-Gutiérrez, B., Varela-Vaca, A. J., Galindo, J. A., Gómez-López, M. T., and Benavides, D. (2021). Discovering configuration workflows from existing logs using process mining. *Empirical Software Engineering*, 26(1).

Bibliography

- Rogers, J., Anastacio, M., Bernard, J., Chakhchoukh, M., Faust, R., Kerren, A., Koch, S., Kotthoff, L., Turkay, C., and Wall, E. (2024). Visualization and automation in data science: Exploring the paradox of humans-in-the-loop. In *Workshop on Visualization in Data Science VDS, in conjunction with IEEE Visualization and Visual Analytics Conference VIS*.
- Schmee, J. and Hahn, G. J. (1979). A simple method for regression analysis with censored data. *Technometrics*, 21(4):417–432.
- Schneider, L., Bischl, B., and Feurer, M. (2025). Overtuning in hyperparameter optimization. In *AutoML 2025 Methods Track*.
- Siegel, S. and Castellan Jr, N. J. (1988). *Nonparametric statistics for the behavioral sciences*. McGraw-Hill Book Company.
- Simon, L., Leberre, D., and Hirsch, E. A. (2005). The SAT 2002 Competition. *Annals of Mathematics and Artificial Intelligence*, vol.43, Issue 1-4:307–342.
- Souza, A. L. F., Nardi, L., Oliveira, L. B., Olukotun, K., Lindauer, M., and Hutter, F. (2021). Bayesian optimization with a prior for the optimum. In *Proceedings of Machine Learning and Knowledge Discovery in Databases. Research Track - European Conference, ECML PKDD 2021, Part III*, volume 12977 of *Lecture Notes in Computer Science*, pages 265–296. Springer.
- Stuckey, P., Feydy, T., Schutt, A., Tack, G., and Fischer, J. (2014). The minizinc challenge 2008-2013. *AI Magazine*, 35(2):55–60.
- Sun, L.-L. and Wang, X.-Z. (2010). A survey on active learning strategy. In *2010 International Conference on Machine Learning and Cybernetics*, volume 1, pages 161–166.
- Sutcliffe, G. (2020). Proceedings of the international joint conference on automated reasoning IJCAR automated theorem proving system competition CASC-J 10). *AI Communications*, 34:163–177.
- Taitler, A., Alford, R., Espasa, J., Behnke, G., Fiser, D., Gimelfarb, M., Pommerening, F., Sanner, S., Scala, E., Schreiber, D., Segovia-Aguas, J., and Seipp, J. (2024). The 2023 international planning competition. *AI Magazine*, 45(2):280–296.
- Thornton, C., Hutter, F., Hoos, H. H., and Leyton-Brown, K. (2013). Auto-weka: combined selection and hyperparameter optimization of classification algorithms. In *The 19th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, KDD 2013*, pages 847–855. ACM.
- Tomanek, K. and Hahn, U. (2010). A comparison of models for cost-sensitive active learning. In Huang, C. and Jurafsky, D., editors, *Proceedings of the International Conference on Computational Linguistics, COLING, Posters Volume.*, pages 1247–1255. Chinese Information Processing Society of China.

- Tornede, T., Tornede, A., Hanselle, J., Mohr, F., Wever, M., and Hüllermeier, E. (2023). Towards green automated machine learning: Status quo and future directions. *Journal of Artificial Intelligence Research JAIR*, 77:427–457.
- Vallati, M., Fawcett, C., Gerevini, A., Hoos, H. H., and Saetti, A. (2013). Automatic generation of efficient domain-optimized planners from generic parametrized planners. In *Proceedings of the Annual Symposium on Combinatorial Search, SOCS 2013*, pages 184–192. AAAI Press.
- Verbert, K., Schutter, B. D., and Babuska, R. (2017). Timely condition-based maintenance planning for multi-component systems. *Reliability Engineering & System Safety*, 159:310–321.
- Wahab, H., Jain, V., Tyrrell, A. S., Seas, M. A., Kotthoff, L., and Johnson, P. A. (2020). Machine-learning-assisted fabrication: Bayesian optimization of laser-induced graphene patterning using in-situ raman analysis. *Carbon*, 167:609–619.
- Weber, T., Conchon, S., Déharbe, D., Heizmann, M., Niemetz, A., and Reger, G. (2019). The SMT competition 2015-2018. *Journal on Satisfiability, Boolean Modeling and Computation*, 11(1):221–259.
- Wistuba, M., Schilling, N., and Schmidt-Thieme, L. (2015). Hyperparameter search space pruning – a new component for sequential model-based hyperparameter optimization. In *Machine Learning and Knowledge Discovery in Databases*, pages 104–119. Springer International Publishing.
- Xu, L., Hutter, F., Hoos, H., and Leyton-Brown, K. (2012). Evaluating component solver contributions to portfolio-based algorithm selectors. In *Proceedings of Theory and Applications of Satisfiability Testing, SAT*, pages 228–241. Springer Berlin Heidelberg.
- Xu, L., Hutter, F., Hoos, H. H., and Leyton-Brown, K. (2008). SATzilla: Portfolio-based algorithm selection for SAT. *Journal of Artificial Intelligence Research JAIR*, 32:565–606.
- Xu, L., Hutter, F., Hoos, H. H., and Leyton-Brown, K. (2011). Hydra-MIP: Automated algorithm configuration and selection for mixed integer programming. In *Proceedings of the Knowledge Representation and Automated Reasoning RCRA Workshop, in conjunction with IJCAI*, pages 16–30.

Acknowledgements

Between the time I began working on the content of this thesis and the moment I write these lines, almost 9 years have passed. This has been in the work for about a fourth of my entire life, and many people passed through this life during those years.

Let me start with those who had to support me daily, my partner *Jérémie* and my daughter *Sedna*. In French, “supporter” someone also means “to endure” or “to tolerate” someone. And how much had they to endure! We went together through several weddings – ours included – and the birth of the young *Orion*, who brightened the last years of the journey. On the other hand, there has been a global pandemic and the mourning of several loved ones, parents and grand-parents. As I talk about family, I should mention my parents, brothers, and sister. The former, I am sure, had doubts about my choice in the beginning, but kept those to themselves. My older brother genuinely tried to understand what I was working on. Thank you for that.

I know that one is supposed to start with their supervisors, but I am convinced *Holger* will not mind. He has always supported me in my decisions to keep my family first. Thank you for caring about making a researcher out of me, encouraging me to explore my own ideas and holding me up to high standards. Thank you for your expectations and your trust.

At Leiden University, I met people who also shaped this work. The first friendly face was my office mate, *Chuan*. He’s been guiding me like an older brother in my first year in the world of research, whilst I felt like the older sister when talking about Europe customs and work habits. During the first week, I also met *Koen* who quickly became a friend and a mentor to me. He was part of another research group, nearly done with his own PhD, and through him I met the rest of those who accompanied my everyday life for 3 years: *Thodoris* and *Furong*, the office-mates constantly teasing each

Acknowledgements

other; *Sander* and *Lieuwe*, the locals who knew each nook and cranny of Leiden. Thank you for the drinks and evenings, for the endless discussions, laughs and friendship. I also attempted to make our work environment more inclusive with *Anna*, *Daniela* and *Anna-Lena*. Without *Anna* in particular, I would not be the person I am now. Thank you for supporting me, disagreeing with me, fighting alongside me.

I learnt about the cold analytical side of research, but also about the soft skills and social understanding required to be a full fledged researcher. *Lars* reminded me that the most important was not to work at a highly-ranked university or get hundreds of citations, but to feel that I am at the right place with the right people. *Jan*, always open to working with me though we still have not written a single paper together, helped me more than he knows. In times of doubt, his appreciation of my work and ideas lifted me up. *Laurent* allowed me to appreciate serendipity as part of research and provocative statements as starters for novel ideas. I admit that the latter still frightens me. In the later years of my PhD, *Roman* impressed upon me that the responsibility of a researcher also lies in making sure that everyone in their research environment feels at ease. I had been advocating for it for several years already, but his earnestness in applying it led me to consider how I was interacting with students and supervisees myself. *Tom* taught me to stop worrying about everything and enjoy the moment.

Outside of family and work, more friends are gravitating. The friends with whom I made crazy plans often aborted to travel the world — *Moalejon*, I think we both know the Trans-Siberian train trip is not gonna happen anytime soon — and those with whom I spent festivals and holidays were an important anchor in my mental health and happiness. The FIMU was the only weekend I spent without my work computer. Online gaming evenings during the pandemic held me together in trying times. *Mowgly*, *Mouman*, *Kaal*, *Couette*, *Six*, and I know I am forgetting people; we always do. You were like bubbles of warmth and emotional security in a path of hardship.

From those who have been listening to my rambling to those who made my holidays lighter: you've all been important in your own way. Thank you.

Curriculum Vitae

Marie Anastacio was born in France on the 10th of September 1989. She grew up near Bourges, where she went to classes préparatoires in maths and physics. She moved to Belfort (France) to acquire a Computer science engineering degree from the Université Technologique de Belfort-Montbéliard in 2012. She concluded her engineering studies as an exchange student in Trois-Rivières (Canada), which extended into an internship followed by a master degree in Applied Mathematics and Computer Science at the Université du Québec à Trois-Rivières obtained in 2015. Marie came back to Europe in 2015 with a fiancé and a child to be born. In 2017, she started her PhD studies under the supervision of Professor Holger H. Hoos in the Leiden Institute of Computer Science at Leiden University (the Netherlands), the most tangible result of which you can read in the present thesis. Since the goal is the journey, Marie got involved in the community by starting monthly seminars to share research among PhD candidates, sitting on the diversity committee of the research institute and co-founding the CAIRNE Rising Researcher Network – a European network of early career researchers in artificial intelligence. She also got involved in outreach towards students at various stages of their studies, from talking about research in a primary school, to giving a first taste of research to high-school students in the Hague. During her PhD studies, she took courses in time management, scientific writing, effective communication and scientific conduct, among others.

Marie now works as a researcher at RWTH Aachen university in Germany, where she explores further her research interests in optimisation and their application to problems she cares about, such as trustworthiness of AI and sustainability.