



Universiteit
Leiden

The Netherlands

How CD4+ T-cell help shapes functional and dysfunctional CD8+ T-cell differentiation

Busselaar, J.L.C.

Citation

Busselaar, J. L. C. (2026, September 1). *How CD4+ T-cell help shapes functional and dysfunctional CD8+ T-cell differentiation*. Retrieved from <https://hdl.handle.net/1887/4308813>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4308813>

Note: To cite this publication please use the final published version (if applicable).

How CD4⁺ T-cell help shapes functional and dysfunctional CD8⁺ T-cell differentiation

Julia Busselaar

About the cover

In the orchestra, second violins play the harmonic and rhythmic foundation of the music, supporting the main melody. While sometimes overlooked, this section is essential for the structure of the music and the depth of the sound. The second violin part often aligns in octaves with the first violins, providing the support they need to make their melody shine. Similarly, CD4⁺ T cells support the immune response against cancer by providing help to CD8⁺ T cells, the main effectors of anti-tumor immunity. CD8⁺ T cells depend on CD4⁺ T-cell help to reach their full cytotoxic potential, just like the first violins depend on the help of the second violins. Besides helping CD8⁺ T cells, CD4⁺ T cells can also help B cells or become regulatory T cells that dampen the immune response. In parallel, second violins can also support the lower string sections of the orchestra or add an extra layer of complexity to the music by playing a counter-melody.

ISBN: 978-94-6537-644-8

Cover artwork: Julia Busselaar

Cover and layout design: © Sila Akçakoca, 2026 for Ridderprint

Print: Ridderprint | www.ridderprint.nl

© Julia Busselaar, 2026. Rights are reserved. No part of this book may be reproduced, distributed, stored in a retrieval system, or transmitted in any form or by any means, without prior written permission of the author.

How CD4⁺ T-cell help shapes functional and dysfunctional CD8⁺ T-cell differentiation

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. S. de Rijcke,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 1 september 2026
klokke 14.30 uur

door

Julia Laura Charlotte Busselaar
geboren te Amsterdam
in 1994

Promotor

Prof. Dr. J.G. Borst

Tweede promotor

Prof. Dr. F.A. Ossendorp

Leden promotiecommissie

Prof. Dr. N.F. de Miranda

Prof. Dr. A.N.M. Schumacher

Prof. Dr. L. Meyaard

UMC Utrecht

Prof. Dr. D. Amsen

Sanquin, Universiteit van Amsterdam

Dr. D. Thommen

Nederlands Kanker Instituut

TABLE OF CONTENTS

Chapter 1	General Introduction & Scope of Thesis	7
Chapter 2	CD4 ⁺ T-cell help creates memory CD8 ⁺ T cells with innate and help-independent recall capacities	17
Chapter 3	Helpless priming sends CD8 ⁺ T cells on the road to exhaustion	47
Chapter 4	Stem-like PD-1 ⁺ TCF-1 ⁺ CD8 ⁺ T cells result from helpless priming and rely on CD4 ⁺ T-cell help to complete their cytotoxic effector differentiation	71
Chapter 5	Requirements for development of T-helper1 and T-follicular helper cells from a common precursor	115
Chapter 6	The importance of type I interferon in orchestrating the cytotoxic T-cell response to cancer	161
Chapter 7	Mechanism of action of PD-1 receptor/ligand targeted cancer immunotherapy	189
Chapter 8	General Discussion	211
Appendix	Nederlandse Samenvatting	242
	English Summary	248
	Curriculum Vitae	253
	Portfolio	254
	Acknowledgements	261