



Universiteit
Leiden
The Netherlands

Empathy and its association with aggression in early childhood

Noten, M.M.P.G.

Citation

Noten, M. M. P. G. (2020, November 25). *Empathy and its association with aggression in early childhood*. Retrieved from <https://hdl.handle.net/1887/138248>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/138248>

Note: To cite this publication please use the final published version (if applicable).



5

Indicators of affective empathy, cognitive empathy, and social attention during emotional clips in relation to aggression in 3-year-olds

Published as:

Noten, M. M. P. G., Van der Heijden, K. B., Huijbregts, S. C. J., Van Goozen, S. H. M., & Swaab, H. (2019). Indicators of affective empathy, cognitive empathy, and social attention during emotional clips in relation to aggression in 3-year-olds. *Journal of Experimental Child Psychology*, 185, 35-50. doi:10.1016/j.jecp.2019.04.012

ABSTRACT

Research indicates that impaired empathy is a risk factor of aggression and that social attention is important for empathy. The role of social attention in associations between empathy and aggression has not yet been fully elucidated. Therefore, indicators of affective empathy, cognitive empathy, social attention, and aggression were simultaneously assessed in children aged 45 months. A total of 61 mother–child dyads participated in a lab visit, during which maternal reports of aggression were obtained. Children watched three clips showing a sad, scared, and happy child, respectively, and a neutral social clip while heart rate was recorded. Heart rate change from nonsocial baseline clips to emotional clips was calculated as an index of affective empathy. Questions about the emotions of the children in the clips were asked to assess cognitive empathy. Social attention was defined as time spent looking at faces during the clips. Correlation analyses revealed negative associations between affective empathy and aggression and between social attention and aggression. Furthermore, multivariate linear regression analyses indicated that the association between affective empathy and aggression was moderated by social attention; the negative association between affective empathy and aggression was stronger in children with relatively reduced social attention. No association was found between cognitive empathy and aggression. Therefore, both affective empathy and social attention are important targets for early interventions that aim to prevent or reduce aggression.

Keywords: Empathy, Social attention, Aggression, Preschool, Heart rate, Eye-tracking.

INTRODUCTION

Empathy, the sharing and understanding of feelings of others, is a fundamental aspect of social competence, and a lack of empathy has been associated with aggressive behavior (Jolliffe & Farrington, 2004; Miller & Eisenberg, 1988; Vachon, Lynam, & Johnson, 2013; van Langen, Wissink, van Vugt, Van der Stouwe, & Stams, 2014). The observation of distress in others may prompt the withdrawal of aggression by increasing autonomic arousal (e.g., increase in heart rate), which is experienced as aversive (Blair, 1995, 2006). Learning the causal link between aggressive behavior and the subsequent experience of aversive arousal due to the distress of the other person motivates children to refrain from actions that harm others. In children, adolescents, and adults, negative associations between empathy and aggressive behavior have, therefore, been shown particularly for affective empathy, which refers to the sharing of the other's emotions and is related to increased autonomic arousal, and to a lesser extent for cognitive empathy, which is based on the understanding of the other's emotions (Blair, 2005; Smith, 2006; van Zonneveld, Platje, de Sonneveld, van Goozen, & Swaab, 2017; Winter, Spengler, Bermpohl, Singer, & Kanske, 2017). Affective empathy and cognitive empathy have been suggested to be separate but complementary aspects of empathy that rely on different neural networks (Decety, 2010; Decety, Meidenbauer, & Cowell, 2018; Singer, 2006; Smith, 2006). Affective empathy involves bottom-up processes such as emotional contagion and emotion recognition, which rely on the mirror neuron system (i.e., the inferior frontal gyrus and inferior parietal lobule) and regions related to pain experience (i.e., the anterior cingulate cortex and insula) (Shamay-Tsoory, 2011; Shamay-Tsoory, Aharon-Peretz, & Perry, 2009). Cognitive empathy involves top-down processes including mentalizing, that is, the ability to understand or make inferences about another person's affective and cognitive mental states (Shamay-Tsoory & Aharon-Peretz, 2007; Shamay-Tsoory et al., 2009; Shamay-Tsoory, 2011). These top-down circuits involve mainly prefrontal areas of the brain. Indicators of affective empathy can be observed from infancy onward given that newborns already show distress in response to the distress of others, which develops into showing empathic concern and helping behaviors during toddlerhood (Hoffman, 2000; McDonald & Messinger, 2011). Cognitive empathy develops from preschool onward, when perspective taking and emotion recognition abilities develop rapidly (Decety et al., 2018; Decety, 2010).

The association between empathy and aggression differs for affective and cognitive aspects of empathy. Studies in aggressive children (e.g., children with psychopathic traits, risk of aggressive behavior, and conduct disorder) have shown reduced autonomic responses to stimuli associated with the distress of another person (Anastassiou-Hadjicharalambous & Warden, 2008; Schwenck et al., 2012; van Zonneveld et al., 2017) and less self-reported affective empathy to emotional clips (Anastassiou-

Hadjicharalambous & Warden, 2008; van Goozen et al., 2016; Winter et al., 2017). However, no association between impairments in cognitive empathy and aggression have been found in these studies (Schwenck et al., 2012; van Goozen et al., 2016; van Zonneveld et al., 2017). Furthermore, neuroimaging studies indicate that reduced volume of the insula, which is involved in affective empathy, is associated with antisocial behavior (Sterzer, Stadler, Poustka, & Kleinschmidt, 2007), that aggressive adolescents exhibit atypical neural affective empathic responses to other people's distress (Decety, Michalska, Akitsuki, & Lahey, 2009), and that youths with psychopathic traits show less responsiveness in the anterior cingulate cortex, which is involved in the affective response to another's pain (Marsh et al., 2013). However, no atypical neural processing regarding cognitive empathy has been found in adolescents with conduct disorder (O'Nions et al., 2014). In addition, elementary and middle school children involved in interventions targeting improvement of empathy have been found to become less aggressive, more prosocial, more assertive, and more empathic, which indicates that empathy is important in shaping social skills (Feshbach & Feshbach, 2011; Jagers et al., 2007; McMahon & Washburn, 2003; Schonert-Reichl, Smith, Zaidman-Zait, & Hertzman, 2011).

EMPATHY AND AGGRESSION IN PRESCHOOL CHILDREN

Findings on the association between affective empathy and aggression are less clear for preschool children. Some studies indicated that reduced affective empathy as measured with dyadic peer play observations, videotaped vignettes, parent reports, teacher reports (Hughes, White, Sharpen, & Dunn, 2000; Strayer & Roberts, 2004), or reduced physiological reactivity to emotions of other people has been associated with higher levels of aggression (Miller et al., 2013; Zahn-Waxler, Cole, Welsh, & Fox, 1995). However, other studies that examined affective empathy with behavioral responses to simulated distress, parent reports (Hastings, Zahn-Waxler, Robinson, Usher, & Bridges, 2000; MacQuiddy, Maise, & Hamilton, 1987; Rhee et al., 2013; Zahn-Waxler et al., 1995), or physiological arousal in response to emotions of others (Gill & Calkins, 2003; Hastings et al., 2000) did not show an association between empathy and aggression. Finally, positive associations between affective empathy and aggression have been found in studies using verbal affective responses to slides showing affective situations, behavioral responses to a recording of a crying infant, or behavioral responses to simulated distress by the experimenter to examine empathy (Feshbach & Feshbach, 1969; Gill & Calkins, 2003).

There is a lack of research examining affective empathy and cognitive empathy simultaneously in relation to aggression at the preschool age. Two studies have addressed this issue in relation to constructs closely related to aggression. One

study of 3- to 6-year-olds indicated that both affective empathy and cognitive empathy, according to teacher reports, were negatively associated with hostile roles in bullying (i.e., being a bully, assistant, or reinforcer) (Belacchi & Farina, 2012). In addition, parents of 3- to 13-year-olds reported that impaired affective empathy was associated with psychopathic traits (which include aggression), but only in boys, and that impaired cognitive empathy was associated with psychopathic traits in both sexes, although this association disappeared for boys during early adolescence (Dadds et al., 2009).

These two studies examining both affective empathy and cognitive empathy in young children used questionnaires to examine empathy. Although self-reports and parent reports of empathy are commonly used methods to assess empathy in older children, self-reports cannot be used in younger children because they are not yet capable of self-reflection and to report accurately on their feelings; moreover, parent reports may be biased (Zhou, Valiente, & Eisenberg, 2003). Measuring empathy from behavioral observation is commonly used and less biased, but may be influenced by the effect of emotional expressiveness (Zhou et al., 2003). More objective indices of affective empathy are provided by changes in physiological measures, such as heart rate, in response to other people's emotional states (Bons et al., 2013; van Zonneveld et al., 2017; Zhou et al., 2003). Heart rate is considered a global measure of affective arousal, which is under the influence of the sympathetic branch and/or parasympathetic branch of the autonomic nervous system (Berntson et al., 1994). Although heart rate responses to others' emotional states have been used as an index of empathy, the association between heart rate responses and empathy is complex (Hastings & Miller, 2014; Hastings, Miller, Kahle, & Zahn-Waxler, 2014).

According to the polyvagal theory, both increases and decreases of arousal may facilitate empathy; a decrease in autonomic arousal (i.e., an increase in parasympathetic and/or decrease in sympathetic activity) in response to empathy might contribute to a calm bodily state and engagement in social behavior, which could comprise high levels of empathic concern (Porges & Furman, 2011; Porges, 2007). However, an increase in autonomic arousal contributes to the mobilization of resources, which might be needed to act in a concerned and prosocial way. In addition, heart rate deceleration has been associated with interest and an outward orientation of attention, such as empathic concern, whereas heart rate acceleration has been associated with a self-focus and personal distress in response to empathy in children and adults (Hastings et al., 2014; Zhou et al., 2003). Both empathic concern and personal distress result from affective empathy (i.e., sharing the feelings of other people), but empathic concern has been suggested to be more adaptive than personal distress (Eisenberg, 2010; Singer & Klimecki, 2014). Personal distress is most common during infancy, and empathic

concern becomes more important during toddlerhood as a result of the development of emotion regulation (Decety, 2010; McDonald & Messinger, 2011).

Experimental studies in children indicate increases in heart rate (Anastassiou-Hadjicharalambous & Warden, 2007, 2008) as well as decreases in heart rate (de Wied, Boxtel, Posthumus, Goudena, & Matthys, 2009; van Zonneveld et al., 2017; Zahn-Waxler et al., 1995) in response to empathy-evoking clips. Behavioral measures of empathic concern in children have also been associated with both decreased heart rate (Holmgren, Eisenberg, & Fabes, 1998; Zahn-Waxler et al., 1995) and increased heart rate (Anastassiou-Hadjicharalambous & Warden, 2007; Holmgren et al., 1998) in response to empathy-evoking clips. Overall, there seems to be an association between heart rate responses and empathy, but this association can be either positive or negative.

SOCIAL ATTENTION

Social attention, which has generally been operationalized as attention to faces or more specifically to the eye and mouth regions, is necessary in order to recognize emotions of other people and can be considered a prerequisite of empathy (Bons et al., 2013). Therefore, social attention might be necessary for a negative association between empathy and aggression to occur. Conversely, high levels of social attention might dampen the effect of difficulties in empathy on aggression. Attending to faces of others may support children with difficulties in empathy to recognize emotional expressions of others and, therefore, to inhibit aggressive responses (Bons et al., 2013). For example, fear recognition increases when children showing aggressive behavior and callous–unemotional traits are instructed to attend to the eyes (Dadds et al., 2006; Dadds, El Masry, Wimalaweera, & Guastella, 2008). However, this effect is not found in children with aggressive behavior without callous–unemotional traits. Despite the importance of social attention for sharing and understanding emotions of others, research on the role of social attention in relation to empathy and aggression during early childhood is scarce (Bons et al., 2013; Wegrzyn, Vogt, Kireclioglu, Schneider, & Kissler, 2017). One study indicated that 5- year-olds who were high in empathy fixated more quickly on the eyes and mouth and did so for longer times, and also more frequently, in response to painful expressions (Yan, Pei, & Su, 2017). In addition, impaired social attention may also be a risk factor for aggression given that attention to the eyes has been shown to be reduced in children (8–15 years) with aggressive behavior and callous–unemotional traits (Dadds et al., 2008). However, this effect was not found in children with aggressive behavior without callous–unemotional traits. In addition, no impairment in attention to the eyes was found in children (8–12 years) at risk for criminal behavior despite the use of an eye-tracking paradigm with dynamic social stimuli rather than static images (van Zonneveld et al., 2017). Dynamic social stimuli have been shown to provide higher

ecological validity and a more sensitive measure of social attention than static stimuli (Chevallier et al., 2015). Clearly, investigating social attention simultaneously with empathy and aggression is important in order to clarify the associations among social attention, empathy, and aggression.

In sum, the associations between affective and cognitive empathy and aggression during early childhood remain unclear. Theoretical models (Blair, 2006; Smith, 2006) and literature on adolescents and adults (van Zonneveld et al., 2017; Winter et al., 2017) indicate negative associations between affective empathy and aggression but no association between cognitive empathy and aggression. However, during early childhood, positive associations (Feshbach & Feshbach, 1969; Gill & Calkins, 2003), negative associations (Hughes et al., 2000; Miller et al., 2013; Strayer & Roberts, 2004; Zahn-Waxler et al., 1995) and null results (Hastings et al., 2000; MacQuiddy et al., 1987; Rhee et al., 2013) were found regarding the association between affective empathy and aggression, whereas negative associations were found between cognitive empathy and aggression (Belacchi & Farina, 2012; Dadds et al., 2009). Furthermore, social attention might be negatively associated with empathy (Yan et al., 2017) and aggression (Dadds et al., 2008) during childhood, but the evidence is scarce and it remains unknown whether social attention may play a moderating role in the effects of affective and cognitive empathy on aggression.

THE CURRENT STUDY

The current study aimed to examine, first, whether affective empathy and cognitive empathy are associated with aggression. Based on previous studies during early childhood, we expected both affective empathy and cognitive empathy to be negatively associated with aggression (Belacchi & Farina, 2012; Dadds et al., 2009). Second, we aimed to clarify the role of social attention in empathy and aggression, specifically, whether social attention moderates the association between empathy and aggression. Social attention was expected to be positively associated with affective and cognitive empathy and to be negatively affected with aggression (Bons et al., 2013; Dadds et al., 2008; Yan et al., 2017). In addition, the potential moderating role of social attention for the association between empathy and aggression was explored because we had no hypothesis about the direction of this effect. It is important to examine the association among empathy, social attention, and aggression during the preschool period because that is a critical time for the development of emotion regulation and inhibition of aggression (Eisenberg, Eggum, & Di Giunta, 2010; Lovett & Sheffield, 2007; Tremblay et al., 2004). During the second and third years of life, the majority of children show aggressive behavior and then generally learn to inhibit this behavior during the preschool years (Alink et al., 2006; Tremblay et al., 2004). Children who fail to learn

to inhibit aggression are at risk for aggression during adolescence and adulthood, and empathy and social attention are important targets for interventions that aim to prevent or reduce aggression (Broidy et al., 2003; Feshbach & Feshbach, 2011). The current study adds to the literature by examining social attention simultaneously with affective empathy and cognitive empathy in relation to aggression in preschool children. Furthermore, objective measures of social attention (eye tracking) and affective empathy (heart rate response) were obtained.

METHOD

PARTICIPANTS

The current study is a follow-up to the Mother- Infant Neurodevelopment Study in Leiden, The Netherlands (MINDS-Leiden), which is an ongoing longitudinal study into neurobiological and neurocognitive predictors of early behavior problems. MINDS-Leiden and the follow-up were approved by the ethics committee of the Department of Education and Child Studies at the Faculty of Social and Behavioral Sciences, Leiden University (ECPW-2011/025) and by the medical research ethics committee at Leiden University Medical Centre (NL39303.058.12). All participating women provided written informed consent. A total of 120 Dutch-speaking women between 17 and 25 years of age ($M = 23.28$ years, $SD = 2.18$) who had taken part in MINDS-Leiden between the third trimester of pregnancy and 30 months postpartum were approached (see Smaling et al., 2015 for detailed procedures). Approximately 1 year after the final data wave of MINDS-Leiden, the mothers were invited to take part in a follow-up study. In total, 32 mothers declined, 27 agreed only to fill out questionnaires, and 61 agreed to participate in the full follow-up data wave with children aged 45 months ($M = 45.59$ months, $SD = 1.25$; 33 boys). Willingness to participate was not related to educational level or ethnicity, but mothers who declined were younger than mothers who were willing to participate, $F(2, 117) = 4.79$, $p = .010$.

PROCEDURE

Mothers who agreed to participate were invited for a lab visit. After informed consent and a familiarization period to adapt to the presence of the experimenters, cardiac monitoring equipment was attached to the child. Subsequently, the child watched a nonsocial baseline video on the eyetracking monitor, which was immediately followed by a video clip with social content. After the social clip, the experimenter asked the child some questions about the content of this clip (Chevallier et al., 2015; van Zonneveld et al., 2017). This procedure was performed four times in four different social conditions: one nonemotional social condition (two children reading a book),

one happy condition (a happy child opening a gift), one fearful condition (a child being scared with a toy spider), and one sad condition (a sad child flushing a dead goldfish). The nonsocial baseline clips displayed calm music and abstract animations without social or emotional content (van Zonneveld et al., 2017; Zantinge, van Rijn, Stockmann, & Swaab, 2017). The duration of the social clips was approximately 50 s each, and the duration of the baseline clips was approximately 60 s each. (van Zonneveld et al., 2017; Zantinge et al., 2017). The social clips were selected based on characteristics that are important for studying social attention; dynamic rather than static stimuli were used, they contained authentic and real-life emotions (i.e., they were not acted), and the target emotion was clearly displayed in a social context that is common at preschool age (Chevallier et al., 2015; Chita-Tegmark, 2016; Risko, Laidlaw, Freeth, Foulsham, & Kingstone, 2012; Speer, Cook, McMahon, & Clark, 2007; Zantinge et al., 2017). The nonemotional social clip was always shown first, and the order of the emotional clips was counterbalanced to avoid order effects. The mother was in the room during the whole procedure; she was asked to fill out questionnaires and not to engage with the child while the child participated in the study. At the end of the procedure, the child was rewarded with a gift and the mother received a reimbursement.

INSTRUMENTS

Heart rate response

The difference in heart rate from baseline to the emotional video clips was used as an index of affective empathy (Gill & Calkins, 2003; van Zonneveld et al., 2017; Zantinge et al., 2017). Heart rate was continuously monitored with the Vrije Universiteit Ambulatory Monitoring System (VU-AMS) (de Geus & van Doornen, 1996; de Geus, Willemsen, Klaver, & van Doornen, 1995; Willemsen, de Geus, Klaver, van Doornen, & Carroll, 1996). Disposable pre-gelled Ag/AgCl electrodes (Huggables, ConMed, New York, NY, USA) were attached slightly below the right collarbone, 4 cm to the left of the sternum, and at the apex of the heart on the left lateral margin of the chest, approximately at the level of the processus xiphoideus. The ground electrode was placed on the right side, between the lower two ribs. Mean values of heart rate across each of the baseline and emotional video clips were calculated automatically using the VU-DAMS software suite (Version 3.9) and then visually checked by a trained experimenter and adjusted manually if necessary. The VU-AMS software was synchronized with the Tobii software by manually creating a marker in the physiological data at the start of each video clip. Physiological data were missing due to unwillingness to comply with the procedure to attach the electrodes ($n = 4$) and loose electrodes ($n = 3$).

Emotion understanding

After each emotional video clip, the child was asked what type of emotions the main character in the video felt, how intense these emotions were (a little intense or very intense), and why these emotions were expressed. The answers were scored with a coding system adapted from van Goozen et al. (2016) and van Zonneveld et al. (2017). Coding of answers involved recognition of emotions in the clips and the quality of the explanations for the causes of the emotions. Emotion recognition was assessed by asking the child whether the child in the clip felt happy, sad, or scared (multiple choice). We subsequently asked the child to support this choice by asking him or her to indicate how intense the named emotion was by showing the child emoticons showing no-intensity, low-intensity, or high-intensity emotions (Chronaki, Hadwin, Garner, Maurage, & Sonuga-Barke, 2015; Pollak, Cicchetti, Hornung, & Reed, 2000). The use of visual material and multiple-choice questions increases the likelihood of correctly recognizing emotions, including fear (Pollak et al., 2000). Answers were coded as 0 when the emotion was not recognized, 1 when the emotion was recognized at low intensity (e.g., a little sad), and 2 when the emotion was recognized at high intensity (e.g., very sad). The coding of the quality of the explanations for the causes of the emotions ranged from 0 (incorrect and irrelevant explanations of emotions) to 5 (multiple factual reasons and possible consequences of the situation, e.g., the child is sad because his fish died and he will never see it again). One total score was calculated by summing the scores for the three clips, and the scores ranged from 2 to 12 of 21. One fifth (20%) of the video clips were double coded, and inter-rater reliability (intra-class correlation of absolute agreement, ICC) for the total scores was .80. Data were missing for children who were unable or refused to answer the questions of the experimenter ($n = 3$).

Attention to emotional faces

Eye tracking was used to assess attention to emotional faces because it is a sensitive and objective technique to assess visual attention in young children (Zantinge et al., 2017). A Tobii T120 eye tracker was used in order to collect gaze data within a specific area of interest (AOI) (Tobii Technology, Danderyd, Sweden). By corneal reflection techniques, the x and y position of the eye on the screen was recorded at 120 Hz. The clips were shown on a screen that was positioned approximately 65 cm from the child's eyes. Before the start of the experiment, a five-point calibration procedure was performed. Tobii Studio (Version 3.4.8) and an I-VT fixation filter were used to process the data. Dynamic AOIs for the face and the total screen were drawn manually. One AOI for the whole face was drawn with a margin of 1 cm around the face (Hessels, Kemner, van den Boomen, & Hooge, 2016; van Zonneveld et al., 2017; Zantinge et al., 2017). The relative total fixation duration to the face was used as an index of social attention, which

represents the time that the child was looking at the face as a percentage of the total time that the face was visible on the screen and clearly showing emotion (29 s for the happy clip, 13 s for the sad clip, and 14 s for the fear clip). The relative total visit duration of the screen was calculated in order to control for the time the child was looking at the screen during the display of emotions. The fear clip displayed two children, but only the relative total fixation duration for the scared child was examined because this child showed the emotion that was expected to elicit empathy. Missing data were caused by children refusing to watch the clip or by excessive movement, which disturbed the measurement ($n = 1$ for the sad clip, $n = 3$ for the happy clip, and $n = 3$ for the fear clip).

Maternal reports of aggression

To assess aggression, mothers completed the Dutch version of the Child Behavior Checklist (CBCL, 1–5 years; Achenbach & Rescorla, 2000). The CBCL consists of 100 behavioral descriptions of problem behavior that mothers rated on a 3-point Likert scale (0 = not true, 1 = somewhat or sometimes true, 2 = very true or often true) (Achenbach & Rescorla, 2000). The sum of 19 items regarding a broad range of aggressive behaviors (e.g., hits others, hurts animals or people without meaning to, is easily frustrated) was used to calculate the score for the aggressive behavior subscale (Cronbach's $\alpha = .874$). Data were missing for 1 child because the mother was not willing to fill out the questionnaire.

STATISTICAL ANALYSES

Preliminary analyses

Outliers and violations of assumptions were analyzed. Paired-samples t tests were performed in order to examine change in heart rate from the baseline immediately before the clips to the clips for the neutral, fear, sad, and happy conditions. Heart rate response was calculated as the difference in heart rate between the baseline and the emotional clips (emotion minus baseline), such that higher scores indicated larger increases in heart rate from baseline to emotional clips. Subsequently, standardized residual change scores were calculated by regressing the difference scores on the baseline levels of heart rate to make sure that the heart rate response scores controlled for baseline levels of heart rate (El-Sheikh et al., 2009; Suurland, van der Heijden, Huijbregts, van Goozen, & Swaab, 2018). Differences between heart rate reactivity to the neutral and emotional clips were examined in order to determine whether the heart rate reactivity was the result of the emotional content of the clips specifically (affective empathy) rather than social content in general. Differences between clips were analyzed with repeated-measures analyses of variance (RM-ANOVAs). Based on interrelations between the standardized residual change scores for the emotional clips,

they were averaged into one index of heart rate response. Values of relative total fixation duration were excluded from analyses when the values of relative total visit duration to the screen were ≥ 3 standard deviations below average (happy clip: $n = 3$; sad clip: $n = 2$; fear clip: $n = 3$). Differences between emotional clips regarding attention to emotional faces were analyzed with RM-ANOVAs, and based on interrelations between the relative total fixation durations to the emotional faces, these scores were averaged into one index of attention to emotional faces.

Main analyses

Pearson correlations were performed to analyze associations among heart rate response, emotion understanding, attention to emotional faces, and aggression. Multivariate linear regressions were used to examine moderating effects of attention to emotional faces on the associations between aggression and heart rate response and emotion understanding. Numeric variables were centered in advance, and interaction effects were examined further by plotting the effect of the independent variable on the dependent variable at different levels of the moderator (-1 standard deviation, mean, and +1 standard deviation) (Aiken, West, & Reno, 1991; Holmbeck, 2002). All analyses were done using the Statistical Package for Social Sciences (SPSS for Windows, Version 23; IBM, Armonk, NY, USA), and statistical significance was set at $p < .05$ a priori.

RESULTS

PRELIMINARY ANALYSES

Demographic data and descriptive statistics for heart rate response, emotion understanding, attention to emotional faces, and aggression are shown in Table 1. No sex differences were present for these variables. Regarding the emotional clips, 64% of the children recognized the happy and sad emotions and 62% of the children recognized the fearful emotion, which indicates that the clips were perceived as happy, sad, and fearful by children aged 45 months.

Table 1. Sample characteristics

Variable	M(SD)
<i>Mother</i>	
Caucasian ethnicity	85.2%
Highest education completed	
Secondary education	11.7%
Tertiary education	50.0%
Bachelor degree or higher	38.3%
<i>Child</i>	
Heart rate response	
Baseline HR	
Neutral	104.74(10.86)
Happy	107.62(11.08)
Sad	105.49(10.48)
Fear	106.25(11.17)
Mean HR during social clip	
Neutral	103.64(10.08)
Happy	105.35(10.87)
Sad	101.49(11.31)
Fear	103.22(11.47)
Emotion understanding	6.29(2.09)
Attention to emotional faces	
Relative total visit duration to the screen	
Happy	95.33(9.12)%
Sad	98.08(4.35)%
Fear	96.57(6.69)%
Relative total fixation duration to the face	
Happy	24.39(8.65)%
Sad	54.87(14.28)%
Fear	15.65(9.66)%
Aggression (CBCL)	9.87(5.77)

Note: heart rate (HR) in beats per minute; HR reactivity: standardized residualized change scores; CBCL: Child behavior checklist.

Heart rate response

Paired-samples *t* tests indicated that heart rate significantly decreased in response to the neutral clip, $t(53) = 2.356, p < .022, d = 0.12$, the happy clip, $t(51) = 4.701, p < .001, d = 0.21$, the sad clip, $t(50) = 7.261, p < .001, d = 0.36$, and the fear clip, $t(51) = 5.064, p < .001, d = 0.27$. RM-ANOVA revealed within-participants effects of clip, $F(3, 41) = 3.176, p = .034, \eta^2 = .189$, on heart rate reactivity while controlling for heart rate at baseline. Simple contrasts indicated that heart rate decreased more in response to the sad clip, $F(1, 43) = 6.435, p = .015, \eta^2 = .130$, and the fear clip, $F(1, 43) = 6.954, p = .005, \eta^2 = .172$ than the neutral clip. Pearson correlations indicated that the standardized residual change score for the happy clip was positively associated with those for the sad clip, $r(50) = .297, p = .036$, and the fear clip, $r(51) = .321, p = .022$. The standardized residual change score for the sad clip was not associated with the standardized residual change score for the fear clip, and the standardized residual change score for the neutral clip was not associated with the standardized residual change scores for the emotional clips. This indicates that heart rate reactivity to the emotional clips was qualitatively different from heart rate reactivity to the neutral clip. Based on the interrelations, one mean reactivity score for the emotional clips was calculated ($M = -0.009, SD = 0.72$).

Attention to emotional faces

Two RM-ANOVAs were performed to examine differences between clips in terms of the relative total visit duration to the screen and the relative total fixation duration to the face. No differences among the three clips were found for the relative total visit duration to the screen. However, a main effect of clip was found for relative total fixation duration to the face, $F(2, 44) = 125.259, p < .001, \eta^2 = .851$. Post hoc Bonferroni comparisons indicated that children attended less to the face in the happy clip than in the sad clip and that children attended less to the face in the fear clip than in the sad and happy clips ($p < .001$ for all differences). Pearson correlations indicated that the relative total fixation duration to the happy clip was positively associated with the relative total fixation duration to the sad clip, $r(53) = .300, p = .029$, and the fear clip, $r(47) = .332, p = .022$. The relative total fixation duration to the sad clip was not associated with the relative total fixation duration to the fear clip. The relative total fixation durations were standardized to control for differences between clips and averaged to one score ($M = -0.259, SD = 0.73$).

MAIN ANALYSES

Zero-order correlations among heart rate response, emotion understanding, attention to emotional faces, and aggression are shown in Table 2. Negative associations

were present between heart rate response and aggression, $r(53) = -.312, p = .023$, and between attention to emotional faces and aggression, $r(59) = -.264, p = .044$. The results of the multiple regression analyses examining the interaction effects between heart rate response/emotion understanding and attention to emotional faces on aggression are shown in Table 3. The model indicated a negative main effect of attention to emotional faces and heart rate response on aggression and indicated a positive interaction effect of heart rate response by attention to emotional faces on aggression.

Table 2. Correlations between heart rate response, emotion understanding, attention to emotional faces, and aggression.

	Heart rate response	Emotion understanding	Attention to emotional faces	Aggression
Heart rate response	-	-.181	-.074	-.312*
Emotion understanding		-	.024	.036
Attention to emotional faces			-	-.264*
Aggression				-

Note: * $p \leq .05$; Heart rate response is indicated by the average standardized residualized change score in response to the emotional clips, in which higher scores indicate increases in hear rate; Attention to emotional faces is indicated by the average standardized relative total fixation duration at the faces during the emotional clips.

Table 3. Regression analyses of the main and interaction effects of heart rate response/emotion understanding and attention to emotional faces on maternal reports of aggression.

	β	T	R ²	Sig.
Model			.282	.011
Heart rate response	-.279	-2.126		.039
Emotion understanding	-.005	-0.033		.974
Attention to emotional faces	-.398	-2.965		.005
Heart rate response $\times$ Attention to emotional faces	.317	2.337		.024
Emotion understanding $\times$ Attention to emotional faces	.132	0.962		.341

Note: The dependent variable is aggression as measured with the child behavior checklist (CBCL); Heart rate response is indicated by the average standardized residualized change score in response to the emotional clips, in which higher scores indicate increases in hear rate; Attention to emotional faces is indicated by the average standardized relative total fixation duration at the faces during the emotional clips.

To further examine the significant interaction effect, post hoc regression analyses were run at different levels of attention to emotional faces (-1 standard deviation, mean, and +1 standard deviation). The results indicated that the negative association between heart rate response and aggression was stronger in children with low levels of attention to emotional faces ($\beta = -.621, t = -3.130, p = .003$) than in children with moderate levels of attention ($\beta = -.279, t = -2.126, p = .039$) or high levels of attention ($\beta = .062, t = 0.319, p = .751$) to emotional faces. The lowest levels of aggression were found in children with high levels of attention to emotional faces regardless of their level of heart rate response, and the highest levels of aggression were found when low heart rate response was combined with low social attention (Fig. 1).




Figure 1. The effect of heart rate response on aggression at low, moderate, and high levels of attention to emotional faces.

DISCUSSION

The current study aimed to examine associations between indicators of affective and cognitive empathy, social attention, and aggression in 3-year-old children. We expected affective and cognitive empathy to be negatively associated with aggression. Social attention was expected to be positively associated with affective and cognitive empathy and to be negatively associated with aggression. In addition, the moderating role of social attention for the association between empathy and aggression was explored.

AFFECTIVE EMPATHY

Heart rate response in response to emotional clips was used as an indicator of affective empathy (Hastings et al., 2014; Zhou et al., 2003). Consistent with our hypothesis and previous literature, affective empathy was negatively associated with maternal ratings of aggression (Blair, 2005; Miller et al., 2013; Smith, 2006; van Zonneveld et al., 2017; Zahn-Waxler et al., 1995). More specifically, children with higher levels of aggression showed smaller reductions in heart rate in response to emotional clips. Although these results are similar to previous studies (van Zonneveld et al., 2017; Zahn-Waxler et al., 1995), it should be noted that a decrease in heart rate from baseline to the emotional clips seems counterintuitive because affective arousal is generally associated with an increase in heart rate. It is commonly found that heart rate decreases in response to visual stimuli, such as video clips, as a result of information processing and focused attention (Kreibig, 2010; Van Hulle et al., 2013; Zantinge et al., 2017). Furthermore, outward focus of attention as indicated by heart rate decrease has been associated with empathic concern and prosocial behavior (Hastings et al., 2014; Zahn-Waxler et al., 1995; Zhou et al., 2003). In the current study, heart rate decreased as a result of attention toward the neutral clip with social content, but a larger decrease was observed in response to the clips containing sad and fearful emotional content. Therefore, larger decreases in heart rate can be considered indicative of more affective empathy, which was associated with less aggression.

COGNITIVE EMPATHY

Emotional understanding in response to empathy-evoking clips was used as an index of cognitive empathy (Bons et al., 2013; van Zonneveld et al., 2017). No association was found between cognitive empathy and aggression, which is in line with previous studies in older children (Blair, 2005; Dadds et al., 2009; van Zonneveld et al., 2017; Winter et al., 2017) but is contradictory to studies indicating negative associations between cognitive empathy and aggression in preschoolers (Belacchi & Farina, 2012; Dadds et al., 2009). This contradiction possibly can be explained by the different measures of cognitive empathy that were used. Previous studies used parent and teacher reports of cognitive empathy, which might be biased by factors such as personality, memory, and the tendency to give socially desirable responses (Kagan, Snidman, Arcus, & Reznick, 1994), whereas children's own verbal responses to questions about the clips were coded in the current study. More research on the association between cognitive empathy and aggression during early childhood is needed in order to further elucidate this association. Overall, our results are in line with theories indicating that it is particularly affective empathy that is negatively associated with aggression (Blair, 2005; Smith, 2006).

SOCIAL ATTENTION

In line with previous studies, social attention was measured using eye tracking in the form of attention to emotional faces (van Goozen et al., 2016; van Rijn, Barendse, van Goozen, & Swaab, 2014; van Zonneveld et al., 2017). Attention to emotional faces can be considered indicative of social attention because, from infancy onward, humans have a preference toward faces, in particular a preference for the eyes and mouth (Chita-Tegmark, 2016; Klein, Shepherd, & Platt, 2009). Faces provide essential information for recognizing and understanding emotions, and attention to faces during infancy is a predictor of later social behavior (Emery, 2000; Peltola, Yrttiaho, & Leppanen, 2018). In the current study, reduced attention to emotional faces was associated with higher levels of mother-reported aggression, which extends the findings by Dadds et al. (2008) from children aged 8 to 15 years to preschool-aged children. Furthermore, social attention moderated the association between affective empathy and aggression, which indicated that the negative association between affective arousal and aggression was reduced in children with relatively high social attention and was increased in children with relatively low social attention. In general, children who showed both low levels of affective empathy and low levels of social attention were rated as significantly more aggressive than children who showed either low affective empathy or low social attention. Therefore, social attention serves as a protective factor for the negative effect of low affective empathy on aggression. These results indicate that the current measure of social attention, eye tracking during video clips of dynamic social situations, is a sensitive way to examine the role of social attention in empathy and aggression. However, in contrast to our hypothesis and previous research in 5-year-olds (Yan et al., 2017), no association was found between cognitive or emotional empathy and social attention. More research is necessary to reveal whether this association can be found before 5 years of age and whether the association between social attention and empathy is present for both cognitive empathy and affective empathy (Bons et al., 2013).

No sex differences in empathy or aggression were found, which is surprising given the consistent differences observed in previous research pointing toward more aggression and less empathy in boys (Card, Stucky, Sawalani, & Little, 2008; Christov-Moore et al., 2014). One possibility is that sex differences in empathy and aggression vary as a function of the methodology used to assess them; for example, no sex differences have been found in children when physiological measures of empathy were used, whereas clear sex differences are found when using parent reports, which might be under the influence of gender stereotypes (Eisenberg, Spinrad, & Knafo, 2015). In the current study, heart rate and verbal responses to emotional clips were used as indicators of affective and cognitive empathy but no parent reports, and this

may explain why no sex differences were found. Parent reports were used to examine aggression, but existence of sex differences in aggression may depend on the type of aggression measured, with higher levels of physical aggression being found in boys but higher levels of indirect aggression being found in girls (Archer, 2004). The CBCL includes the measurement of different types of aggressive behaviors, which may have resulted in similar aggression rates for boys and girls.

STRENGTHS, LIMITATIONS, AND FUTURE RESEARCH

The current study adds to the literature by examining affective empathy, cognitive empathy, and social attention within one experimental setup, in contrast to many studies on empathy that focused on specific aspects of empathy isolated from their context (Zaki & Ochsner, 2012). In addition, this is the first study that combined indicators of affective empathy, cognitive empathy, and social attention in relation to aggression at the preschool age, which is a critical time to learn to regulate aggression (Tremblay et al., 2004). We used maternal reports to measure aggression, which is a limitation. Although parent reports provide ecologically valid information about behavior in daily situations that young children cannot report on, maternal reports of aggression might be biased (Kagan et al., 1994). Still, the CBCL has shown to be a reliable and valid measure of aggression during early childhood (Koot, Van den Oord, Verhulst, & Boomsma, 1997). Another methodological limitation is the use of heart rate as an indicator of affective empathy. Although heart rate as a global index of physiological arousal may be an objective measure of affective empathy, physiological arousal is not synonymous with affective empathy (Bons et al., 2013). For example, a decrease in heart rate in response to emotional clips could be the result of attention or interest (Kreibig, 2010; Van Hulle et al., 2013). However, in the current study, it is likely that the changes in heart rate were related to the emotional content of the clips because the heart rate responses were larger in response to the sad and fearful clips than to the control clip (nonemotional social clip). Furthermore, whereas the heart rate responses to the happy clip was positively associated with the heart rate responses to the sad and fearful clips, the heart rate responses to the emotional clips were unrelated to those in the control condition (nonemotional social clip).

Another limitation is the cross-sectional nature of the study. Given that all constructs were measured at the same time point, no conclusions can be drawn regarding the direction of effects. Although we expect that difficulties in social attention and affective empathy underlie increased levels of aggressive behavior, we cannot rule out that aggressive behavior may have had effects on social attention and empathy. Nevertheless, previous studies using longitudinal designs indicate that empathy is a predictor of aggression over time and that children involved in interventions aimed at

improving empathy have been shown to become less aggressive (Hastings et al., 2000; Jagers et al., 2007; McMahon & Washburn, 2003; Schonert-Reichl et al., 2011).

Further research on the association between empathy and aggression could benefit from taking into account the valence of emotions because particularly empathy for negative emotions has been suggested to be associated with aggression in older children (Bons et al., 2013). However, in the current study, no differences between empathy for positive emotions and empathy for negative emotions were present. In addition, specific measures of the sympathetic (e.g., skin conductance or pre-ejection period) and parasympathetic (e.g., respiratory sinus arrhythmia) autonomic nervous system could be used to examine the importance of collaboration between both branches of the autonomic nervous system in response to empathy for the prediction of aggression (El-Sheikh et al., 2009; Marsh, Beauchaine, & Williams, 2008; Suurland et al., 2018). Furthermore, it would be valuable to study motor empathy, which refers to the automatic response to emotions of others by mimicking others' facial expressions (Blair, 2005; Bons et al., 2013). Motor empathy is the third important aspect of empathy, besides affective and cognitive empathy, that may be associated with aggression during childhood (Bons et al., 2013; Deschamps, Munsters, Kenemans, Schutter, & Matthys, 2014; van der Graaff et al., 2016).

CONCLUSION

This study indicates that higher levels of affective empathy and social attention are associated with a reduction in reported aggression during early childhood; no association was found between cognitive empathy and aggression. In particular, social attention was shown to have a protective effect on the negative association between affective empathy and aggression; the negative association between affective empathy and aggression was stronger in children with relatively reduced social attention. Therefore, both empathy and social attention are important aspects of behavior that need to be considered when it comes to designing early interventions that aim to prevent or reduce aggression (Dadds et al., 2006; Feshbach & Feshbach, 2011; Jagers et al., 2007; McMahon & Washburn, 2003; Schonert-Reichl et al., 2011). Interventions that focus on social attention, such as specific instructions to attend to faces and attention bias modification training, may facilitate young people to attend to social information, which is necessary to share and understand feelings of others (Bar-Haim, 2010; Dadds et al., 2006; Hubble, Bowen, Moore, & van Goozen, 2015). In turn, interventions aimed at affective empathy may facilitate children to learn to inhibit aggressive behavior (Feshbach & Feshbach, 2011). Because aggression has been shown to be relatively stable from early childhood to adolescence, interventions at a young age may reduce the chances of developing high and persistent levels of aggression (Tremblay, 2010).

REFERENCES

A

- Achenbach, T. M., & Rescorla, L. A. (2000). *Manual for the ASEBA preschool forms & profiles: An integrated system of multi-informant assessment*. Burlington: University of Vermont, Research Center for Children, Youth, and Families.
- Aiken, L. S., West, S. G., & Reno, R. R. (1991). *Multiple regression: Testing and interpreting interactions*. Newbury Park, CA: Sage.
- Alink, L. R., Mesman, J., Van Zeijl, J., Stolk, M. N., Juffer, F., Koot, H. M., ... Van IJzendoorn, M. H. (2006). The early childhood aggression curve: Development of physical aggression in 10- to 50-month-old children. *Child Development*, 77, 954–966.
- Anastassiou-Hadjicharalambous, X., & Warden, D. (2007). Convergence between physiological, facial and verbal self-report measures of affective empathy in children. *Infant and Child Development*, 16, 237–254.
- Anastassiou-Hadjicharalambous, X., & Warden, D. (2008). Physiologically-indexed and self-perceived affective empathy in conduct-disordered children high and low on callous-unemotional traits. *Child Psychiatry & Human Development*, 39, 503–517.
- Archer, J. (2004). Sex differences in aggression in real-world settings: A meta-analytic review. *Review of General Psychology*, 8, 291–322.

B

- Bar-Haim, Y. (2010). Attention bias modification (ABM): A novel treatment for anxiety disorders. *Journal of Child Psychology and Psychiatry*, 51, 859–870.
- Belacchi, C., & Farina, E. (2012). Feeling and thinking of others: Affective and cognitive empathy and emotion comprehension in prosocial/hostile preschoolers. *Aggressive Behavior*, 38, 150–165.
- Berntson, G. G., Cacioppo, J. T., Binkley, P. F., Uchino, B. N., Quigley, K. S., & Fieldstone, A. (1994). Autonomic cardiac control: III. Psychological stress and cardiac response in autonomic space as revealed by pharmacological blockades. *Psychophysiology*, 31, 599–608.
- Blair, R. J. (1995). A cognitive developmental approach to morality: Investigating the psychopath. *Cognition*, 57, 1–29.
- Blair, R. J. (2005). Responding to the emotions of others: Dissociating forms of empathy through the study of typical and psychiatric populations. *Consciousness and Cognition*, 14, 698–718.
- Blair, R. J. (2006). The emergence of psychopathy: Implications for the neuropsychological approach to developmental disorders. *Cognition*, 101, 414–442.
- Bons, D., van den Broek, E., Scheepers, F., Herpers, P., Rommelse, N., & Buitelaar, J. K. (2013). Motor, emotional, and cognitive empathy in children and adolescents with autism spectrum disorder and conduct disorder. *Journal of Abnormal Child Psychology*, 41, 425–443.

- Broidy, L. M., Nagin, D. S., Tremblay, R. E., Bates, J. E., Brame, B., Dodge, K. A., ... Laird, R. (2003). Developmental trajectories of childhood disruptive behaviors and adolescent delinquency: A six-site, cross-national study. *Developmental Psychology*, 39, 222–245.

C

- Card, N. A., Stucky, B. D., Sawalani, G. M., & Little, T. D. (2008). Direct and indirect aggression during childhood and adolescence: A meta-analytic review of gender differences, intercorrelations, and relations to maladjustment. *Child Development*, 79, 1185–1229.
- Chevallier, C., Parish-Morris, J., McVey, A., Rump, K. M., Sasson, N. J., Herrington, J. D., & Schultz, R. T. (2015). Measuring social attention and motivation in autism spectrum disorder using eye-tracking: Stimulus type matters. *Autism Research*, 8, 620–628.
- Chita-Tegmark, M. (2016). Social attention in ASD: A review and meta-analysis of eye-tracking studies. *Research in Developmental Disabilities*, 48, 79–93.
- Christov-Moore, L., Simpson, E. A., Coude, G., Grigaityte, K., Iacoboni, M., & Ferrari, P. F. (2014). Empathy: Gender effects in brain and behavior. *Neuroscience & Biobehavioral Reviews*, 46, 604–627.
- Chronaki, G., Hadwin, J. A., Garner, M., Maurage, P., & Sonuga-Barke, E. J. (2015). The development of emotion recognition from facial expressions and non-linguistic vocalizations during childhood. *British Journal of Developmental Psychology*, 33, 218–236.

D

- Dadds, M. R., El Masry, Y., Wimalaweera, S., & Guastella, A. J. (2008). Reduced eye gaze explains “fear blindness” in childhood psychopathic traits. *Journal of the American Academy of Child and Adolescent Psychiatry*, 47, 455–463.
- Dadds, M. R., Hawes, D. J., Frost, A. D. J., Vassallo, S., Bunn, P., Hunter, K., & Merz, S. (2009). Learning to “talk the talk”: The relationship of psychopathic traits to deficits in empathy across childhood. *Journal of Child Psychology and Psychiatry*, 50, 599–606.
- Dadds, M. R., Perry, Y., Hawes, D. J., Merz, S., Riddell, A. C., Haines, D. J., ... Abeygunawardane, A. I. (2006). Attention to the eyes and fear-recognition deficits in child psychopathy. *British Journal of Psychiatry*, 189, 280–281.
- de Geus, E. J., & van Doornen, L. J. (1996). Ambulatory assessment of parasympathetic/sympathetic balance by impedance cardiography. In J. Fahrenberg & M. Myrtek (Eds.), *Ambulatory assessment: Computer assisted psychological and psychophysiological methods in monitoring and field studies* (pp. 141–164). Gottingen, Germany: Hogrefe & Huber.
- de Geus, E. J., Willemsen, G. H., Klaver, C. H., & van Doornen, L. J. (1995). Ambulatory measurement of respiratory sinus arrhythmia and respiration rate. *Biological Psychology*, 41, 205–227.

- de Wied, M., Boxtel, A. V., Posthumus, J. A., Goudena, P. P., & Matthys, W. (2009). Facial EMG and heart rate responses to emotion-inducing film clips in boys with disruptive behavior disorders. *Psychophysiology*, 46, 996–1004.
- Decety, J. (2010). The neurodevelopment of empathy in humans. *Developmental Neuroscience*, 32, 257–267.
- Decety, J., Meidenbauer, K. L., & Cowell, J. M. (2018). The development of cognitive empathy and concern in preschool children: A behavioral neuroscience investigation. *Developmental Science*, 21 e12570.
- Decety, J., Michalska, K. J., Akitsuki, Y., & Lahey, B. B. (2009). Atypical empathic responses in adolescents with aggressive conduct disorder: A functional MRI investigation. *Biological Psychology*, 80, 203–211.
- Deschamps, P., Munsters, N., Kenemans, L., Schutter, D., & Matthys, W. (2014). Facial mimicry in 6–7 year old children with disruptive behavior disorder and ADHD. *PLoS One*, 9(1), e84965.

E

- Eisenberg, N. (2010). Empathy-related responding: Links with self-regulation, moral judgment, and moral behavior. In M. Mikulincer & P. R. Shaver (Eds.), *Prosocial motives, emotions, and behavior: The better angels of our nature* (pp. 129–148). Washington, DC: American Psychological Association.
- Eisenberg, N., Eggum, N. D., & Di Giunta, L. (2010). Empathy-related responding: Associations with prosocial behavior, aggression, and intergroup relations. *Social Issues and Policy Review*, 4, 143–180.
- Eisenberg, N., Spinrad, T. L., & Knafo, A. (2015). Prosocial development. In M. E. Lamb & R. M. Lerner (Eds.), *Handbook of child psychology and developmental science. Socioemotional processes* (2, pp. 610–656). Hoboken, NJ: John Wiley.
- El-Sheikh, M., Kouros, C. D., Erath, S., Cummings, E. M., Keller, P., & Staton, L. (2009). Marital conflict and children's externalizing behavior: Interactions between parasympathetic and sympathetic nervous system activity. *Monographs of the Society for Research in Child Development*, 74(1), 1–79.
- Emery, N. J. (2000). The eyes have it: The neuroethology, function and evolution of social gaze. *Neuroscience & Biobehavioral Reviews*, 24, 581–604.

F

- Feshbach, N. D., & Feshbach, S. (1969). The relationship between empathy and aggression in two age groups. *Developmental Psychology*, 1, 102–107.
- Feshbach, N. D., & Feshbach, S. (2011). Empathy and education. In J. Decety (Ed.), *The social neuroscience of empathy* (pp. 85–97). Cambridge, MA: MIT Press.

G

- Gill, K. L., & Calkins, S. D. (2003). Do aggressive/destructive toddlers lack concern for others? Behavioral and physiological indicators of empathic responding in 2-year-old children. *Development and Psychopathology*, 15, 55–71.

H

- Hastings, P. D., & Miller, J. G. (2014). Autonomic regulation, polyvagal theory, and children's prosocial development. In L. M. Padilla-Walker & G. Carlo (Eds.), *Prosocial development: A multidimensional approach* (pp. 112–127). New York: Oxford University Press.
- Hastings, P. D., Miller, J. G., Kahle, S., & Zahn-Waxler, C. (2014). The neurobiological bases of empathic concern for others. In M. Killen & J. G. Smetana (Eds.), *Handbook of moral development* (pp. 411–434). Mahwah, NJ: Lawrence Erlbaum.
- Hastings, P. D., Zahn-Waxler, C., Robinson, J., Usher, B., & Bridges, D. (2000). The development of concern for others in children with behavior problems. *Developmental Psychology*, 36, 531–546.
- Hessels, R. S., Kemner, C., van den Boomen, C., & Hooge, I. T. (2016). The area-of-interest problem in eyetracking research: A noise-robust solution for face and sparse stimuli. *Behavior Research Methods*, 48, 1694–1712.
- Hoffman, M. (2000). *Empathy and moral development: Implications for caring and justice*. Cambridge, UK: Cambridge University Press.
- Holmbeck, G. N. (2002). Post-hoc probing of significant moderational and mediational effects in studies of pediatric populations. *Journal of Pediatric Psychology*, 27, 87–96.
- Holmgren, R. A., Eisenberg, N., & Fabes, R. A. (1998). The relations of children's situational empathy-related emotions to dispositional prosocial behaviour. *International Journal of Behavioral Development*, 22, 169–193.
- Hubble, K., Bowen, K. L., Moore, S. C., & van Goozen, S. H. (2015). Improving negative emotion recognition in young offenders reduces subsequent crime. *PLoS One*, 10(6), e132035.
- Hughes, C., White, A., Sharpen, J., & Dunn, J. (2000). Antisocial, angry, and unsympathetic: "Hard-to-manage" preschoolers' peer problems and possible cognitive influences. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 41, 169–179.

J

- Jagers, R. J., Morgan-Lopez, A. A., Howard, T. L., Browne, D. C., Flay, B. R., & Aya, A. (2007). Mediators of the development and prevention of violent behavior. *Preventive Science*, 8, 171–179.
- Jolliffe, D., & Farrington, D. P. (2004). Empathy and offending: A systematic review and meta-analysis. *Aggression and Violent Behavior*, 9, 441–476.

K

- Kagan, J., Snidman, N., Arcus, D., & Reznick, J. S. (1994). *Galen's prophecy: Temperament in human nature*. New York: Basic Books.
- Klein, J. T., Shepherd, S. V., & Platt, M. L. (2009). Social attention and the brain. *Current Biology*, 19, R958–R962.

Koot, H. M., Van den Oord, E. J., Verhulst, F. C., & Boomsma, D. I. (1997). Behavioral and emotional problems in young preschoolers: Cross-cultural testing of the validity of the Child Behavior Checklist/2–3. *Journal of Abnormal Child Psychology*, 25, 183–196.

Kreibig, S. D. (2010). Autonomic nervous system activity in emotion: A review. *Biological Psychology*, 84, 394–421.

L

Lovett, B. J., & Sheffield, R. A. (2007). Affective empathy deficits in aggressive children and adolescents: A critical review. *Clinical Psychology Review*, 27, 1–13.

M

MacQuiddy, S. L., Maise, S. J., & Hamilton, S. B. (1987). Empathy and affective perspective-taking skills in parent-identified conduct-disordered boys. *Journal of Clinical Child Psychology*, 16, 260–268.

Marsh, P., Beauchaine, T. P., & Williams, B. (2008). Dissociation of sad facial expressions and autonomic nervous system responding in boys with disruptive behavior disorders. *Psychophysiology*, 45, 100–110.

Marsh, A. A., Finger, E. C., Fowler, K. A., Adalio, C. J., Jurkowitz, I. T., Schechter, J. C., ... Blair, R. J. (2013). Empathic responsiveness in amygdala and anterior cingulate cortex in youths with psychopathic traits. *Journal of Child Psychology and Psychiatry*, 54, 900–910.

McDonald, N. M., & Messinger, D. S. (2011). The development of empathy: How, when, and why. In A. Acerbi, J. A. Lombo, & J. J. Sanguinetti (Eds.), *Free will, emotions, and moral actions: Philosophy and neuroscience in dialogue*. Rome, Italy: IF-Press.

McMahon, S. D., & Washburn, J. J. (2003). Violence prevention: An evaluation of program effects with urban African American students. *Journal of Primary Prevention*, 24, 43–62.

Miller, J. G., Choccol, C., Nuselovici, J. N., Utendale, W. T., Simard, M., & Hastings, P. D. (2013). Children's dynamic RSA change during anger and its relations with parenting, temperament, and control of aggression. *Biological Psychology*, 92, 417–425.

Miller, P. A., & Eisenberg, N. (1988). The relation of empathy to aggressive and externalizing/antisocial behavior. *Psychological Bulletin*, 103, 324–344.

O

O'Nions, E., Sebastian, C. L., McCrory, E., Chantiluke, K., Happe, F., & Viding, E. (2014). Neural bases of theory of mind in children with autism spectrum disorders and children with conduct problems and callous–unemotional traits. *Developmental Science*, 17, 786–796.

P

- Peltola, M. J., Yrttiaho, S., & Leppanen, J. M. (2018). Infants' attention bias to faces as an early marker of social development. *Developmental Science*, 21, e12687.
- Pollak, S. D., Cicchetti, D., Hornung, K., & Reed, A. (2000). Recognizing emotion in faces: Developmental effects of child abuse and neglect. *Developmental Psychology*, 36, 679–688.
- Porges, S. W. (2007). The polyvagal perspective. *Biological Psychology*, 74, 116–143.
- Porges, S. W., & Furman, S. A. (2011). The early development of the autonomic nervous system provides a neural platform for social behavior: A polyvagal perspective. *Infant and Child Development*, 20, 106–118.

R

- Rhee, S. H., Friedman, N. P., Boeldt, D. L., Corley, R. P., Hewitt, J. K., Knafo, A., ... Zahn-Waxler, C. (2013). Early concern and disregard for others as predictors of antisocial behavior. *Journal of Child Psychology and Psychiatry*, 54, 157–166.
- Risko, E. F., Laidlaw, K., Freeth, M., Foulsham, T., & Kingstone, A. (2012). Social attention with real versus reel stimuli: Toward an empirical approach to concerns about ecological validity. *Frontiers in Human Neuroscience*, 6. <https://doi.org/10.3389/fnhum.2012.00143>.

S

- Schonert-Reichl, K. A., Smith, V., Zaidman-Zait, A., & Hertzman, C. (2011). Promoting children's prosocial behaviors in school: Impact of the "Roots of Empathy" program on the social and emotional competence of school-aged children. *School Mental Health*, 4, 1–21.
- Schwenck, C., Mergenthaler, J., Keller, K., Zech, J., Salehi, S., Taurines, R., ... Freitag, C. M. (2012). Empathy in children with autism and conduct disorder: Group-specific profiles and developmental aspects. *Journal of Child Psychology and Psychiatry*, 53, 651–659.
- Shamay-Tsoory, S. G. (2011). The neural bases for empathy. *Neuroscientist*, 17, 18–24.
- Shamay-Tsoory, S. G., & Aharon-Peretz, J. (2007). Dissociable prefrontal networks for cognitive and affective theory of mind: A lesion study. *Neuropsychologia*, 45, 3054–3067.
- Shamay-Tsoory, S. G., Aharon-Peretz, J., & Perry, D. (2009). Two systems for empathy: A double dissociation between emotional and cognitive empathy in inferior frontal gyrus versus ventromedial prefrontal lesions. *Brain*, 132, 617–627.
- Singer, T. (2006). The neuronal basis and ontogeny of empathy and mind reading: Review of literature and implications for future research. *Neuroscience and Biobehavioral Reviews*, 30, 855–863.
- Singer, T., & Klimecki, O. M. (2014). Empathy and compassion. *Current Biology*, 24, R875–R878.

- Smaling, H. J., Huijbregts, S. C., Suurland, J., Van Der Heijden, K. B., Van Goozen, S. H., & Swaab, H. (2015). Prenatal reflective functioning in primiparous women with a high-risk profile. *Infant Ment Health J*, 36(3), 251–261. <https://doi.org/10.1002/imhj.21506>.
- Smith, A. (2006). Cognitive empathy and emotional empathy in human behavior and evolution. *Psychological Record*, 56, 3–21.
- Speer, L. L., Cook, A. E., McMahon, W. M., & Clark, E. (2007). Face processing in children with autism: Effects of stimulus contents and type. *Autism*, 11, 265–277.
- Sterzer, P., Stadler, C., Poustka, F., & Kleinschmidt, A. (2007). A structural neural deficit in adolescents with conduct disorder and its association with lack of empathy. *NeuroImage*, 37, 335–342.
- Strayer, J., & Roberts, W. (2004). Empathy and observed anger and aggression in five-year-olds. *Social Development*, 13, 1–13.
- Suurland, J., van der Heijden, K. B., Huijbregts, S. C. J., van Goozen, S. H. M., & Swaab, H. (2018). Infant parasympathetic and sympathetic activity during baseline, stress and recovery: Interactions with prenatal adversity predict physical aggression in toddlerhood. *Journal of Abnormal Child Psychology*, 46, 755–768.

T

- Tremblay, R. E. (2010). Developmental origins of disruptive behaviour problems: The 'original sin' hypothesis, epigenetics and their consequences for prevention. *Journal of Child Psychology and Psychiatry*, 51, 341–367.
- Tremblay, R. E., Nagin, D. S., Seguin, J. R., Zoccolillo, M., Zelazo, P. D., Boivin, M., ... Japel, C. (2004). Physical aggression during early childhood: Trajectories and predictors. *Pediatrics*, 114, e43–e50.

V

- Vachon, D. D., Lynam, D. R., & Johnson, J. A. (2013). The (non)relation between empathy and aggression: Surprising results from a meta-analysis. *Psychological Bulletin*, 140, 751–773.
- van der Graaff, J., Meeus, W., de Wied, M., van Bortel, A., van Lier, P. A., Koot, H. M., & Branje, S. (2016). Motor, affective and cognitive empathy in adolescence: Interrelations between facial electromyography and self-reported trait and state measures. *Cognition and Emotion*, 30, 745–761.
- van Goozen, S. H., Langley, K., Northover, C., Hubble, K., Rubia, K., Schepman, K., ... Thapar, A. (2016). Identifying mechanisms that underlie links between COMT genotype and aggression in male adolescents with ADHD. *Journal of Child Psychology and Psychiatry*, 57, 472–480.
- van Hulle, C., Zahn-Waxler, C., Robinson, J. L., Rhee, S. H., Hastings, P. D., & Knafo, A. (2013). Autonomic correlates of children's concern and disregard for others. *Social Neuroscience*, 8, 275–290.

- van Langen, M. A. M., Wissink, I. B., van Vugt, E. S., Van der Stouwe, T., & Stams, G. J. J. M. (2014). The relation between empathy and offending: A meta-analysis. *Aggression and Violent Behavior*, 19, 179–189.
- van Rijn, S., Barendse, M., van Goozen, S., & Swaab, H. (2014). Social attention, affective arousal and empathy in men with Klinefelter syndrome (47, XXY): Evidence from eyetracking and skin conductance. *PLoS One*, 9(1), e84721.
- van Zonneveld, L., Platje, E., de Sonnevile, L. M., van Goozen, S. H., & Swaab, H. (2017). Affective empathy, cognitive empathy and social attention in children at high risk of criminal behaviour. *Journal of Child Psychology and Psychiatry*, 58, 913–921.

W

- Wegrzyn, M., Vogt, M., Kireclioglu, B., Schneider, J., & Kissler, J. (2017). Mapping the emotional face: How individual face parts contribute to successful emotion recognition. *PLoS One*, 12(5), e177239.
- Willemsen, G. H., de Geus, E. J., Klaver, C. H., van Doornen, L. J., & Carroll, D. (1996). Ambulatory monitoring of the impedance cardiogram. *Psychophysiology*, 33, 184–193.
- Winter, K., Spengler, S., Bermpohl, F., Singer, T., & Kanske, P. (2017). Social cognition in aggressive offenders: Impaired empathy, but intact theory of mind. *Scientific Reports*, 7(1), 670.

Y

- Yan, Z., Pei, M., & Su, Y. (2017). Children's empathy and their perception and evaluation of facial pain expression: An eye tracking study. *Frontiers in Psychology*, 8. <https://doi.org/10.3389/fpsyg.2017.02284>.

Z

- Zahn-Waxler, C., Cole, P. M., Welsh, J. D., & Fox, N. A. (1995). Psychophysiological correlates of empathy and prosocial behaviors in preschool children with behavior problems. *Development and Psychopathology*, 7, 27–48.
- Zaki, J., & Ochsner, K. N. (2012). The neuroscience of empathy: Progress, pitfalls and promise. *Nature Neuroscience*, 15, 675–680.
- Zantinge, G., van Rijn, S., Stockmann, L., & Swaab, H. (2017). Psychophysiological responses to emotions of others in young children with autism spectrum disorders: Correlates of social functioning. *Autism Research*, 10, 1499–1509.
- Zhou, Q., Valiente, C., & Eisenberg, N. (2003). Empathy and its measurement. In S. J. Lopez & C. R. Snyder (Eds.), *Positive psychological assessment: A handbook of models and measures* (pp. 269–284). Washington, DC: American Psychological Association.

